




Wento Cholorander, U.S.A.



gend.

Thunder

DEPT. OF JUSTICE

1014245


W-THUNDER

M/Agnes
11/2/05

2

I Have 2 Bikes
It's just like a Dream...

This is ~~not~~ What is not
Right? Bikes are not
Safe to Ride?




Tyler
TX




Not want stay tight

Seat Broken
Need New
Lone
Low shipping

The same ~~thing~~ Thing
on Both Bikes




Kabing wont hold




speed off


Brake wont hold



Powerful Vtwin Engine



Retro Style Speedo



Rear & Front Anti-lock
Brake System

Leaking Exo Oil

Decker Scooter Parts Phone
 07406 Hwy 155 South 903 581 0810
 Tyler TX 75703
 ... The American Dream.

3



Blowing head light


Venta will not send
 parts to fix you cannot
 reach them by phone
 the rip was talk
 to on speaker phone
 no part sent to fix the
 bikes

Decker
 Scooter
 Parts
 They don't
 send new ones


one broken




Windshield*



Custom Seat
 equipment



Lightbar*
 Blowing Belt



Vento Warranty

Your new Vento[®] comes with a 1 year or 3,000 miles limited factory warranty. Check your dealer for details.

Safe Riding

Ride responsibly. Vento[®] believes safety begins with us and continues with you. Always wear a helmet, eye protection and proper apparel. Passengers too. Never ride under the influence of drugs or alcohol. Follow the instructions in your owner's manual and get the altitude.


Accessories*

Part of owning a Vento[®] is being able to customize it your own way. For a complete list of Vento[®] accessories and products, visit www.vento.com or call your nearest dealer.



Color Options

Colors may vary. Please check with your Vento[®] Motorcycles dealer for limited edition Custom Colors.



Vento Protect[®]

We know you like your Vento[®]. The Protect[®] Anti-Theft security system will guard your Vento[®] for you. The moment anyone seats, touches or tries to force the ignition, the system will blast a very loud sound while flashing all lights. Vento Protect[®] security system also include a remote ignition and turn off for the engine, so you don't need to worry if someone pull you out of your motorcycle while you are riding on it. With a push of a button you can remotely (60 foot approx) turn off the engine and turn on the alarm of the motorcycle.

Technical Specifications

Engine	4 Stroke, Aircooling
Cylinder Number	2
Running Diameter (Bore x Stroke)	53.2 x 67.6 mm
Max. Power	17.7 HP@8000rpm
Max. Torque	1.6Kgm@6000rpm
Starting System	Electric
Ignition	CDI
Fuel Tank	3.43 Gal.
Transmission	Gear by foot operated
Total length	94.5 in

Total Width	35.6 in
Total Height	45.0 in
Seat Height	27.5 in
Dry Weight	175 LL
Front & Rear Suspension	Hydraulic
Front Brake	Disc
Rear Brake	Disc
Front Tire	110/90-16
Rear Tire	130/90-16

About this Brochure

We have tried to make this brochure comprehensive and factual. We reserve the right, however, to make changes of any time and without notice, in prices, colors, materials, equipment, specifications, models, warranty and availability. Information has been update since the time of printing. Please check with your Vento[®] Motorcycles[®] dealer for complete details. For questions or comments call 1966-MY-VENTO or email us at info@vento.com



Printed in U.S.A. Specifications subject to change without notice. Availability may be limited. Always wear a helmet and appropriate attire. Call 1 800 448 9227 for the Motorcycle Safety Foundation beginner or expert course near you. You won't even need a motor cycle, your course sponsor will provide one. Availability of your local dealer. Vento isn't just a motorcycle, it's an attitude. www.vento.com