



U.S. Department
of Transportation

National Highway
Traffic Safety
Administration

DOT Auto Safety Hotline
Vehicle Owner's Questionnaire
To Report Vehicle Safety Defects
1-888-DASH-2-DOT
(1-888-327-4236)
INTERNET: www.nhtsa.dot.gov/hotline

FOR AGENCY USE ONLY 100148

Date Received

2006 AUG 30 AM 8:41
14-AUG-2006

Repository ☐

Reference No.
10165443

OWNER INFORMATION (Type or Print)

Name

Address

City

PAWLING

State NY

Zip Code

Daytime Telephone Number

Evening Telephone Number

E-mail Address

Do you authorize NHTSA to provide a copy of this report to the manufacturer of your vehicle? ☐ YES ☒ NO
In the absence of an authorization, NHTSA WILL NOT provide your name or address to the vehicle manufacturer.
Signature of Owner _____ Date 8/30/06

VEHICLE INFORMATION

17 digit Vehicle Identification Number Located at bottom of windshield on driver's side
1G3NK52T1

Make
OLDSMOBILE

Model
ALERO

Model Year
2001

Date Purchased
02-JAN-01

Dealer's Name and Telephone Number

Engine:
No: Cylinders 4

Fuel Type:
Gas

Original Owner
☒

Dealer's City

State

Zip Code

Transmission Type
AUTOMATIC

☒ Antilock Brakes
☐ Cruise Control

Powertrain
FRONT WHEEL DRIVE

Vehicle Component Code
071110 FUEL SYSTEM, GASOLINE:STORAGE:TANK ASSEMBLY:FILLER

Multiple Failure: 1

FAILED COMPONENT(S)/PART(S) INFORMATION

Incident Date(s)
14-AUG-2006

Failure Mileage
61133

Failure Speed

ADDITIONAL ITEMS TO BE COMPLETED WHEN REPORTING A TIRE FAILURE

Tire Make

Tire Model (Name or Number)

Tire Size (Example P215/65R15)

DOT No. (Example: DOTM19ABC036)

☐ Original Equipment
☐ Prior Repair

Failure Location:

Tire Component Code

Tire Failure Type

ADDITIONAL ITEMS TO BE COMPLETED WHEN REPORTING A CHILD SEAT FAILURE

Make:

Date Manufactured:

Model No./Name:

Seat Type:

Installation System:

Child Seat Component Code:

Failed Part:

APPLICABLE INCIDENT INFORMATION

(Please describe in detail the incident(s), failure(s), crash(es), and injury(ies).)

Crash

☐ Yes ☒ No

Fire

☐ Yes ☒ No

Number of Persons Injured

Number of Deaths

Reported to Police
N

Narrative Description of Incident(s), Crash(es), and Injury(ies).
Please describe (1) events leading up to the failure, (2) failure and its consequences, and (3) what was done to correct the failure;
i.e., parts repaired or replaced (and if old part is available).

DT*: THE CONTACT STATED THE SERVICE ENGINE SOON LIGHT ILLUMINATED ON THE DASH OF THE VEHICLE. THE DEALERSHIP DETERMINED THE FILLER NECK WAS CORRODED WHICH ALLOWED GASOLINE TO LEAK OUT.

2000 MALIBU WAS RECALLED FOR THE SAME THING

Include, if available: Police/Fire Department Report, Photos, and Repair Invoice.

ATTACH ADDITIONAL SHEETS IF NECESSARY

The Privacy Act of 1974-Public Law 93-579 This information is requested pursuant to authority vested in the National Highway Traffic Safety Act and subsequent amendments. You are under no obligation to respond this questionnaire. Your response may be used to assist the NHTSA in determining whether a Manufacturer should take appropriate action to correct a safety defect. If the NHTSA proceeds with administrative enforcement or litigation against a manufacturer, your response, or a statistical summary thereof, may be used in support of the agency's action.

Audia Motor Sales

3692 Rte 44

Millbrook, NY

845-677-3406



DATE: 8-8-06

REPAIR ORDER # 105854

NAME [REDACTED]

PHONE # [REDACTED]

YEAR 01 MAKE/MODEL Olds Aero

VIN 1G3NK52T11 [REDACTED]

ODOMETER 61,120

☐ MAINTENANCE I - FIRST SERVICE OR ☐ MAINTENANCE II - SECOND SERVICE (ALTERNATING I & II THEREAFTER)

TECHNICIAN SG

CONSULTANT 47

MAINTENANCE I - Use MAINTENANCE I if the CHANGE ENGINE OIL light is on within ten months since vehicle was purchased or MAINTENANCE II was performed.

MAINTENANCE II - Use MAINTENANCE II if the previous service performed was MAINTENANCE I. Always use MAINTENANCE II whenever the light comes on ten months or more since the last service or if the light has not come on at all for one year.

CHECKED & OKAY

WILL REQUIRE FUTURE ATTENTION

REQUIRES IMMEDIATE ATTENTION

MI	GOODWRENCH SERVICE MAINTENANCE
•	☐ Change engine oil and filter. Reset oil life system.
•	☐ Lubricate chassis components.
•	☐ Rotate tires and check inflation pressures and wear.
•	☐ Visually inspect exhaust system for leaks, damage, & loose parts. Remove any foreign materials trapped by shielding.
•	☐ Visually inspect engine air cleaner filter change indicator. If necessary, replace filter.
•	☐ Visually inspect brake system.
•	☐ Check engine coolant & windshield washer fluid levels. Add fluid as needed.
•	☐ Visually inspect transmission, drive shaft, u-joints, and transmission shift linkage (if equipped), and lubricate as needed.
•	☐ Check interior lights, exterior lamps, brake lamps, turn signals & hazard warning lights.
•	☐ Visually inspect CV drive axle boots (if equipped).
•	☐ Perform any needed additional services.
—	☐ Visually inspect suspension and steering components.
—	☐ Lubricate suspension, steering, steering linkages & body components.
—	☐ Visually inspect radiator, heater, and air-conditioning hoses (HVAC) for operational performance.
—	☐ Visually inspect wiper blades, and wiper operation.
—	☐ Visually inspect restraint system components.
—	☐ Check transmission fluid level and add fluid as needed.

CHECK BATTERY PERFORMANCE:

- ☐ Good
- ☐ Recharge
- ☐ Replace



☐ Other _____

CHECK & FILL EVERY MAINTENANCE:


☐	☐	Coolant recovery reservoir fluid.
☐	☐	Window washer fluid.
☐	☐	4x4 transfer case, front-drive axle, and clutch reservoir fluids (truck only).
☐	☐	Transmission fluid.
☐	☐	Brake fluid.
☐	☐	Power steering fluid.
☐	☐	Check filters (air, fuel, transmission)

TIRE AND BRAKE INSPECTION

LF	RF
☐ Brake Lining 8 mm	☐ Brake Lining 8 mm
☐ Tire Tread 9 32nds	☐ Tire Tread 9 32nds
☐ Tire Pressure 30 psi	☐ Tire Pressure 30 psi

☐ BRAKE INSPECTION NOT REQUIRED THIS VISIT

☐ SPARE TIRE INSPECTED



Lowest Brake Lining (mm) _____

Lowest Tire Tread Depth (32nds) _____

☐	☐	Brake Lining 7 mm	☐	☐	Brake Lining 7 mm
☐	☐	Tire Tread 8 32nds	☐	☐	Tire Tread 8 32nds
☐	☐	Tire Pressure 30 psi	☐	☐	Tire Pressure 30 psi

COMMENTS

NEXT SCHEDULED MAINTENANCE

Date: _____ Time: _____

Reason for Maintenance: _____

THE ATTACHMENTS TO THIS
DOCUMENT HAVE BEEN REMOVED
TO PROTECT UNWARRANTED
INVASION OF PERSONAL PRIVACY
PURSUANT TO EXEMPTION 6 OF
THE FREEDOM OF INFORMATION
ACT (FOIA), 5 U.S.C. 552(b)(6).