| 2 | U.S. Department of Transportation National Highway Traffic Safety DOT Auto Safety Hotline Vehicle Owner's Questionnaire To Report Vehicle Safety Defects NOV -7 PASS-DASH-2-DOT (1-888-327-4236) | | | | | | FOR AGENCY USE ONLY 100148 | | | | | |
|--|---|------------------------------------|--|-----------------------|--|--|----------------------------|--------------------------|-------------------------|-----------------------------------|--|--|
| of Transportation | | | | | | | Date Received | | | Repository Reference No. 10245728 | | |
| National Highway Traffic Safety Administration INTERNET:www.nhtsa.dot.gov/ho | | | | | | | | | | | | |
| Name | OWNER I | NFORMA | TION (Type or Print |) | | Davtime | Telepho | ne Number | F-ma | il Address | | |
| Addres | | | | | | - | | _ | | , | | |
| City ARVADA | | | State CO Zip Code | | | Evening Telephone Number | | | | | | |
| Do you authorize In the absence of Signature of Own | f an authoriza | ovide a co tion, NHT. | py of this report to the SA WILL NOT provide | e manufac your nam | turer of your ve e or address to t Dat | he vehicle | □ Y manufa | ES X | l no | | | |
| - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 | | | | CLE INFOR | RMATION | | | | | <u> </u> | | |
| 17 digit Vehicle Ident | digit Vehicle Identification Number Located at | | t bottom of windshield on driver's side | | Make HARLEY DAVIDSON | | Model FLHX | | | Model Year 2007 | | |
| Date Purchased Dealer's Name a | | | and Telephone Number | | | Engine: Fue | | Fuel Type: | | | | |
| Original Owne | er Deale | r's City | | | State Zip | Code | | | . 4.7 | | | |
| Transmission Type | nsmission Type | | | | Multiple Failure | The state of the s | | | nt Date(s) -NOV-2007 | | | |
| ng See | | | FAILED COMP | ONENT(S |)/PART(S) INF | ORMATIC |)N | | | | | |
| Vehicle Component | Code: 010000 | STEERIN | | | | | | Failure Mile 150 | age | Failure Speed 55 | | |
| | | DDITIO | NAL ITEMS TO BE CO | MPLETED | WHEN REPORT | ING A TI | RE FAII | URE | | | | |
| Tire Make | | | Tire Model (Name or | Number) | | Tir | e Size (I | Example P21 | 5/65F | (15) | | |
| DOT No. (Example: | | 036) | Original Equipm | ent | Failure Location | : | | | 1 | | | |
| Tire Component Co | de | | | | | Tire | e Failure | Туре | | | | |
| | ADD | ITIONAL | ITEMS TO BE COMPL | | | | | | | | | |
| Make: Seat Type: | | | 5. 9. | nufactured | | Model No | ./Name: | | | | | |
| Child Seat Compone | ent Code | , | Installati | on System | . Ø | | ··········· | ···· | - | | | |
| on a section of the s | ciit Code. | | | INCIDEN | T INFORMATIO | N | | | | | | |
| C | Te: | | (Please describe in detail th | e incident(s) | , Failure(s), Crash(e | s), and inju | | | | | | |
| Crash ☐ Yes X No | Fire Yes X | | lumber of Persons Iniu 0 | rea Nu | mber of Deaths 0 | Report | ed to Po | olice | e kija. | | | |
| Narrative Descript | tion of Inciden .) events leadi | t(S), Cras ing up to t | h(es), and Injury(ies). he failure, (2) failure a | nd its con | | 3) what w | -675 | to correct | the fa | ilure; | | |
| TL*THE CONTACT CONTACT PROCE DIFFICULT TO OP | OWNS A 200 EDED TO TURI ERATE. THE F | 7 HARLEY N LEFT AN REAR OF 1 | DAVIDSON FLHX MOTO ID THE FRONT END OF THE VEHICLE STEERED LURE OCCURRED ON T | THE VEHIC | LE BEGAN WOBE HE LANE ON ITS (| LING EXC OWN. THI | ESSIVEL E CONTA | Y. THE STE ACT EXPERI | ERING ENCE | BECAME OA LOSS OF | | |

THE CAME OSS OF IRED. THE FAILURE MILEAGE WAS 150 AND CURRENT MILEAGE WAS 8,000.

ATTACH ADDITIONAL SHEETS IF NECESSARY

Include, if available: Police/Fire Department Report, Photos, and Repair Invoice.

ATTACH ADDITIONAL SHEFTS IF NECESSARY
The Privacy Act of 1974-Public Law 93-579 This information is requested pursuant to authority vested in the National Highway Traffic Safety Act and subsequent amendments. You are under no obligation to respond this questionnaire. Your response may be used to assist the NHTSA in determining whether a Manufacturer should take appropriate action to correct a safety defect. If the NHTSA proceeds with administrative enforcement or litigation against a manufacturer, your response, or a statistical summary thereof, may be used in support of the agency's action.

Narrative Description of Incident(s), Failure(s), Crash(es), and Injury(ies)

| The enselest wanto explain the concern with this |
|--|
| Bille I Have attached some documents from 2 |
| different American bagger magazines. Rend the |
| Louding and you will understand this peoblem. |
| AFter market company's exknowlede this problem But |
| Haden Davidson want. and I Have Ben in touch |
| with Hb engineer by the NAME of cheis. Had |
| iny bille in 3 different shops - HD shops certifical |
| any questions ATTACH ADDITIONAL SHEETS IF NECESSARY |
| Plense call ml. |
| please could |

U.S. Department of Transportation

National Highway Traffic Safety Administration

1200 New Jersey Avenue SE. Washington, D.C. 20077-9382

Official Business Penalty for Private Use \$300



BUSINESS REPLY

FIRST-CLASS MAIL

PERMIT NO. 1888

WASHINGTON, DC

POSTAGE WILL BE PAID BY ADDRESSEE

US Department of Transportation National Highway Traffic Safety Administration Office of Defects Investigation, NVS-210 1200 New Jersey Avenue SE. Washington, D.C. 20077-9382

Labilla di antanti anti da di bila balabalati

Vehicle Owner's Questionnaire (VOQ)
U.S. Department of Transportation
National Highway Traffic Safety Administration



Vehicle Safety Hotline 888-327-4236 or call: www.safercar.gov

form to file a report Use the enclosed

S0:





NO POSTAGE

NECESSARY

IF MAILED

IN THE

UNITED STATES

PAREY BAGGERS, FARLEY GIO'S, JULIANA DE LA CONTRACTOR DE

RANDY ARON'S PLANEL BAGGER BEVISTTED

ISSUE 8 VOLUME 2

THE ORIGINAL AMERICAN V-TWIN PERFORMANCE TOURING & CUSTOMIZING AUTHORITY

KANDAHAJOHNSONS WHAANAMACHINA

TECH

- KLOCK WERKS MO' TIRE KIT PART 2
- HEADWINDS

 RELOCATES OUR TURN SIGNALS
- JAC-KNIFE
 HIGHWAY PEGS
- PINGEL LOWERS A ROAD KING
- ARNOTT INDUSTRIES
 AIR SUSPENSION INSTALL
- GLIDE PRO BAGGER STABILIZER

EVENTS

- S&S 50TH ANNIVERSARY
 THE BIG BASH IN LACROSSE
- HOT HARLEY NIGHTS
 TAKES OVER SIOUX FALLS
- 5TH ANNUAL BHC CHARITY RIDE ANOTHER SUCCESSFUL YEAR IN THE BLACK HILLS

A VERY COOL S&S POWERED WHEEL HOPPIN' TIRE BURNIN' HOT ROD




TECH

Glide-Pro Swingarm Stabilizer


Staff Report - Photos by The Maverick Camera Crew

One more stabilizing device from the many aftermarket options available, the Glide-Pro stabilizer is easy to install and it makes the bike much more fun to ride, with no more wandering steering or high-speed wobble. And yes, it actually works by giving the rear end a much tighter feel. Glide-Pro's stabilizer is available for 1987 and newer FLs and FXRs (check their website for a complete list of applications). Follow along as we install the Glide-Pro stabilizer on a 2007 Road King.


NOTE: On '07-'08 models, torque the hardware in Step 12 to 40 ft.-lbs. After 1,000 miles, re-torque to 50 ft.-lbs.




The Glide-Pro tightens the swingarm for better stability and cornering at speed.




First, remove the saddlebags.



Next, support the motorcycle with a scissor jack.



Remove the passenger floorboards and carefully pry the chrome cover loose. (Don't scratch it!)



Loosen and remove the pivot block hardware and set it aside.

5-yea

30-d Satis *Call



With the hardware removed, pull the pivot shaft out of the swingarm.



Dab some anti-seize on the new Glide-Pro pivot shaft.





Next, insert the Glide-Pro pivot shaft into place.

48 - SEPTEMBER 2008 - AMERICANBAGGERMAG.COM

AMEDICAN BACCED MACAZINE









SAZINE

AMERICAN BAGGER MAGAZINE

'Give your bike the Low Rider style"

Lowlife Kustom Dash

-Made for your iPod

LowLife Sound &

shipped to YOU

lowlife-kustoms.com | 209.981.9134

CHROME HARDWARE SUPPLY DRAWER PROGRAM

- Polished chrome or stainless steel fastener kits .
 - Assortments organized in all steel black bins .
 - Available in Standard or Metric .
 - Made in the USA .

Used by the best in the industry Kendall Johnson, Rick Dore, Mall Holch, Klock Werks, Covingtons Cycle City

"The Builder's Choice"

888-629-2476



www.BitchinBaggers.com

www.chromehardwaresupply.com

Ph: 480-967-7588 • sales@Phoenix-Customs.com

The Most effective Drivetrain Stabilizer Available for Harley® Touring Models! Superior Design and unbeatable price.
 Proudly made in the USA.

- Fits completely inside the envelope of the frame. CNC machined from 6061-T8 Also check out our lowering shocks, 1 to 21/2", for Baggers starting at \$175.00 a pair. For more information please call or visit our website.

WANT TO SEE YOUR BIKE FEATURED? WRITE US AT:

letters@americangyglemag.com

The Cruiser Bag

Travel Luggage & Backrest
* Superb backrest with adjustable cushion

- Easily attaches and detaches in seconds Large enough for two helmets
- Made out of hard PVC core covered inside and out with synthetic leather
- Two styles to choose from




from \$ 219.00 S&H Included


\$289.0


www.cruiserbag.com 416 - 233 - 0402

AMERICAN BAGGERMAG.COM - SEPTEMBER 2008 - 143













615-895-8993





AMERICAN BAGGER MAGAZINÉ

fard Sado \$499/pai holude mo hardware

138 - SEPTEMBER 2008 - AMERICANBAGGERMAG.COM

(BBB)

SUS W We ha for

951.

Big Colle available Email: se

.

Fairing wi \$799 (b) +\$350 F for storing

AMER



EVENTS

MILWAUKEE THROWS A BASH!

00023066BG/ 1108 EXP OCT09 PLT 5

PRSRT STD US Postage Paid Mendota, IL Permit No. 168 11>

CONTENTS

DEPARTMENTS

- 10 A Few Words from Dave
- 12 The Editor's Desk
- 14 News
- 20 The V-Twin Essentials
- 38 Buyer's Guide: Bags, Fairings & Windshields
- 132 Markel Place
- 146 A Look Back/A Look Ahead

EVENTS

118 Harley-Davidson® 105th Anniversary

TECH

- 34 Custom Chrome: 39 Style LED Taillight
- 60 Sumax: Saddlebag Lining Kit
- 68 Jaybrake: New Image Hand Controls
- 80 Wilwood: Front & Rear Brake Calipers
- 92 Python & Arlen Ness: Slip-On Mufflers & Cheap Sucker Air Cleaner
- 104 Cycle Visions: Tech Trim
- 112 3M & The Tint Company: Scotchgard Paint Protection Film
- 122 Phoeńix Customs: Bagger Brace Stabilizer



PHOTO BY: BUCK LOVELL



1 NOVEMBER 2008 - AMERICANBAGGERMAG.COM
















AMERICAN BAGGER MAGAZINE

TECH

Phoenix Customs


Bagger-Brace™

Staff Report - Photos by the Maverick Camera Crew

The Maverick tech crew, in their never ending search for new products for American Bagger motorcycles, just discovered the Bagger-Brace from Phoenix Customs in Mesa, Ariz. Editor Buck Lovell's ex cop bike was in need of such a device and it became the receiver of the Bagger-Brace. The Bagger-Brace components are top shelf-quality, and are machined from solid billet aluminum; see for yourself as you watch it being installed here. The Bagger-Brace allows the drive train to work in harmony with the chassis the way its rubber mounted system was intended.

Completely different from most other stabilizer designs, the Bagger-Brace is engineered to exceed the loads stresses needed to eliminate side to side movement for even the biggest motors, high speed riders, and heavy loads. The Bagger-Brace was designed primarily for strength and rigidity


NOTE: Some steps shown may appear flipped due to the use of a mirror to better view the working area;



It looks high quality because it is manufactured from aircraft quality billet aluminum. The Bagger-Brace stabilizer is also very easy to install.



Here is a view of the underside of our 2007 FLHTP. Be sure to thoroughly clean the cross-member before starting this install.



Remove the bolts holding the oil pan in place.



Six bolts at the rear of the pan must be removed.

A CURE FOR THE COMMON BAGGER



CALL FOR APPOINTMENTS

858.243.2655 619.247.4942

- Custom paint/graphics
- Wheels
- Suspension
- Motors
- Chroming
- Controls
- Stretch Tanks
- Fenders





Service & Repair avaialable for all Harley models

WWW.BAGGERSINK.COM

Credit Cards
MASTERCARD- VISA

134 - NOVEMBER 2008 - AMERICANBAGGERMAG.COM






972-231-1908

www.PICKARDUSA.com



'The appearance (but not limited to) of TRUE-TRACK** Swing Ann Pivot Anchor for Harley-Davidson Grubber mounted Touring Motorcysless

swing arm rear suspensions is a trademark of Won Serenity, Inc. ©2004 WON SERENITY, INC. All rights reserved



CARBON FIBER!

RING

KER

LES

GLIDE-PROM YOUR NUMBER ONE SOURCE FOR CARBON FIBER:

• FAIRINGS • FENDERS • BAGS • CUSTOM CARBON FIBER PANELS

9625 MISSION GORGE RD., #B2-305, SANTEE, CA 92071

619.449.6251 WWW.GLIDE-PRO.COM

