



U.S. Department of Transportation
National Highway Traffic Safety Administration

DOT Auto Safety Hotline
Vehicle Owner's Questionnaire
To Report Vehicle Safety Defects
1-888-DASH-2-DOT
(1-888-327-4236)
INTERNET: www.nhtsa.dot.gov/hotline

FOR AGENCY USE ONLY 100148

Date Received

OCT 10 2012

13-AUG-2012

Repository

Reference No.
10470451

OWNER INFORMATION (Type or Print)

Name [REDACTED]
Address [REDACTED]
City CONROE State TX Zip Code [REDACTED]

Daytime Telephone Number [REDACTED]

E-mail Address [REDACTED]

Evening Telephone Number [REDACTED]

The information you provide will be used to identify potential safety-related defects. We may share your information with the applicable vehicle manufacturer during an investigation or recall in accordance with the routine uses described in the agency's Privacy Act notice. See 49 FR 53971 (Sep. 3, 2004).

VEHICLE INFORMATION

17 digit Vehicle Identification Number Located at bottom of windshield on driver's side: ~~2000~~ 1G1L6K45295PU [REDACTED]
Make CADILLAC Model SEVILLE sfs Model Year 1993
Date Purchased 7/24/2007 Dealer's Name and Telephone Number EXPD MOTOR CARS Engine: 4.6L Fuel Type: No: Cylinders 8 cylinder
Original Owner [X] Dealer's City HOUSTON State TX Zip Code [REDACTED]
Transmission Type [X] Antilock Brakes Powertrain Multiple Failure: Incident Date(s) 12-JUL-2012 June 2012
[X] Cruise Control

FAILED COMPONENT(S)/PART(S) INFORMATION

Vehicle Component Code: FUEL/PROPULSION SYSTEM (PWS)
Failure Mileage 100000 118,000 Failure Speed 25 mph
Fuel line

ADDITIONAL ITEMS TO BE COMPLETED WHEN REPORTING A TIRE FAILURE

Tire Make [REDACTED] Tire Model (Name or Number) [REDACTED] Tire Size (Example P215/65R15) [REDACTED]
DOT No. (Example: DOTM19ABC036) [REDACTED] Original Equipment Prior Repair Failure Location: [REDACTED]
Tire Component Code [REDACTED] Tire Failure Type: [REDACTED]

ADDITIONAL ITEMS TO BE COMPLETED WHEN REPORTING A CHILD SEAT FAILURE

Make: [REDACTED] Date Manufactured: [REDACTED] Model No./Name: [REDACTED]
Seat Type: [REDACTED] Installation System: [REDACTED]
Child Seat Component Code: [REDACTED] Failed Part: [REDACTED]

APPLICABLE INCIDENT INFORMATION

(Please describe in detail the incident(s), Failure(s), Crash(es), and injury(ies).)

Crash Yes No Fire Yes No Number of Persons Injured 0 Number of Deaths 0 Reported to Police N

Narrative Description of Incident(S), Crash(es), and Injury(ies).

Please describe (1) events leading up to the failure, (2) failure and its consequences, and (3) what was done to correct the failure; i.e. parts repaired or replaced (and if old part is available).

TL* THE CONTACT OWNS A 1993 CADILLAC SEVILLE. THE CONTACT STATED THAT THERE WAS AN ABNORMAL GASOLINE SMELL IN THE VEHICLE. THE CONTACT LOOKED UNDER THE HOOD AND NOTICED THAT THERE WAS A GASOLINE LEAK. THE VEHICLE WAS NOT TAKEN INTO THE DEALER FOR INSPECTION OR REPAIRS. THE MANUFACTURER WAS NOTIFIED AND STATED THAT THEY WOULD NOT REPAIR THE VEHICLE UNDER NHTSA CAMPAIGN ID NUMBER: 93V088000 (FUEL SYSTEM, GASOLINE: DELIVERY: HOSES, LINES/PIPING, AND FITTINGS). THE FAILURE MILEAGE WAS 100,000. THE VIN WAS UNAVAILABLE.

Fuel line leak. There was a recall on the part stating the same defects my fuel line is experiencing. They will not honor the recalling and are saying there is not an open recall. Part is discontinued. And vin number matches the recall.

Include, if available: Police/Fire Department Report, Photos, and Repair Invoice.

ATTACH ADDITIONAL SHEETS IF NECESSARY.

The Privacy Act of 1974-Public Law 93-579 This information is requested pursuant to authority vested in the National Highway Traffic Safety Act and subsequent amendments. You are under no obligation to respond to this questionnaire. Your response may be used to assist the NHTSA in determining whether a Manufacturer should take appropriate action to correct a safety defect. If the NHTSA proceeds with administrative enforcement or litigation against a manufacturer, your response, or a statistical summary thereof, may be used in support of the agency's action.

Narrative Description of Incident(s), Failure(s), Crash(es), and Injury(ies)

I Attache two pages of the packet I have showing the vin # and part recall also the summary of the recall.

ATTACH ADDITIONAL SHEETS IF NECESSARY

U.S. Department of Transportation

National Highway Traffic Safety Administration

1200 New Jersey Avenue SE. Washington, D.C. 20077-9382

Official Business Penalty for Private Use \$300



NORTH HOUSTON TX 773

20 SEP 2012 PM 2 L

NO POSTAGE NECESSARY IF MAILED IN THE UNITED STATES




BUSINESS REPLY MAIL
FIRST-CLASS MAIL PERMIT NO. 1888 WASHINGTON, DC

POSTAGE WILL BE PAID BY ADDRESSEE

**US Department of Transportation
National Highway Traffic Safety Administration
Office of Defects Investigation, NVS-210
1200 New Jersey Avenue SE.
Washington, D.C. 20077-9382**



Think your vehicle has a safety defect?



If so:
Use the enclosed form to file a report.

or visit:
www.safercar.gov

or call:
Vehicle Safety Hotline
888-327-4236



Vehicle Defects Complaint Form (VDC-1)
U.S. Department of Transportation
National Highway Traffic Safety Administration
Washington, D.C. 20077-9382



SUBJECT: 4.6L GAS ENGINE FUEL PIPE CONNECTOR INTEGRITY

MODEL: CERTAIN 1993 ELDORADOS AND SEVILLES

The National Traffic and Motor Vehicle Safety Act, as amended, provides that each vehicle which is subject to a recall campaign of this type must be adequately repaired within a reasonable time after the owner has tendered it for repair. A failure to repair within sixty (60) days after tender of a vehicle is prima facie evidence of failure to repair within a reasonable time.

If the condition is not adequately repaired within a reasonable time, the owner may be entitled to an identical or reasonably equivalent vehicle at no charge or to a refund of the purchase price less a reasonable allowance for depreciation.

To avoid having to provide these burdensome solutions, every effort must be made to promptly remedy the condition. Owners are urged to repair their vehicles as soon as possible. As you will see in reading the attached copy of the owner letter, if the condition is not remedied within a reasonable time, owners are instructed on how to contact the National Highway Traffic Safety Administration.

CONDITION

General Motors has determined that a defect which relates to motor vehicle safety exists in some 1993 model Cadillac Eldorados or Seviles equipped with the 4.6L gas engine. The fuel feed and return lines to the engine fuel injection system may not be fully assembled and locked. They may work loose with time and mileage causing a fuel leak in the engine compartment. If an ignition source is present, an engine compartment fire may occur.

DEALER ACTION

To correct this condition, dealers are to inspect and, if necessary, adjust or replace the fuel feed and return lines to the engine fuel injection system on all involved vehicles as per the Vehicles Involved and Service Procedure sections of this bulletin.

VEHICLES INVOLVED

All 1993 model Eldorados and Seviles equipped with the 4.6L gas engine and built within the following VIN ranges require this campaign:

Eldorado - PU600001 Through PU608760
Seville - PU800001 Through PU815616

1G6KY5295PU
8

All vehicles indicated on your Dealer List require this campaign; other suspect vehicles should be checked for campaign involvement prior to sale or service utilizing the Vehicle Information Service System (VISS).

PARTS INFORMATION

The parts required to complete this campaign should be obtained from the Parts Distribution Centers of General Motors Service Parts Operations (GMSPO). A description is provided below:

<u>Model</u>	<u>Part Number</u>	<u>Description</u>	<u>Quantity</u>
Eldorado	3539505	Harness, Fuel Feed and Evap. Emis. and Return	1 As Required
Seville	3539509	Harness, Fuel Feed and Evap. Emis. and Return	1 As Required

If there is difficulty obtaining these parts using normal ordering procedures, dealers may place a "CIO" order using advise code "2" with no special instruction code. If necessary, these parts may also be ordered on a "VIP" order and Cadillac will reimburse dealer for any surcharge involved.

PROCEDURE

1. REMOVE cruise control serv. This must be done to allow proper visual access and working space. Refer to Section 9B, page 9, of the 1993 Eldorado/Seville Service Information Manual.
2. Place the flat side of a 16mm open-end wrench against the face of the fuel pipe connector.
3. Push down on the face of each connector away from the fuel pipe. Observe to see if the intake manifold fuel pipe flange is visible. If any flange is fully visible, the connection is not complete. Proceed to Step 4.

If any (4) metal tangs can be observed in front of the flange, the connection is complete. Proceed to Step 6.
4. Pull the fuel pipe connector toward the intake manifold fuel pipe and snap into place. An audible click noise should be apparent as the four (4) tangs lock over the flange.
5. If the connection can not be completed, pull the connector completely off and inspect the two (2) O-rings for a cocked or dislodged position. If an O-ring is cocked or dislodged, it may be damaged. Replace the fuel pipe bundle. Refer to Section 6C, page 49, of the 1993 Eldorado/Seville Service Information Manual.
6. Fill fuel tank to full capacity (20 gallons).
7. Install Campaign Completion Label.

Auto & Truck Repair

No Items in Cart

Home | Find Auto Parts | Car Parts | Truck Parts | Auto Repair | Auto & Truck | Used Cars | Classifieds | Vehicle Pages | Exchange | Info

DIY Repair | Auto Body Repair | Automotive Lighting | Engine Repair | Recalls & Defects | Car Problems | Fix My Car | Car Repair | Ask a Question

Auto Repair > Safety Recalls & Defects > CADILLAC > SEVILLE > 1993 > FUEL SYSTEM, GASOLINE:DELIVERY:HOSES, LINES/PIPING, AND FITTINGS

1993 CADILLAC SEVILLE FUEL SYSTEM, GASOLINE:DELIVERY:HOSES, LINES/PIPING, AND FITTINGS

Used Auto Parts

Auto Parts Search

Over 30 million used parts online...

Shop ONLINE for auto or truck parts and SAVE up to 75%..

Make: Select...

Model: Select...

Year: Select...



Auto Repair Quick Search

Help me find

Search

Search DIY repair manuals by VIN..

Vehicle Identification Number is a unique serial number used by the automotive industry to identify individual motor vehicles

Search by VIN

Find out what info we have for your vehicle

Ask a Question

Mechanic

If you have any questions, please ask a question and we'll answer ASAP!

Type your question here...

1993 CADILLAC SEVILLE FUEL SYSTEM, GASOLINE:DELIVERY:HOSES, LINES/PIPING, AND FITTINGS (Change Vehicle)

The following FUEL SYSTEM, GASOLINE:DELIVERY:HOSES, LINES/PIPING, AND FITTINGS recall/defect on 1993 CADILLAC SEVILLE vehicles was reported to the National Highway Traffic Safety administration on 1993-05-17. For more information contact the National Highway Traffic Safety administration or the US Department of Transportation. See recall summary below.

\$497 Transmission Rebuild

Mention Promo Code for Big Savings Up to 3 Year Warranty Nationwide www.bestdealttrans.com

Rebuilt Ecm's

Fast Delivery, Lifetime Warranty toll free 888-326-1441 www.ecmdepot.com

Public Car Auctions \$500

Buy Repos & Seized Autos at 70% off \$1 to search Thousands. All makes USGovernmentAuctions.net

CoreMoto R6 Brake lines

Stainless Braided 190 Custom Colors Lifetime Warranty, Made in the USA CoreMoto.com

AdChoices

Transmissions Today

30% Off Transmissions Today Mention Promo Code & Save. Call Us! http://www.transmissions.com/

Bumper & Paint Repair

Affordable Bumper & Paint Repair We Come To You. (281) 861-0101 www.colors-on-parade.com/Houston

Ask a Mechanic Online

A Mechanic Will Answer You Now! Questions Answered Every 9 Seconds. CarJustAnswer.com

JEGS Auto Parts

Wide Variety Of Performance Parts Available. Fast Same-Day Shipping. www.JEGS.com

AdChoices

Build Years/Makes/Models: 1993 CADILLAC ELDORADO 1993 CADILLAC SEVILLE

UNts affected: 10146

Recall Number: 93V088000

Summary: THE FUEL FEED AND RETURN LINES TO THE ENGINE FUEL INJECTION SYSTEM WERE NOT FULLY ASSEMBLED AND LOCKED. THE LINES CAN WORK LOOSE,

CAUSING A FUEL LEAK IN THE ENGINE COMPARTMENT.

Consequence: FUEL LEAKS IN THE ENGINE COMPARTMENT CAN RESULT IN UNDERHOOD FIRES IF EXPOSED TO A SOURCE OF IGNITION.

Remedy: DEALER WILL INSPECT VEHICLE AND, IF NECESSARY, ADJUST OR REPLACE THE FUEL FEED AND RETURN LINES TO THE ENGINE FUEL INJECTION SYSTEM.

Notes: SYSTEM: FUEL; FUEL LINES.VEHICLE DESCRIPTION: PASSENGER CARS WITH 4.6 L ENGINES.

Enter your ZIP code
Your Zip Code [NEW QUOTE]

CLICK HERE TO FIND USED 1993 CADILLAC SEVILLE FUEL SYSTEM, GASOLINE:DELIVERY:HOSES, LINES/PIPING, AND FITTINGS.

LOOKING FOR REPLACEMENT 1993 CADILLAC SEVILLE PARTS? VISIT OUR ONLINE AUTO PARTS STORES

complaint #: 10470400
National Traffic Safety Administration