

Please review this document and retain it with your vehicle's owner manual.

Supplement to the Owner Manual

This information is in addition to and/or replaces information located under "Keys" found in Section 2 of your owner manual.

⚠ WARNING

If the key is unintentionally rotated while the vehicle is running, the ignition could be moved out of the RUN position. This could be caused by heavy items hanging from the key ring, or by large or long items attached to the key ring that could be contacted by the driver or steering wheel. If the ignition moves out of the RUN position,

(Continued)



Litho in U.S.A.
Part No. 23259399

WARNING (Continued)

the engine will shut off, braking and steering power assist may be impacted, and airbags may not deploy. To reduce the risk of unintentional rotation of the ignition key, do not change the way the ignition key and Remote Keyless Entry (RKE) transmitter, if equipped, are connected to the provided key rings.

The ignition key and key rings, and RKE transmitter, if equipped, are designed to work together as a system to reduce the risk of unintentionally moving the key out of the RUN position. The ignition key has a small hole to allow attachment of the provided key ring. It is important that any replacement ignition keys have a small hole. See your dealer if a replacement key is required.

The combination and size of the rings that came with your keys were specifically selected for your vehicle. The rings are connected to the key like two links of a chain to reduce the risk of unintentionally moving the key out of the RUN position. Do not add any additional items to the ring attached to the ignition key. Attach additional items only to the second ring, and limit added items to a few essential keys or small, light items no larger than an RKE transmitter.



©2014 General Motors LLC. All Rights Reserved.

Southern Automotives, LLC

715 Spring Street
Moulton, AL 35650

(256) 974-9954


Open Monday - Friday • 7:30 a.m. - 5:00 p.m.

Customer's
Order No. _____


Date 8-26 2014

Name _____

Address _____

SOLD BY	CASH	C.O.D.	CHARGE	ON ACCT.	MBSE. RETD.	PAID OUT	
QUAN.	DESCRIPTION				PRICE	AMOUNT	
1	Lock cyl.					231	44
1	code cyl.					25	00
#2	Replace lock cyl					82	50
						TAX	
REC'D BY				T O TAL		338 94	

All claims and returned goods MUST be accompanied by this bill



Mount Hope, Alabama



BIRMINGHAM AL 350

29 SEP 2014 PM 5 L



Administrator
National Highway Traffic Safety Adm.
1200 New Jersey Avenue, SE
Washington, DC 20590

20590

