


*Copies sent to Hyundai, 1660 L Street, Ste 620, Washington, D.C. 20036
Tel. 202-296-2550*

 MAY 29 2015		DOT Auto Safety Hotline		FOR AGENCY USE ONLY 100148	
U.S. Department of Transportation National Highway Traffic Safety Administration		Vehicle Owner's Questionnaire To Report Vehicle Safety Defects 1-888-DASH-2-DOT (1-888-327-4236) INTERNET: www.nhtsa.dot.gov/hotline		Date Received 20-APR-2015 MAY 29 2015	
OWNER INFORMATION (Type or Print)		Daytime Telephone Number [REDACTED]		Repository <input type="checkbox"/> Reference No. 10706592	
Name [REDACTED]		Evening Telephone Number [REDACTED]		E-mail Address [REDACTED]	
Address [REDACTED]		City KATY		State TX	
Zip Code [REDACTED]		The information you provide will be used to identify potential safety-related defects. We may share your information with the applicable vehicle manufacturer during an investigation or recall in accordance with the routine uses described in the agency's Privacy Act notice. See 49 FR 53971 (Sep. 3, 2004).			
VEHICLE INFORMATION					
17 digit Vehicle Identification Number Located at bottom of windshield on driver's side KMHDU46D39U [REDACTED]		Make HYUNDAI		Model ELANTRA	
Model Year 2009		Date Purchased 9/29/09		Dealer's Name and Telephone Number [REDACTED]	
Original Owner <input type="checkbox"/>		Dealer's City Advantage Cars PM Hyundai		State TX	
Zip Code 77074		Engine: No: Cylinders 6		Fuel Type: Reg. gasoline	
Transmission Type Factory		<input checked="" type="checkbox"/> Antilock Brakes <input checked="" type="checkbox"/> Cruise Control		Powertrain Factory installed.	
Multiple Failure: Once only		Incident Date(s) 01-MAR-2015 1/12/15			
FAILED COMPONENT(S)/PART(S) INFORMATION					
Vehicle Component Codes: 010000 STEERING, 140000 AIR BAGS				Failure Mileage 45000	
				Failure Speed 10	
ADDITIONAL ITEMS TO BE COMPLETED WHEN REPORTING A TIRE FAILURE					
Tire Make Standard Issue		Tire Model (Name or Number) P215/65R15		Tire Size (Example P215/65R15) Factory installed	
DOT No. (Example: DOTM1A9ABC036)		<input type="checkbox"/> Original Equipment <input type="checkbox"/> Prior Repair		Failure Location: Provincial Expressland	
Tire Component Code N/A		Tire Failure Type: N/A			
ADDITIONAL ITEMS TO BE COMPLETED WHEN REPORTING A CHILD SEAT FAILURE					
Make:		Date Manufactured:		Model No./Name:	
Seat Type:		Installation System:			
Child Seat Component Code:		Failed Part:			
APPLICABLE INCIDENT INFORMATION					
(Please describe in detail the incident(s), failure(s), crash(es) and injury(ies).)					
Crash <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No		Fire <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No		Number of Persons Injured 0	
				Number of Deaths 0	
				Reported to Police Y	
Narrative Description of Incident(S), Crash(es), and Injury(ies). Please describe (1) events leading up to the failure, (2) failure and its consequences, and (3) what was done to correct the failure; i.e. parts repaired or replaced (and if old part is available).					
TL* THE CONTACT OWNED A 2009 HYUNDAI ELANTRA. WHILE DRIVING APPROXIMATELY 10 MPH AND MAKING A RIGHT TURN, THE POWER STEERING SEIZED WITHOUT WARNING. AS A RESULT, THE VEHICLE CRASHED INTO A MEDIUM CONCRETE DIVIDER. THE FRONTAL AIR BAGS DID NOT DEPLOY. NO INJURIES WERE SUSTAINED. A POLICE REPORT WAS FILED. THE VEHICLE WAS DESTROYED AND TOWED TO AN IMPOUND YARD. THE MANUFACTURER WAS NOT NOTIFIED OF THE FAILURE. THE APPROXIMATE FAILURE MILEAGE WAS 45,000.					
Police man ordered tow and made no report. No other vehicle - no law broken.			A 3x4x3 solid reinforced concrete anchor for traffic lights, etc.		
Include, if available: Police/Fire Department Report, Photos, and Repair Invoice.					
ATTACH ADDITIONAL SHEETS IF NECESSARY					
The Privacy Act of 1974-Public Law 93-579 This information is requested pursuant to authority vested in the National Highway Traffic Safety Act and subsequent amendments. You are under no obligation to respond to this questionnaire. Your response may be used to assist the NHTSA in determining whether a manufacturer should take appropriate action to correct a safety defect. If the NHTSA proceeds with administrative enforcement or litigation against a manufacturer, your response, or a statistical summary thereof, may be used in support of the agency's action.					

Narrative Description of Incident(s), Failure(s), Crash(es), and Injury(ies)

A copy of this report being sent to Hyundai.

Vehicle declared total loss by Trey Perdue (Towing & Storage company) at CSI Collision. REASON WAS SEVERE damage to drivers side frame. He waived storage and towing fees and gave me \$500 for title. He still has car.

CSI Collision, Trey Perdue, Mgr.
No Hwy 6, Houston TX Tel. 281-550-2800

ATTACH ADDITIONAL SHEETS IF NECESSARY

U.S. Department of Transportation

National Highway Traffic Safety Administration

1200 New Jersey Avenue SE, Washington, D.C. 20077-9382

Official Business Penalty for Private Use \$300

HOUSTON TX 773
22 APR 2005
PM 8 L



NO POSTAGE NECESSARY IF MAILED IN THE UNITED STATES

BUSINESS REPLY MAIL
FIRST-CLASS MAIL PERMIT NO. 1838 WASHINGTON, DC

POSTAGE WILL BE PAID BY ADDRESSEE

US Department of Transportation
National Highway Traffic Safety Administration
Office of Defects Investigation, NVS-210
1200 New Jersey Avenue SE.
Washington, D.C. 20077-9382



Think your vehicle has a safety defect?

IF SO:

Use the enclosed form to file a report.

or visit: **www.safercar.gov**

or call: **Vehicle Safety Hotline 888-327-4236**

ODOMETER DISCLOSURE STATEMENT

Federal law (and State law, if applicable) requires that you state the mileage upon transfer of ownership. Failure to complete or providing a false statement may result in fines and/or imprisonment.

I, ADVANTAGECARS.COM DBA SM HYUNDAI state that the odometer now
(TRANSFEROR'S NAME - PRINT)

reads 19 (no tenths) miles and to the best of my knowledge that it reflects the actual mileage of the vehicle described below, unless one of the following statements is checked.

- (1) I hereby certify that to the best of my knowledge the odometer reading reflects the amount of mileage in excess of its mechanical limits.
- (2) I hereby certify that the odometer reading is **NOT** the actual mileage. **WARNING — ODOMETER DISCREPANCY.**

MAKE HYUN

MODEL ELAN BODY TYPE SD

VEHICLE IDENTIFICATION NUMBER KMHOU46D39L

YEAR 2009

TRANSFEROR'S NAME ADVANTAGECARS.COM DBA SM HYUNDAI
(PRINTED NAME)

TRANSFEROR'S ADDRESS (STREET) 10505 SOUTHWEST FREEWAY

(CITY) HOUSTON (STATE) (ZIP CODE)


TRANSFEROR'S NAME X  (SIGNATURE)

DATE OF STATEMENT 09/29/09

TRANSFEEE'S NAME 

TRANSFEEE'S ADDRESS (STREET) 

(CITY) KATY TX (STATE) (ZIP CODE)

TRANSFEEE'S NAME X  (SIGNATURE)

 (PRINTED NAME)



U.S. Department of Transportation
National Highway Traffic Safety Administration

DOT Auto Safety Hotline
Vehicle Owner's Questionnaire
To Report Vehicle Safety Defects
1-888-DASH-2-DOT
(1-888-327-4236)
INTERNET: www.nhtsa.dot.gov/hotline

FOR AGENCY USE ONLY 100148

Date Received: 20-APR-2015
Repository:
Reference No.: 10706592

OWNER INFORMATION (Type or Print)

Name: [Redacted]
Address: [Redacted]
City: KATY State: TX Zip Code: [Redacted]

Daytime Telephone Number: [Redacted]
Evening Telephone Number: [Redacted]
E-mail Address: [Redacted]

The information you provide will be used to identify potential safety-related defects. We may share your information with the applicable vehicle manufacturer during an investigation or recall in accordance with the routine uses described in the agency's Privacy Act notice. See 49 FR 53971 (Sep. 3, 2004).

VEHICLE INFORMATION

17 digit Vehicle Identification Number Located at bottom of windshield on driver's side: KMHDU46D39L [Redacted]
Make: HYUNDAI Model: ELANTRA Model Year: 2009
Date Purchased: 9/29/09 Dealer's Name and Telephone Number: [Redacted]
Original Owner: Dealer's City: Advantage Cars PM Hyundai State: TX Zip Code: 71074 Engine: 6 Fuel Type: Reg. gasoline
Transmission Type: Factory Antilock Brakes: Powertrain: Factory installed. Multiple Failure: Once only Incident Date(s): 01-MAR-2015 1/12/15
Cruise Control:

FAILED COMPONENT(S)/PART(S) INFORMATION

Vehicle Component Codes: 010000 STEERING, 140000 AIR BAGS
Failure Mileage: 45000 Failure Speed: 10

ADDITIONAL ITEMS TO BE COMPLETED WHEN REPORTING A TIRE FAILURE

Tire Make: Standard Issue. Tire Model (Name or Number): [Redacted] Tire Size (Example P215/65R15): Factory installed.
DOT No. (Example: DOTM19ABC036): [Redacted] Original Equipment Prior Repair
Tire Component Code: N/A Tire Failure Type: N/A

ADDITIONAL ITEMS TO BE COMPLETED WHEN REPORTING A CHILD SEAT FAILURE

Make: [Redacted] Date Manufactured: [Redacted] Model No./Name: [Redacted]
Seat Type: [Redacted] Installation System: [Redacted]
Child Seat Component Code: [Redacted] Failed Part: [Redacted]

APPLICABLE INCIDENT INFORMATION

(Please describe in detail the incident(s), failure(s), crash(es), and injury(ies).)

Crash: Yes No Fire: Yes No
Number of Persons Injured: 0 Number of Deaths: 0 Reported to Police: Y

Narrative Description of Incident(s), Crash(es), and Injury(ies).
Please describe (1) events leading up to the failure, (2) failure and its consequences, and (3) what was done to correct the failure; i.e., parts repaired or replaced (and if old part is available).

TL* THE CONTACT OWNED A 2009 HYUNDAI ELANTRA. WHILE DRIVING APPROXIMATELY 10 MPH AND MAKING A RIGHT TURN, THE POWER STEERING SEIZED WITHOUT WARNING. AS A RESULT, THE VEHICLE CRASHED INTO A MEDIUM CONCRETE DIVIDER. THE FRONTAL AIR BAGS DID NOT DEPLOY. NO INJURIES WERE SUSTAINED. A POLICE REPORT WAS FILED. THE VEHICLE WAS DESTROYED AND TOWED TO AN IMPOUND YARD. THE MANUFACTURER WAS NOT NOTIFIED OF THE FAILURE. THE APPROXIMATE FAILURE MILEAGE WAS 45,000.

Police man ordered
Tow and made no
REPORT. No other
Vehicle - no laws broken.

A 3x4x3 solid Reinforced concrete
Anchor for traffic lights, etc.

Include, if available: Police/Fire Department Report, Photos, and Repair Invoice.

ATTACH ADDITIONAL SHEETS IF NECESSARY

The Privacy Act of 1974-Public Law 93-579 This information is requested pursuant to authority vested in the National Highway Traffic Safety Act and subsequent amendments. You are under no obligation to respond to this questionnaire. Your response may be used to assist the NHTSA in determining whether a Manufacturer should take appropriate action to correct a safety defect. If the NHTSA proceeds with administrative enforcement or litigation against a manufacturer, your response, or a statistical summary thereof, may be used in support of the agency's action.

Narrative Description of Incident(s), Failure(s), Crash(es), and Injury(ies)

A copy of this report being sent to Hyundai.

Vehicle declared total loss by Terry Perdue (Towing & Storage company) at CSI Collision. Reason was severe damage to drivers side frame. He waived storage and towing fees and gave me \$500 for title. He still has car.

CSI Collision, Terry Perdue, Mgr.
No. Hwy 6, Houston TX Tel. 281-550-2800
ATTACH ADDITIONAL SHEETS IF NECESSARY

U.S. Department of Transportation

National Highway Traffic Safety Administration

1200 New Jersey Avenue SE, Washington, D.C. 20077-9382

Official Business Penalty for Private Use \$300



NO POSTAGE NECESSARY IF MAILED IN THE UNITED STATES



BUSINESS REPLY MAIL
FIRST-CLASS MAIL PERMIT NO. 1888 WASHINGTON, DC

POSTAGE WILL BE PAID BY ADDRESSEE

US Department of Transportation
National Highway Traffic Safety Administration
Office of Defects Investigation, NVS-210
1200 New Jersey Avenue SE.
Washington, D.C. 20077-9382



THINK YOUR VEHICLE has a safety defect?

CALL 1-800-4-A-SAFETY

OR VISIT WWW.SAFERCAR.GOV

OR CALL VEHICLE SAFETY HOTLINE 800-627-4266

ALSO: Use the enclosed form to file a report.

SAFETY

NHTSA

