

From: [Wells, T. Cynthia CTR \(NHTSA\)](#)
To: [Fogle, Brenda CTR \(NHTSA\)](#)
Subject: FW: Your Vehicle Owners' Questionnaire #11084373
Date: Monday, April 23, 2018 8:04:49 AM
Attachments: [image001.jpg](#)
[image002.jpg](#)
[image003.jpg](#)

From: Harrison, Jonathan (NHTSA)

Sent: Monday, April 23, 2018 8:02 AM

Subject: FW: Your Vehicle Owners' Questionnaire #11084373

Please add these emails and picture to VOQ #11084373 for public repository.

Thank You.

Jon Harrison

Safety Defects Specialist

Medium and Heavy Duty Vehicles Division

Office of Defects Investigation

National Highway Traffic Safety Administration

NEF-106, Rm W45-223

1200 New Jersey Ave. SE.

Washington DC 20590

202-366-8833

From: [REDACTED]
Sent: Wednesday, April 11, 2018 6:34 PM
To: Harrison, Jonathan (NHTSA) <jonathan.harrison@dot.gov>
Subject: Re: Your Vehicle Owners' Questionnaire #11084373

Here are some pictures. Yes, you can use my vin number publicly. I have been in contact with Forest river, they simply stated the vehicle must have been overloaded, and the vehicle is out of warranty.

Sent from my iPad

On Apr 11, 2018, at 12:05, Harrison, Jonathan (NHTSA) <jonathan.harrison@dot.gov> wrote:



I am screening your concern into our system and I'd like some additional information, please:

1. Do you have any pictures of the vehicle's placards? Any pictures of the bent axles?
2. I will be in contact with the manufacturer and to continue this case, I will need to share your VIN with them to help them search the trailers' history, build, etc. Do you allow me to do this?
3. Any submissions from you can be stored in either this agencies' internal (non-public) files or stored in our publicly-accessible database at safercar.gov. Do you wish for these to be stored publicly or internally?

Thank You.

Jon Harrison

Safety Defects Specialist

Medium and Heavy Duty Vehicles Division

Office of Defects Investigation

National Highway Traffic Safety Administration

NEF-106, Rm W45-223

1200 New Jersey Ave. SE.

Washington DC 20590

202-366-8833



INTERM	0 KG			0 PSI/LP	☐	☐
	0 LB)					
RFARI ARRIERE	1588 KG			345 KP	SINGLE	DUAL
	3500 LB)	ST205/75R15/C	15X5.0JJ	50 PSI/LP	☒	☐

NORMES QUI LUI SONT APPLICABLES EN VERTU
DU REGLEMENT SUR LA SECURITE DES VEHIC
AUTOMOBILES DU CANADA EN VIGUEUR A LA
DATE DE SA FABRICATION.



TIRE AND LOADING INFORMATION

The combined weight of Cargo should Never Exceed:
502 Kgs or 1107 Lbs

TIRE	SIZE	COLD TIRE PRESSURE	SEE OWNER'S
FRONT	ST205/75R15/C	50 PSI / 345 KPA	MANUAL FOR
REAR	ST205/75R15/C	50 PSI / 345 KPA	ADDITIONAL
SPARE	ST205/75R15/C	50 PSI / 345 KPA	INFORMATION

W
D
A
2
4
9
7
4
9



RENSEIGNEMENTS SUR LES PNEUS ET LE CHARGEMENT

Le poids du chargement ne doit jamais dépasser
502 Kgs or 1107 Lbs

PNEU	DIMENSIONS	PRESSION DES PNEUS À FROID	VOIR LE
AVANT	ST205/75R15/C	50 lb/po2 345 KPA	DE L'
ARRIÈRE	ST205/75R15/C	50 lb/po2 345 KPA	POUR
DE SECOURS	ST205/75R15/C	50 lb/po2 345 KPA	RENSEI

RECREATIONAL VEHICLE TRAILER CARGO CARRYING CAPACITY

Dry Weight: 6575

VIN: 4X4TWDC24DA [REDACTED]

THE WEIGHT OF CARGO SHOULD NOT EXCEED

502 kg or 1107 lbs

CAUTION:

A full load of water equals 151 kg or 333 lbs of cargo @ 1 kg/L (8.33 lb/gal)

Forest River, Inc.
CARB 93120 Compliant
With applicable
Phase 2 emission

