

**From:** [Ambrose, Ann-Marie L](#)  
**To:** [EVOQ \(NHTSA\)](#); [Robertson, Faithia \(NHTSA\)](#); [Lewis, Brenton](#)  
**Cc:** [NHTSA ODI CED](#); [Strasser-King, Marion C](#)  
**Subject:** ODI-11532765  
**Date:** Wednesday, January 17, 2024 4:50:51 PM  
**Attachments:** [REDACTED]

**CAUTION:** This email originated from outside of the Department of Transportation (DOT). Do not click on links or open attachments unless you recognize the sender and know the content is safe.

**From:** [REDACTED]  
**Sent:** Monday, January 8, 2024 11:46 AM  
**To:** [nhtsa.webmaster@dot.gov](mailto:nhtsa.webmaster@dot.gov)  
**Subject:** [EXTERNAL] - Complaint 11532765

**CAUTION:** This email originated from outside of the Department of Transportation (DOT). Do not click on links or open attachments unless you recognize the sender and know the content is safe.

Hello, could you please give me an update on the attached complaint?

I have been trying to resolve this issue with Toyota for 3+ years. Thanks!

[REDACTED]  
[REDACTED]

Hello- I called and received the address for the Office Defects Investigation Team and I will send in a request for update. In the time being, I have attached the EDR data that Toyota pulled. The accident occurred October 22nd 2019. When Toyota reviewed the data, they had the wrong date and are refusing to look at it. I have sent several certified letters requesting information with no response and the Minnesota attorney general has also been unable to get a response from Toyota regarding my claims [REDACTED] & [REDACTED]. It is imperative that I speak to someone soon as the statute of limitations is about to expire. Thank you.

[REDACTED]

[REDACTED]  
[REDACTED]  
[REDACTED]

any retention, dissemination, distribution, or copying of this communication is strictly prohibited. Please reply to the sender that you have received the message in error and destroy the original message and all copies.



Stephanie Kirk  
Direct Phone (469)292-4017

Toyota Motor North America, Inc.  
6565 Headquarters Drive  
Plano, TX 75024

August 11, 2022

Via e-mail to: [REDACTED]

[REDACTED]  
[REDACTED]  
Minneapolis, MN [REDACTED]

RE:   Date of Loss    :                   November 6, 2018  
      Date Reported :                   June 10, 2022  
      Vehicle        :                   2017 Toyota RAV4  
      VIN            :                   2T3DFREV3HW [REDACTED]

Dear [REDACTED]:

Thank you for contacting Toyota’s Brand Engagement Center regarding the above-referenced incident. You reported that while you were operating your 2017 Toyota RAV4, you were involved in an automobile accident. You stated that you were on the highway driving 65mph when a rock hit your windshield, causing you to hit a concrete post. You stated that the Supplemental Restraint System (SRS) front air bags did not deploy during the accident.

Toyota Motor North America, Inc. (TMNA) assigned Engineering Analysis Associates (EAA) who performed a thorough inspection and read out the Event Data Recorder (EDR) of your vehicle at Rudy Luther Toyota on July 22, 2022. At the time of the inspection your vehicle had 92,430 miles. The EDR readout indicated the supplemental restraint system (SRS) airbags in your vehicle were operating properly at the time of the accident. In this incident, the crash forces were not severe enough to cause deployment. There were no Diagnostic Trouble Codes (DTCs) stored in the airbag control module at the time of the crash. The EDR also indicates the airbags were not commanded to deploy in response to this incident.

At the time of the inspection, the inspector found that the repairs to your vehicle had already been completed. If you would like Toyota to respond further regarding the non-deployment of the front air bags, please provide color photographs of the vehicle damage including photos of the full front of the vehicle and we will be happy to review them.

For additional information on the design and operation of the airbag system, please refer to the Owner’s Manual.

Based on the inspection of the vehicle, we did not find any evidence of a defect relating to your concern.

We are very sorry to hear about this unfortunate incident, and we do appreciate the opportunity to address your concerns.

Sincerely,

A handwritten signature in cursive script that reads "Stephanie Kirk".

Stephanie Kirk  
Toyota Motor North America, Inc.



Request [redacted] - Complaint - 11532765



NHTSA Service Desk

10/10/2023



Dear [redacted]

The following request has been registered for you:

Request [redacted] - Complaint - 11532765

[redacted]

Have a great day,

NHTSA Service Desk

Reply



IMPORTANT NOTICE: Robert Bosch LLC and the manufacturers whose vehicles are accessible using the CDR System urge end users to use the latest production release of the Crash Data Retrieval system software when viewing, printing or exporting any retrieved data from within the CDR program. Using the latest version of the CDR software is the best way to ensure that retrieved data has been translated using the most current information provided by the manufacturers of the vehicles supported by this product.

## CDR File Information

User Entered VIN/Frame Number	2T3DFREV3HW [REDACTED]
User	Mark Broderick
Case Number	10737004
EDR Data Imaging Date	07/22/2022
Crash Date	11/06/2018
Filename	2T3DFREV3HW [REDACTED] 1_ACM.CDRX
Saved on	Friday, July 22 2022 at 14:44:54
Imaged with CDR version	Crash Data Retrieval Tool 21.5.1
Imaged with Software Licensed to (Company Name)	Engineering Analysis Associates
Reported with CDR version	Crash Data Retrieval Tool 21.5.1
Reported with Software Licensed to (Company Name)	Engineering Analysis Associates
EDR Device Type	Airbag Control Module
Event(s) recovered	Front/Rear (1), Side (2), Rollover (2)

## Comments

No comments entered.

## Data Limitations

### CDR Record Information:

- Due to limitations of the data recorded by the airbag ECU, such as the resolution, data range, sampling interval, time period of the recording, and the items recorded, the information provided by this data may not be sufficient to capture the entire crash.
- Pre-Crash data is recorded in discrete intervals. Due to different refresh rates within the vehicle's electronics, the data recorded may not be synchronous to each other.
- Airbag ECU data should be used in conjunction with other physical evidence obtained from the vehicle and the surrounding circumstances.
- If any of the front passenger seat airbags, side airbags, or Curtain Shield Airbags have deployed, data will not be overwritten or deleted by the airbag ECU following that event. If none of the airbags have deployed, the data of that event may be overwritten by a following event even if other airbags (pretensioner, rear seat airbag, etc.) have deployed.
- If power supply to the airbag ECU is lost during an event, all or part of the data may not be recorded.
- "Diagnostic Trouble Codes" are information about faults when a recording trigger is established. Various diagnostic trouble codes could be set and recorded due to component or system damage during an accident.
- The airbag ECU records only diagnostic information related to the airbag system. It does not record diagnostic information related to other vehicle systems.
- The TaSCAN, Global Tech Stream, or Intelligent Tester II devices (or any other Toyota genuine diagnostic tool) can be used to obtain detailed information on the diagnostic trouble codes from the airbag system, as well as diagnostic information from other systems. However, in some cases, the diagnostic trouble codes of the airbag system recorded by the airbag ECU when the event occurred may not match the diagnostic trouble codes read out when the diagnostic tool is used.

### General Information:

- The data recording specifications of Toyota's airbag ECUs are divided into the following categories. The specifications for 12EDR or later are designed to be compatible with NHTSA's 49CFR Part 563 rule.
  - 00EDR / 02EDR / 04EDR / 06EDR / 10EDR / 12EDR / 13EDR / 15EDR / 17EDR / 19EDR
- The airbag ECU records data for all or some of the following accident types: frontal crash, rear crash, side crash, and rollover events. Depending on the installed airbag ECU, data for side crash and/or rollover events may not be recorded.
- This airbag ECU records record pre-crash data and post-crash data.
  - If a single event occurs independently, the data for that event is recorded on a one-to-one basis.
  - If multiple events occur successively (within a period of approximately 500ms), the establishment of the recording trigger for the first event is defined as the "pre-crash recording trigger". Pre-crash data for the first event and post-crash data for each successive event is then recorded.
- The airbag ECU has two recording pages (memory maps) to store pre-crash data. Additionally, to store post-crash data, the airbag ECU has two recording pages for each accident type: two pages for frontal and rear crash, two pages for a side crash, and two pages for rollover event.
- The data recorded by the airbag ECU includes correlating information between each previously occurring event (i.e., information that clarifies the collision event sequence. This correlation information consists of the following items.
  - Time from Previous Pre-Crash TRG
  - Linked Pre-Crash Page
  - Time from Pre-Crash TRG
  - TRG Count
  - Previous Crash Type

- In frontal and rear collision events, the first point where a longitudinal cumulative delta-V of over 0.8 km/h (0.5 mph) is reached is regarded as time zero for the recorded data. In side impact collision and rollover events, the point in time at which the recording trigger is established is regarded as time zero for the recorded data.
- The recording trigger judgment threshold value differs depending on the collision type (i.e., frontal crash, rear crash, side crash, or rollover event).
- Some of the data recorded by the airbag ECU is transmitted to the airbag ECU from various vehicle control modules by the vehicle's Controller Area Network (CAN).
- In some cases, the airbag ECU part number printed on the ECU label may not match the airbag ECU part number that the CDR tool reports. The part number retrieved by the CDR tool should be considered as the official ECU part number.
- In frontal and rear collision events, the record time varies depending on the period during which a longitudinal cumulative delta-V of over 0.8 km/h (0.5 mph) is reached, and time series data is recorded for up to 250 ms. The record time described above is indicated as "Length of Delta-V". "Delta-V, Longitudinal" outside the record time is indicated by area shaded in the table, and not indicated in the graph.

**Data Element Sign Convention:**

The following table provides an explanation of the sign notation for data elements that may be included in this CDR report.

Data Element Name	Positive Sign Notation Indicates
Maximum Delta-V, Longitudinal	Forward
Delta-V, Longitudinal	Forward
Lateral Acceleration for Frontal/Rear Crash, Floor Sensor	Left to Right
Lateral Acceleration, Side Satellite Sensor 1	Left to Right
Lateral Acceleration, Side Satellite Sensor 2	Left to Right
Lateral Acceleration, Side Satellite Sensor 3	Left to Right
Lateral Acceleration, Side Satellite Sensor 4	Left to Right
Lateral Acceleration for Side Crash, Floor Sensor	Left to Right
Roll Angle Peak	Clockwise Rotation
Roll Angle at the Time of TRG	Clockwise Rotation
Roll Rate	Clockwise Rotation
Lateral Acceleration for Rollover, Floor Sensor	Left to Right
Longitudinal Acceleration, VSC Sensor	Forward
Yaw Rate	Left Turn
Steering Input	Left Turn

**Data Definitions:**

- The "ON" setting for the "Freeze Signal" indicates a state in which the non-volatile memory can not be overwritten or deleted by the airbag ECU. After "Freeze Signal" has been turned ON, subsequent events will not be recorded.
- "Recording Status" indicates a state in which all recorded event data has been written into the non-volatile memory, or a state in which this process was interrupted and not fully written into the non-volatile memory. If "Recording Status" is "Incomplete", recorded event data may not be valid.
- If the "Occupant Size Classification, Front Passenger" displays "Child" or "Not Occupied", "Side Air Bag Deployment, Time to Deploy" and "Pretensioner Deployment, Time to Fire" may indicate a time even if deployment did not occur on the for following part no's:  
- 89170-07280, 35400, 35410, 35470, 42660, 0R120, 0R080, 0R081, 0R150
- "Engine RPM" indicates the number of engine revolutions, not the number of motor revolutions. The recorded value has an upper limit of 12,800 rpm. Resolution is 100 rpm and the value is rounded down and recorded. For example, if the actual engine speed is 799 rpm, the recorded value will be 700 rpm.
- If the electric vehicle is using a calculated/virtual engine RPM for drivetrain control, "Engine RPM" may be recorded, but should not be used during data analysis.
- The upper limit for the recorded "Vehicle Speed" value is 200 km/h (125mph). Resolution is 1km/h (0.6mph) and the value is rounded down and recorded. The accuracy of the "Vehicle Speed" value can be affected by various factors. These include, but not limited, to the following.
  - Significant changes in the tire's rolling radius
  - Wheel lock and wheel slip
- "Accelerator Pedal" has two recording specifications. Both the recorded value increases as the driver depresses the accelerator.
  - Percentage of accelerator pedal depressed (recorded as 0-100(%)).
  - Output voltage of accelerator pedal module (recorded as 0-5(V)).
- If M/T transmission vehicle of some limited model, "Shift Position" may display "Drive" regardless of the actual shift position.
- Depending on the type of occupant sensor installed in the vehicle, one of the following three recording formats for "Occupant Size Classification, Front Passenger" will be utilized.
  - Occupied / Not Occupied
  - AM50 / AF05 / Child / Not Occupied
  - AM50 / AF05 / Child or Not Occupied
- "Cruise Control Status" indicates whether the cruise control system is actuated or not. OFF indicates that the cruise control system is not actuated, but can also indicates that the vehicle is not equipped with the system.
- "Air Bag Warning Lamp, On/Off", "Ignition Cycle, Crash", "Seat Track Position Switch, Foremost, Status, Driver", "Occupant Size Classification, Front Passenger", "Safety Belt Status, Driver", "Safety Belt Status, Front Passenger", "Frontal Air Bag Suppression Switch Status, Front Passenger", and "RSCA Disable Switch" indicate the state approximately 1 second before time zero. They may not always indicate the state at the moment of collision.
- The upper and lower limits for the recorded value of "Motor RPM" is 17,500 rpm and -7,500 rpm respectively. Resolution is 100 rpm and the value is rounded down and recorded.
- "Brake Oil Pressure" has an upper limit of 12.14 Mpa. In the case of the vehicle that has not VSC system, "0 Mpa" or "Invalid" may be displayed.
- "Longitudinal Acceleration, VSC Sensor" has upper and lower limits for the recorded value of 8.973 m/s^2 and -8.973 m/s^2 respectively. This acceleration sensor does not sense collisions.

- "Sequential Shift Range" displaying "Undetermined" indicates the shift range is undetermined or was not being used.
- Some vehicles will not be equipped with all "Drive Mode" types indicated in the "Drive Mode" table. If some or all drive modes are not applicable to vehicle, "OFF" or "Invalid" may be displayed. The item in the "Drive Mode" table may not match the name of switch or indicator that equipped the vehicle.
- The upper and lower limits for the recorded value of "Steering Input" is 375 deg and -375 deg respectively. Resolution is 1.5 deg and the value is rounded down and recorded.
- Resolution of the "Air Bag Warning Lamp ON Time Since DTC was Set" is 15 minutes, and the value is rounded down and recorded.
- "Delta-V, Longitudinal" indicates the change in forward speed after time zero. This does not refer to vehicle speed, and it does not include the change in speed during the period from the start of the actual collision to establishment of the time zero.
- "Location of Side Satellite Sensor" shows the outline of a typical sensor position. Sensory location can be confirmed using the repair manual.
- "Time from Previous Pre-Crash TRG" indicates the time between the establishment of an event's pre-crash recording trigger to the establishment of a more recent event's pre-crash recording trigger. The upper limit for the recorded value is 16,381 milliseconds. In the event of establishment of the first pre-crash recording trigger after the ignition is switched ON, the upper limit value(max value) is recorded.
- "TRG Count" indicates a calculated value of the number of times recording triggers have been established for all crash types. The sequence in which each event occurred can be verified from the "TRG Count". The smaller the "TRG Count" value, the older the data. The upper limit for the recorded value is 65,533 times. When more than one event reaches the upper limit, the actual "TRG Count" may be greater than what is displayed for that event.
- "Linked Pre-Crash Page" is used to link 'paged" pre-crash data with 'paged" post-crash data. When old pre-crash data is overwritten by new pre-crash data, the "Linked Pre-Crash Page" value may record a page number that is not actually linked.
- Resolution of the "Time from Pre-Crash to TRG" is 50 [ms], and the value is rounded up and recorded.
- "Roll Angle at the Time of TRG" and "Roll Angle Peak" do not represent the actual roll angle of the vehicle. These values are used internally by the airbag ECU for sensing a rollover.

05013\_ToyotaS00std\_r028

### System Status at Time of Retrieval

ECU Part Number	89170-0R191
EDR Generation	13EDR
Complete File Recorded	Yes
Freeze Signal	OFF
Freeze Signal Factor	None
Diagnostic Trouble Codes Exist	No
Ignition Cycle ,Download (times)	10828
Multi-event, number of events (times)	1
Time from event 1 to 2 (s)	5.0 or greater
Time from Previous Pre Crash TRG (msec)	16381 or greater
Latest Pre-Crash Page	0
Contains Unlinked Pre-Crash Data	No

### Event Record Summary at Retrieval

Events Recorded	TRG Count	Crash Type	Time (msec)	Pre-Crash & DTC Data Recording Status	Event & Crash Pulse Data Recording Status
Most Recent Event	7	Side Crash	0	Complete (Page 0)	Complete (Side Page 1)
1st Prior Event	6	Rollover	-16381 or greater	Complete (Page 1)	Complete (Rollover Page 1)
2nd Prior Event	5	Rollover	N/A	N/A	Complete (Rollover Page 0)
3rd Prior Event	3	Side Crash	N/A	N/A	Complete (Side Page 0)
4th Prior Event	2	Front/Rear Crash	N/A	N/A	Complete (Front/Rear Page 0)


**System Status at Event (Most Recent Event, TRG 7)**

Recording Status, Side Crash Info.	Complete
Crash Type	Side Crash
TRG Count (times)	7
Previous Crash Type	No Event
Time from Pre-Crash TRG (msec)	0
Linked Pre-Crash Page	0
Side Airbag Deployment, Time to Deploy (If Equipped) (msec)	No
Side Curtain Airbag Deployment, Time to Deploy (If Equipped) (msec)	No
Pretensioner Deployment, Time to Fire (msec)	No
Rear Window Airbag Deployment, Time to Deploy (msec)	SNA

**Lateral Crash Pulse (Most Recent Event, TRG 7 - table 1 of 2)**

Recording Status, Time Series Data	Complete
Recorded Side	Left Side
Time from TRG to Next Sample (msec)	1
Location of Side Satellite Sensor 1	Front Door
Location of Side Satellite Sensor 2	Not Equipped
Location of Side Satellite Sensor 3	Not Equipped
Location of Side Satellite Sensor 4	C-Pillar
Location of Floor Sensor	Airbag ECU
Clipping Time of Lateral Acceleration, Side Satellite Sensor 1 (msec)	No
Clipping Time of Lateral Acceleration, Side Satellite Sensor 2 (msec)	SNA
Clipping Time of Lateral Acceleration, Side Satellite Sensor 3 (msec)	SNA
Clipping Time of Lateral Acceleration, Side Satellite Sensor 4 (msec)	No
Clipping Time of Lateral Acceleration, Floor Sensor (msec)	No


**Side Satellite Sensor 1**



**Deployment Time Marker Key**

1	Driver/Passenger Pretensioner
2	Side Airbag
3	Rear Window Airbag Deployment Time


**Side Satellite Sensor 2**



**Deployment Time Marker Key**

1	Driver/Passenger Pretensioner
2	Side Airbag
3	Rear Window Airbag Deployment Time


**Side Satellite Sensor 3**



**Deployment Time Marker Key**

1	Side Curtain Airbag
---	---------------------


Side Satellite Sensor 4



Deployment Time Marker Key

1	Side Curtain Airbag
---	---------------------

**Floor Sensor**



**Deployment Time Marker Key**

1	Driver/Passenger Pretensioner
2	Side Airbag
3	Rear Window Airbag Deployment Time
4	Side Curtain Airbag

**Lateral Crash Pulse (Most Recent Event, TRG 7 - table 2 of 2)**

<b>Time (msec)</b>	<b>Lateral Acceleration, Side Satellite Sensor 1 (m/sec^2)</b>	<b>Lateral Acceleration, Side Satellite Sensor 2 (m/sec^2)</b>	<b>Lateral Acceleration, Side Satellite Sensor 3 (m/sec^2)</b>	<b>Lateral Acceleration, Side Satellite Sensor 4 (m/sec^2)</b>	<b>Lateral Acceleration for Side Crash, Floor Sensor (m/sec^2)</b>
-23	0.0	SNA	SNA	0.0	0.0
-19	0.0	SNA	SNA	0.0	0.0
-15	0.0	SNA	SNA	0.0	-5.7
-11	0.0	SNA	SNA	0.0	-21.1
-7	0.0	SNA	SNA	0.0	3.8
-3	0.0	SNA	SNA	0.0	15.3
1	0.0	SNA	SNA	0.0	26.8
5	0.0	SNA	SNA	0.0	15.3
9	0.0	SNA	SNA	0.0	-5.7
13	0.0	SNA	SNA	0.0	-7.7
17	0.0	SNA	SNA	0.0	-3.8
21	0.0	SNA	SNA	0.0	1.9
25	0.0	SNA	SNA	0.0	-11.5
29	0.0	SNA	SNA	0.0	-19.2
33	0.0	SNA	SNA	0.0	-5.7
37	0.0	SNA	SNA	0.0	3.8
41	0.0	SNA	SNA	0.0	9.6
45	0.0	SNA	SNA	0.0	3.8
49	19.2	SNA	SNA	0.0	0.0
53	0.0	SNA	SNA	0.0	3.8
57	0.0	SNA	SNA	0.0	5.7
61	0.0	SNA	SNA	0.0	1.9
65	0.0	SNA	SNA	0.0	3.8
69	0.0	SNA	SNA	0.0	1.9

**DTCs Present at Time of Event (Most Recent Event, TRG 7)**

Recording Status, Diagnostic	Complete
Ignition Cycle Since DTC was Set (times)	0
Airbag Warning Lamp ON Time Since DTC was Set (min)	0
Diagnostic Trouble Codes	None

**Pre-Crash Data, 1 Sample (Most Recent Event, TRG 7)**

Recording Status, Pre-Crash/Occupant	Complete
Time from Pre-Crash to TRG (msec)	350
TRG Count when Pre-crash TRG was Established (times)	7
Safety Belt Status, Driver	ON
Safety Belt Status, Front Passenger	OFF
Occupant Size Classification, Front Passenger	Child or Not Occupied
Frontal Airbag Suppression Switch Status, Front Passenger	SNA
RSCA Disable Switch	SNA
Seat Track Position Switch, Foremost, Status, Driver	No
Airbag Warning Lamp, On/Off	OFF
Ignition Cycle ,Crash (times)	10431

### Pre-Crash Data, -5 to 0 seconds (Most Recent Event, TRG 7)

Time (sec)	-4.85	-4.35	-3.85	-3.35	-2.85	-2.35	-1.85	-1.35	-0.85	-0.35	0 (TRG)
Vehicle Speed (MPH [km/h])	54.1 [87]	52.2 [84]	51.6 [83]	50.3 [81]	46.6 [75]	42.3 [68]	38.5 [62]	35.4 [57]	32.3 [52]	29.2 [47]	22.4 [36]
Accelerator Pedal, % Full (%)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Percentage of Engine Throttle (%)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Engine RPM (RPM)	1,600	1,500	1,500	1,500	1,400	1,200	1,100	1,000	1,100	1,000	900
Motor RPM (RPM)	Invalid	Invalid	Invalid	Invalid	Invalid	Invalid	Invalid	Invalid	Invalid	Invalid	Invalid
Service Brake, ON/OFF	ON	ON	ON	ON	ON	ON	ON	ON	ON	ON	ON
Brake Oil Pressure (Mpa)	1.20	0.29	0.48	1.34	2.64	2.83	2.45	1.82	1.82	2.59	3.31
Longitudinal Acceleration, VSC Sensor (m/sec^2)	-2.153	-0.933	-1.220	-2.297	-3.733	-3.876	-3.158	-2.943	-2.871	-4.235	-8.973
Yaw Rate (deg/sec)	-2.44	-2.44	-2.44	-0.98	-0.49	0.00	0.00	0.00	-0.49	-0.49	-1.46
Steering Input (degrees)	-6.0	-6.0	-6.0	-1.5	0.0	1.5	1.5	0.0	-1.5	-1.5	-3.0
Shift Position	D	D	D	D	D	D	D	D	D	D	D
Sequential Shift Range	Undetermined	Undetermined	Undetermined	Undetermined	Undetermined	Undetermined	Undetermined	Undetermined	Undetermined	Undetermined	Undetermined
Cruise Control Status	OFF	OFF	OFF	OFF	OFF	OFF	OFF	OFF	OFF	OFF	OFF
Drive Mode, PWR	OFF	OFF	OFF	OFF	OFF	OFF	OFF	OFF	OFF	OFF	OFF
Drive Mode, ECO	ON	ON	ON	ON	ON	ON	ON	ON	ON	ON	ON
Drive Mode, Sport	OFF	OFF	OFF	OFF	OFF	OFF	OFF	OFF	OFF	OFF	OFF
Drive Mode, Snow	OFF	OFF	OFF	OFF	OFF	OFF	OFF	OFF	OFF	OFF	OFF
Drive Mode, EV	Invalid	Invalid	Invalid	Invalid	Invalid	Invalid	Invalid	Invalid	Invalid	Invalid	Invalid

Fuel Injection Quantity (mm3/st)	Invalid	Invalid	Invalid	Invalid	Invalid	Invalid	Invalid	Invalid	Invalid	Invalid	Invalid
----------------------------------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------


**System Status at Event (1st Prior Event, TRG 6)**

Recording Status, Rollover Crash Info.	Complete
Crash Type	Rollover
TRG Count (times)	6
Previous Crash Type	No Event
Time from Pre-Crash TRG (msec)	0
Linked Pre-Crash Page	1
Side Curtain Airbag Deployment, Time to Deploy (msec)	No
Pretensioner Deployment, Time to Fire, Driver (msec)	No
Pretensioner Deployment, Time to Fire, Front Passenger (msec)	No

**Rollover Crash Pulse (1st Prior Event, TRG 6 - table 1 of 2)**

Recording Status, Time Series Data	Complete
Time from TRG to Next Sample (msec)	50
Roll Angle Peak (degrees)	6.6
Roll Angle at the Time of TRG (degrees)	3.6


**Roll Rate**



**Deployment Time Marker Key**

1	Driver/Passenger CSA
2	Driver/Passenger Pretensioner

Lateral Acceleration for Rollover, Floor Sensor



Deployment Time Marker Key

1	Driver/Passenger CSA
2	Driver/Passenger Pretensioner

### Rollover Crash Pulse (1st Prior Event, TRG 6 - table 2 of 2)

Time (msec)	Roll Rate (deg/sec)	Lateral Acceleration for Rollover, Floor Sensor (m/sec^2)
-590	0.0	0.0
-526	-1.6	0.0
-462	3.3	0.0
-398	9.8	0.0
-334	-19.5	0.0
-270	-30.9	-3.8
-206	-17.9	0.0
-142	6.5	0.0
-78	29.3	0.0
-14	35.8	0.0
50	40.7	0.0
114	17.9	0.0
178	3.3	-1.9
242	11.4	-3.8
306	11.4	-1.9
370	-1.6	-1.9
434	-11.4	0.0
498	-22.8	0.0
562	-34.2	0.0
626	-29.3	0.0
690	-11.4	0.0
754	11.4	0.0
818	17.9	0.0
882	8.1	-1.9
946	1.6	-1.9
1010	0.0	-1.9
1074	-3.3	-1.9
1138	-4.9	-1.9
1202	-4.9	0.0
1266	-3.3	0.0
1330	-1.6	0.0
1394	0.0	0.0
1458	0.0	0.0
1522	0.0	0.0
1586	0.0	0.0
1650	0.0	0.0
1714	1.6	0.0
1778	0.0	0.0
1842	0.0	0.0
1906	-1.6	0.0

### DTCs Present at Time of Event (1st Prior Event, TRG 6)

Recording Status, Diagnostic	Complete
Ignition Cycle Since DTC was Set (times)	0
Airbag Warning Lamp ON Time Since DTC was Set (min)	0
Diagnostic Trouble Codes	None

### Pre-Crash Data, 1 Sample (1st Prior Event, TRG 6)

Recording Status, Pre-Crash/Occupant	Complete
Time from Pre-Crash to TRG (msec)	200
TRG Count when Pre-crash TRG was Established (times)	6
Safety Belt Status, Driver	ON
Safety Belt Status, Front Passenger	OFF
Occupant Size Classification, Front Passenger	Child or Not Occupied
Frontal Airbag Suppression Switch Status, Front Passenger	SNA
RSCA Disable Switch	SNA
Seat Track Position Switch, Foremost, Status, Driver	No
Airbag Warning Lamp, On/Off	OFF
Ignition Cycle ,Crash (times)	6166

### Pre-Crash Data, -5 to 0 seconds (1st Prior Event, TRG 6)

Time (sec)	-4.7	-4.2	-3.7	-3.2	-2.7	-2.2	-1.7	-1.2	-0.7	-0.2	0 (TRG)
Vehicle Speed (MPH [km/h])	67.7 [109]	67.7 [109]	68.4 [110]	68.4 [110]	67.1 [108]	65.2 [105]	62.1 [100]	58.4 [94]	54.7 [88]	46.6 [75]	45.4 [73]
Accelerator Pedal, % Full (%)	49.5	36.5	8.0	24.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Percentage of Engine Throttle (%)	46.0	33.5	7.5	12.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Engine RPM (RPM)	2,700	2,800	2,700	2,600	2,100	1,900	1,800	1,700	1,600	1,400	1,300
Motor RPM (RPM)	Invalid	Invalid	Invalid	Invalid	Invalid	Invalid	Invalid	Invalid	Invalid	Invalid	Invalid
Service Brake, ON/OFF	OFF	OFF	OFF	OFF	ON	ON	ON	ON	ON	ON	ON
Brake Oil Pressure (Mpa)	0.00	0.00	0.00	0.00	1.01	2.26	2.69	3.22	3.41	3.12	3.89
Longitudinal Acceleration, VSC Sensor (m/sec <sup>2</sup> )	0.431	0.574	0.359	-0.287	-1.579	-2.584	-2.943	-3.445	-3.948	-4.307	-2.369
Yaw Rate (deg/sec)	0.00	0.00	0.00	0.00	-2.44	-4.39	-5.86	-3.90	0.00	-0.98	2.93
Steering Input (degrees)	3.0	3.0	3.0	3.0	0.0	-12.0	-13.5	-13.5	3.0	9.0	4.5
Shift Position	D	D	D	D	D	D	D	D	D	D	D
Sequential Shift Range	Undetermined	Undetermined	Undetermined	Undetermined	Undetermined	Undetermined	Undetermined	Undetermined	Undetermined	Undetermined	Undetermined
Cruise Control Status	OFF	OFF	OFF	OFF	OFF	OFF	OFF	OFF	OFF	OFF	OFF
Drive Mode, PWR	OFF	OFF	OFF	OFF	OFF	OFF	OFF	OFF	OFF	OFF	OFF
Drive Mode, ECO	OFF	OFF	OFF	OFF	OFF	OFF	OFF	OFF	OFF	OFF	OFF
Drive Mode, Sport	OFF	OFF	OFF	OFF	OFF	OFF	OFF	OFF	OFF	OFF	OFF
Drive Mode, Snow	OFF	OFF	OFF	OFF	OFF	OFF	OFF	OFF	OFF	OFF	OFF
Drive Mode, EV	Invalid	Invalid	Invalid	Invalid	Invalid	Invalid	Invalid	Invalid	Invalid	Invalid	Invalid

Fuel Injection Quantity (mm3/st)	Invalid	Invalid	Invalid	Invalid	Invalid	Invalid	Invalid	Invalid	Invalid	Invalid	Invalid
----------------------------------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------


**System Status at Event (2nd Prior Event, TRG 5)**

Recording Status, Rollover Crash Info.	Complete
Crash Type	Rollover
TRG Count (times)	5
Previous Crash Type	No Event
Time from Pre-Crash TRG (msec)	0
Linked Pre-Crash Page	0
Side Curtain Airbag Deployment, Time to Deploy (msec)	No
Pretensioner Deployment, Time to Fire, Driver (msec)	No
Pretensioner Deployment, Time to Fire, Front Passenger (msec)	No

**Rollover Crash Pulse (2nd Prior Event, TRG 5 - table 1 of 2)**

Recording Status, Time Series Data	Complete
Time from TRG to Next Sample (msec)	24
Roll Angle Peak (degrees)	-6.5
Roll Angle at the Time of TRG (degrees)	-4.3


**Roll Rate**



**Deployment Time Marker Key**

1	Driver/Passenger CSA
2	Driver/Passenger Pretensioner

Lateral Acceleration for Rollover, Floor Sensor



Deployment Time Marker Key

1	Driver/Passenger CSA
2	Driver/Passenger Pretensioner

### Rollover Crash Pulse (2nd Prior Event, TRG 5 - table 2 of 2)

Time (msec)	Roll Rate (deg/sec)	Lateral Acceleration for Rollover, Floor Sensor (m/sec^2)
-616	-1.6	0.0
-552	-1.6	0.0
-488	-1.6	0.0
-424	0.0	0.0
-360	0.0	0.0
-296	0.0	0.0
-232	1.6	0.0
-168	3.3	0.0
-104	3.3	0.0
-40	-8.1	0.0
24	-40.7	-1.9
88	-30.9	0.0
152	1.6	1.9
216	21.2	5.7
280	24.4	1.9
344	35.8	0.0
408	35.8	-1.9
472	6.5	-3.8
536	-29.3	-1.9
600	-21.2	0.0
664	8.1	3.8
728	1.6	3.8
792	-1.6	1.9
856	6.5	0.0
920	8.1	0.0
984	6.5	0.0
1048	4.9	0.0
1112	0.0	0.0
1176	-1.6	0.0
1240	0.0	0.0
1304	0.0	0.0
1368	0.0	0.0
1432	1.6	0.0
1496	0.0	0.0
1560	0.0	0.0
1624	0.0	0.0
1688	0.0	0.0
1752	1.6	0.0
1816	0.0	0.0
1880	1.6	0.0


**System Status at Event (3rd Prior Event, TRG 3)**

Recording Status, Side Crash Info.	Complete
Crash Type	Side Crash
TRG Count (times)	3
Previous Crash Type	No Event
Time from Pre-Crash TRG (msec)	0
Linked Pre-Crash Page	0
Side Airbag Deployment, Time to Deploy (If Equipped) (msec)	No
Side Curtain Airbag Deployment, Time to Deploy (If Equipped) (msec)	No
Pretensioner Deployment, Time to Fire (msec)	No
Rear Window Airbag Deployment, Time to Deploy (msec)	SNA

**Lateral Crash Pulse (3rd Prior Event, TRG 3 - table 1 of 2)**

Recording Status, Time Series Data	Complete
Recorded Side	Right Side
Time from TRG to Next Sample (msec)	3
Location of Side Satellite Sensor 1	Front Door
Location of Side Satellite Sensor 2	Not Equipped
Location of Side Satellite Sensor 3	Not Equipped
Location of Side Satellite Sensor 4	C-Pillar
Location of Floor Sensor	Airbag ECU
Clipping Time of Lateral Acceleration, Side Satellite Sensor 1 (msec)	No
Clipping Time of Lateral Acceleration, Side Satellite Sensor 2 (msec)	SNA
Clipping Time of Lateral Acceleration, Side Satellite Sensor 3 (msec)	SNA
Clipping Time of Lateral Acceleration, Side Satellite Sensor 4 (msec)	No
Clipping Time of Lateral Acceleration, Floor Sensor (msec)	No


**Side Satellite Sensor 1**



**Deployment Time Marker Key**

1	Driver/Passenger Pretensioner
2	Side Airbag
3	Rear Window Airbag Deployment Time


**Side Satellite Sensor 2**



**Deployment Time Marker Key**

1	Driver/Passenger Pretensioner
2	Side Airbag
3	Rear Window Airbag Deployment Time


**Side Satellite Sensor 3**



**Deployment Time Marker Key**

1	Side Curtain Airbag
---	---------------------


Side Satellite Sensor 4



Deployment Time Marker Key

1	Side Curtain Airbag
---	---------------------

Floor Sensor



Deployment Time Marker Key

1	Driver/Passenger Pretensioner
2	Side Airbag
3	Rear Window Airbag Deployment Time
4	Side Curtain Airbag

**Lateral Crash Pulse (3rd Prior Event, TRG 3 - table 2 of 2)**

Time (msec)	Lateral Acceleration, Side Satellite Sensor 1 (m/sec <sup>2</sup> )	Lateral Acceleration, Side Satellite Sensor 2 (m/sec <sup>2</sup> )	Lateral Acceleration, Side Satellite Sensor 3 (m/sec <sup>2</sup> )	Lateral Acceleration, Side Satellite Sensor 4 (m/sec <sup>2</sup> )	Lateral Acceleration for Side Crash, Floor Sensor (m/sec <sup>2</sup> )
-21	0.0	SNA	SNA	0.0	11.5
-17	0.0	SNA	SNA	0.0	-1.9
-13	0.0	SNA	SNA	0.0	0.0
-9	0.0	SNA	SNA	0.0	-5.7
-5	0.0	SNA	SNA	0.0	0.0
-1	0.0	SNA	SNA	0.0	13.4
3	0.0	SNA	SNA	0.0	-23.0
7	0.0	SNA	SNA	0.0	-9.6
11	0.0	SNA	SNA	0.0	-3.8
15	0.0	SNA	SNA	0.0	5.7
19	0.0	SNA	SNA	0.0	3.8
23	0.0	SNA	SNA	0.0	0.0
27	0.0	SNA	SNA	0.0	0.0
31	0.0	SNA	SNA	0.0	-1.9
35	0.0	SNA	SNA	0.0	0.0
39	0.0	SNA	SNA	0.0	-1.9
43	0.0	SNA	SNA	0.0	3.8
47	0.0	SNA	SNA	0.0	0.0
51	0.0	SNA	SNA	0.0	0.0
55	0.0	SNA	SNA	0.0	-3.8
59	0.0	SNA	SNA	0.0	-7.7
63	0.0	SNA	SNA	0.0	0.0
67	0.0	SNA	SNA	0.0	-5.7
71	0.0	SNA	SNA	0.0	-3.8


### System Status at Event (4th Prior Event, TRG 2)

Recording Status, Front/Rear Crash Info.	Complete
Crash Type	Front/Rear Crash
TRG Count (times)	2
Previous Crash Type	No Event
Time from Pre-Crash TRG (msec)	0
Linked Pre-Crash Page	1
Frontal Airbag Deployment, Time to 1st Stage Deployment, Driver (msec)	No
Frontal Airbag Deployment, Time to 1st Stage Deployment, Front Passenger (msec)	No
Pretensioner Deployment, Time to Fire, Driver (msec)	No
Pretensioner Deployment, Time to Fire, Front Passenger (msec)	No
Frontal Airbag Deployment, Time to 2nd Stage, Driver (msec)	N/A
Frontal Airbag Deployment, Time to 2nd Stage, Front Passenger (msec)	N/A
Active Head Restraint, Time to Deploy, Driver (msec)	SNA
Active Head Restraint, Time to Deploy, Front Passenger (msec)	SNA
Side Curtain Airbag Deployment, Time to Deploy, Driver (msec)	No
Side Curtain Airbag Deployment, Time to Deploy, Passenger (msec)	No
Side Airbag Deployment, Time to Deploy, Driver (msec)	No
Side Airbag Deployment, Time to Deploy, Passenger (msec)	No
Rear Window Airbag Deployment, Time to Deploy (msec)	SNA

**Longitudinal/Lateral Crash Pulse (4th Prior Event, TRG 2 - table 1 of 2)**

Recording Status, Time Series Data	Complete
Time from Time Zero to TRG (msec)	51.5
Length of Delta-V (msec)	110
Max. Longitudinal Delta-V (MPH [km/h])	7.9 [12.7]
Time, Maximum Delta-V, Longitudinal (msec)	116.5
Power Supply Status at Max. Delta-V	ON
Clipping Time of Longitudinal Delta-V (msec)	No
Clipping Time of Lateral Acceleration, Floor Sensor (msec)	No


**Longitudinal Delta-V**



**Deployment Time Marker Key**

1	Driver Airbag Deployment Time
2	Passenger Airbag Deployment Time
3	Driver/Passenger Pretensioner
4	Driver 2nd Stage Airbag Deployment Time
5	Passenger 2nd Stage Airbag Deployment
6	Driver/Passenger AHR
7	Driver CSA
8	Passenger CSA
9	Rear Window Airbag Deployment Time
10	Driver SAB
11	Passenger SAB

Lateral Acceleration for frontal/rear crash, Floor Sensor



Deployment Time Marker Key

1	Driver Airbag Deployment Time
2	Passenger Airbag Deployment Time
3	Driver/Passenger Pretensioner
4	Driver 2nd Stage Airbag Deployment Time
5	Passenger 2nd Stage Airbag Deployment
6	Driver/Passenger AHR
7	Driver CSA
8	Passenger CSA
9	Rear Window Airbag Deployment Time
10	Driver SAB
11	Passenger SAB

**Longitudinal/Lateral Crash Pulse (4th Prior Event, TRG 2 - table 2 of 2)**

<b>Time (msec)</b>	<b>Longitudinal Delta-V (MPH [km/h])</b>	<b>Lateral Acceleration for Frontal/Rear Crash, Floor Sensor (m/sec^2)</b>	<b>Power Supply Status</b>
0	0.0 [0.0]	0.0	ON
10	0.7 [1.1]	0.0	ON
20	1.4 [2.2]	0.0	ON
30	2.2 [3.6]	0.0	ON
40	3.6 [5.8]	0.0	ON
50	5.0 [8.0]	0.0	ON
60	6.2 [9.9]	1.9	ON
70	7.0 [11.3]	0.0	ON
80	7.4 [11.9]	0.0	ON
90	7.5 [12.1]	1.9	ON
100	7.5 [12.1]	0.0	ON
110	7.7 [12.4]	0.0	ON
120	0.0 [0.0]	0.0	ON
130	0.0 [0.0]	0.0	ON
140	0.0 [0.0]	0.0	ON
150	0.0 [0.0]	0.0	ON
160	0.0 [0.0]	0.0	ON
170	0.0 [0.0]	0.0	ON
180	0.0 [0.0]	0.0	ON
190	0.0 [0.0]	0.0	ON
200	0.0 [0.0]	0.0	ON
210	0.0 [0.0]	0.0	ON
220	0.0 [0.0]	0.0	ON
230	0.0 [0.0]	0.0	ON
240	0.0 [0.0]	0.0	ON
250	0.0 [0.0]	0.0	ON

## Hexadecimal Data

Data that the vehicle manufacturer has specified for data retrieval is shown in the hexadecimal data section of the CDR report. The hexadecimal data section of the CDR report may contain data that is not translated by the CDR program. The control module contains additional data that is not retrievable by the CDR system.

PIDs	PID	Data
	00	BC 64 00 01
	01	00
	03	30 52 31 39 31 30 30 30 39 33 30 30 30 39 33 30 30 30 39 44 30 30 30 39 44 30 30 30 39 46 30 30 30 39 46
	04	02 03 01 01
	05	01
	06	00
	0A	03
	0B	00
	20	80 00 00 01
	21	02 A0
	40	00 00 00 01
	60	FF FF F0 01
	61	02 05 E8 00 C0 E0 05 00 02 80 02 80 00 00 00 00 00 00 00 00 05 00 05 00 19 00 29 B1 85 5F C8 00
	62	00 00 3F FD 2A 4C 00 00 00 00
	63	55 18 28 BF 11 10 00 00 11 11 11 11 10 57 54 53 51 4B 44 3E 39 34 2F 24 00 00 00 00 00 00 00 00 00 00 55 55 54 10 0F 0F 0F 0E 0C 0B 0A 0B 0A 09 00 00 00 00 00 00 07
	64	55 0C 18 16 11 10 00 00 11 11 11 11 10 6D 6D 6E 6E 6C 69 64 5E 58 4B 49 63 49 10 30 00 00 00 00 00 00 55 54 1B 1C 1B 1A 15 13 12 11 10 0E 0D 00 00 00 00 00 00 06
	65	55 00
	66	55 00
	67	55 E4 00 00 02 FE FE FE FE FE 55 FD FD FF FE FF FE FF FE FF FE 03 FE
	68	00 00
	69	00 67 0C 00 00 3F FC 3F F8 3F F3 3F EB 3F E3 3F DC 3F D7 3F D5 3F D4 3F D4 3F D3 00 3F D2 00 E9
	6A	00 00
	6B	55 E0 00 00 03 FE FE FE FE 55 13 00
	6C	55 E0 00 00 07 FE FE FE FE 55 01 00 01 00
	6D	00 FE 01 FE 01 FE 01 FE 01 FE
	6E	00 FE 01 FE 01 FE 01 FE 01 FE
	6F	55 FF FE E0 00 00 05 55 D8 FF FF FF 00 00 00 01 02 02 FB E7 ED 01 0D 0F 16 16 04 EE F3 05 01 FF 04 05 04 03 00 FF 00 00 00 01 00 00 00 00 01 00 01 FF AE FF 84
	70	55 FF FE E4 00 00 06 55 F2 00 FF 02 06 F4 ED F5 04 12 16 19 0B 02 07 07 FF F9 F2 EB EE F9 07 0B 05 01 00 FE FD FD FE FF 00 00 00 00 00 01 00 00 FF 00 46 00 7E
	71	00 00 00 00 00 00 00 00 00 00 00 00 01 00 FF FD FF 00 01 02 01 00 FE FE FF 00
	72	00 00 00 00 00 02 00 00 00 00 00 00 00 01 02 01 01 00 00 00 00 00 00 00 01 01 01 01 01 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00
	73	19 06 0A 1C 37 3B 33 26 26 36 45 00 00 00 00 00 00 00 00 00 00 00 00 FB FB FB FE FF 00 00 00 00 FF FF FD E2 F3 EF E0 CC CA D4 D7 D8 C5 83 00
	74	00 00 00 00 15 2F 38 43 47 41 51 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 FB F7 F4 F8 00 FE 06 06 08 05 FC EA DC D7 D0 C9 C4 DF

```
5C 43 0F 18 00 00 00 00 00 00 00 00 00 00
80 00 00 00 01
A0 0C 00 DF 81
A5 00 42 00 42 00 42 00 42 00 42 00 42 00 42 00 42 00 42 00 42
FE FE FE FE FE FE FE FE FE FE FE FE FE FE FE FE FE FE FE FE
FE FE FE FE FE FE FE FE FE FE FE FE
A6 00 40 00 40 00 40 00 40 00 40 00 40 00 40 00 40 00 40 00 40
FE FE FE FE FE FE FE FE FE FE FE FE FE FE FE FE FE FE FE FE
FE FE FE FE FE FE FE FE FE FE FE FE
B4 FA 01 00 03 00 F9 0C 05 02 FD FE 00 00 01 00 01 FE 00 00 02 04 00
03 02 01 FE
B5 00 00 03 0B FE F8 F2 F8 03 04 02 FF 06 0A 03 FE FB FE 00 FE FD FF
FE FF 01 FE
B6 00 00 00 00 00 00 FF 00 00 FF 00 00 00 00 00 00 00 00 00 00 00
00 00 00 00 03 FE
B7 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00
00 00 00 00 00 00
B8 03 FC 03 FC 03 FC 03 FF 00 00 00 01 00 01 00 00 03 FF 03 FF 03 FE
B9 00 02 00 02 00 02 00 02 00 00 03 F8 03 F7 03 F7 00 02 00 06 00 03
```

## **Disclaimer of Liability**

The users of the CDR product and reviewers of the CDR reports and exported data shall ensure that data and information supplied is applicable to the vehicle, vehicle's system(s) and the vehicle ECU. Robert Bosch LLC and all its directors, officers, employees and members shall not be liable for damages arising out of or related to incorrect, incomplete or misinterpreted software and/or data. Robert Bosch LLC expressly excludes all liability for incidental, consequential, special or punitive damages arising from or related to the CDR data, CDR software or use thereof.

IMPORTANT NOTICE: Robert Bosch LLC and the manufacturers whose vehicles are accessible using the CDR System urge end users to use the latest production release of the Crash Data Retrieval system software when viewing, printing or exporting any retrieved data from within the CDR program. Using the latest version of the CDR software is the best way to ensure that retrieved data has been translated using the most current information provided by the manufacturers of the vehicles supported by this product.

### CDR File Information

User Entered VIN/Frame Number	2T3DFREV3HW [REDACTED]
User	Mark Broderick
Case Number	10737004
EDR Data Imaging Date	07/22/2022
Crash Date	11/06/2018
Filename	2T3DFREV3HW [REDACTED].ACM.CDRX
Saved on	Friday, July 22 2022 at 14:44:54
Imaged with CDR version	Crash Data Retrieval Tool 21.5.1
Imaged with Software Licensed to (Company Name)	Engineering Analysis Associates
Reported with CDR version	Crash Data Retrieval Tool 21.5.1
Reported with Software Licensed to (Company Name)	Engineering Analysis Associates
EDR Device Type	Airbag Control Module
Event(s) recovered	Front/Rear (1), Side (2), Rollover (2)

### Comments

No comments entered.

### Data Limitations

#### CDR Record Information:

- Due to limitations of the data recorded by the airbag ECU, such as the resolution, data range, sampling interval, time period of the recording, and the items recorded, the information provided by this data may not be sufficient to capture the entire crash.
- Pre-Crash data is recorded in discrete intervals. Due to different refresh rates within the vehicle's electronics, the data recorded may not be synchronous to each other.
- Airbag ECU data should be used in conjunction with other physical evidence obtained from the vehicle and the surrounding circumstances.
- If any of the front passenger seat airbags, side airbags, or Curtain Shield Airbags have deployed, data will not be overwritten or deleted by the airbag ECU following that event. If none of the airbags have deployed, the data of that event may be overwritten by a following event even if other airbags (pretensioner, rear seat airbag, etc.) have deployed.
- If power supply to the airbag ECU is lost during an event, all or part of the data may not be recorded.
- "Diagnostic Trouble Codes" are information about faults when a recording trigger is established. Various diagnostic trouble codes could be set and recorded due to component or system damage during an accident.
- The airbag ECU records only diagnostic information related to the airbag system. It does not record diagnostic information related to other vehicle systems.
- The TaSCAN, Global Tech Stream, or Intelligent Tester II devices (or any other Toyota genuine diagnostic tool) can be used to obtain detailed information on the diagnostic trouble codes from the airbag system, as well as diagnostic information from other systems. However, in some cases, the diagnostic trouble codes of the airbag system recorded by the airbag ECU when the event occurred may not match the diagnostic trouble codes read out when the diagnostic tool is used.

#### General Information:

- The data recording specifications of Toyota's airbag ECUs are divided into the following categories. The specifications for 12EDR or later are designed to be compatible with NHTSA's 49CFR Part 563 rule.
  - 00EDR / 02EDR / 04EDR / 06EDR / 10EDR / 12EDR / 13EDR / 15EDR / 17EDR / 19EDR
- The airbag ECU records data for all or some of the following accident types: frontal crash, rear crash, side crash, and rollover events. Depending on the installed airbag ECU, data for side crash and/or rollover events may not be recorded.
- This airbag ECU records record pre-crash data and post-crash data.
  - If a single event occurs independently, the data for that event is recorded on a one-to-one basis.
  - If multiple events occur successively (within a period of approximately 500ms), the establishment of the recording trigger for the first event is defined as the "pre-crash recording trigger". Pre-crash data for the first event and post-crash data for each successive event is then recorded.
- The airbag ECU has two recording pages (memory maps) to store pre-crash data. Additionally, to store post-crash data, the airbag ECU has two recording pages for each accident type: two pages for frontal and rear crash, two pages for a side crash, and two pages for rollover event.
- The data recorded by the airbag ECU includes correlating information between each previously occurring event (i.e., information that clarifies the collision event sequence. This correlation information consists of the following items.
  - Time from Previous Pre-Crash TRG
  - Linked Pre-Crash Page
  - Time from Pre-Crash TRG
  - TRG Count
  - Previous Crash Type

- In frontal and rear collision events, the first point where a longitudinal cumulative delta-V of over 0.8 km/h (0.5 mph) is reached is regarded as time zero for the recorded data. In side impact collision and rollover events, the point in time at which the recording trigger is established is regarded as time zero for the recorded data.
- The recording trigger judgment threshold value differs depending on the collision type (i.e., frontal crash, rear crash, side crash, or rollover event).
- Some of the data recorded by the airbag ECU is transmitted to the airbag ECU from various vehicle control modules by the vehicle's Controller Area Network (CAN).
- In some cases, the airbag ECU part number printed on the ECU label may not match the airbag ECU part number that the CDR tool reports. The part number retrieved by the CDR tool should be considered as the official ECU part number.
- In frontal and rear collision events, the record time varies depending on the period during which a longitudinal cumulative delta-V of over 0.8 km/h (0.5 mph) is reached, and time series data is recorded for up to 250 ms. The record time described above is indicated as "Length of Delta-V". "Delta-V, Longitudinal" outside the record time is indicated by area shaded in the table, and not indicated in the graph.

**Data Element Sign Convention:**

The following table provides an explanation of the sign notation for data elements that may be included in this CDR report.

Data Element Name	Positive Sign Notation Indicates
Maximum Delta-V, Longitudinal	Forward
Delta-V, Longitudinal	Forward
Lateral Acceleration for Frontal/Rear Crash, Floor Sensor	Left to Right
Lateral Acceleration, Side Satellite Sensor 1	Left to Right
Lateral Acceleration, Side Satellite Sensor 2	Left to Right
Lateral Acceleration, Side Satellite Sensor 3	Left to Right
Lateral Acceleration, Side Satellite Sensor 4	Left to Right
Lateral Acceleration for Side Crash, Floor Sensor	Left to Right
Roll Angle Peak	Clockwise Rotation
Roll Angle at the Time of TRG	Clockwise Rotation
Roll Rate	Clockwise Rotation
Lateral Acceleration for Rollover, Floor Sensor	Left to Right
Longitudinal Acceleration, VSC Sensor	Forward
Yaw Rate	Left Turn
Steering Input	Left Turn

**Data Definitions:**

- The "ON" setting for the "Freeze Signal" indicates a state in which the non-volatile memory can not be overwritten or deleted by the airbag ECU. After "Freeze Signal" has been turned ON, subsequent events will not be recorded.
- "Recording Status" indicates a state in which all recorded event data has been written into the non-volatile memory, or a state in which this process was interrupted and not fully written into the non-volatile memory. If "Recording Status" is "Incomplete", recorded event data may not be valid.
- If the "Occupant Size Classification, Front Passenger" displays "Child" or "Not Occupied", "Side Air Bag Deployment, Time to Deploy" and "Pretensioner Deployment, Time to Fire" may indicate a time even if deployment did not occur on the for following part no's:  
- 89170-07280, 35400, 35410, 35470, 42660, 0R120, 0R080, 0R081, 0R150
- "Engine RPM" indicates the number of engine revolutions, not the number of motor revolutions. The recorded value has an upper limit of 12,800 rpm. Resolution is 100 rpm and the value is rounded down and recorded. For example, if the actual engine speed is 799 rpm, the recorded value will be 700 rpm.
- If the electric vehicle is using a calculated/virtual engine RPM for drivetrain control, "Engine RPM" may be recorded, but should not be used during data analysis.
- The upper limit for the recorded "Vehicle Speed" value is 200 km/h (125mph). Resolution is 1km/h (0.6mph) and the value is rounded down and recorded. The accuracy of the "Vehicle Speed" value can be affected by various factors. These include, but not limited, to the following.
  - Significant changes in the tire's rolling radius
  - Wheel lock and wheel slip
- "Accelerator Pedal" has two recording specifications. Both the recorded value increases as the driver depresses the accelerator.
  - Percentage of accelerator pedal depressed (recorded as 0-100(%)).
  - Output voltage of accelerator pedal module (recorded as 0-5(V)).
- If M/T transmission vehicle of some limited model, "Shift Position" may display "Drive" regardless of the actual shift position.
- Depending on the type of occupant sensor installed in the vehicle, one of the following three recording formats for "Occupant Size Classification, Front Passenger" will be utilized.
  - Occupied / Not Occupied
  - AM50 / AF05 / Child / Not Occupied
  - AM50 / AF05 / Child or Not Occupied
- "Cruise Control Status" indicates whether the cruise control system is actuated or not. OFF indicates that the cruise control system is not actuated, but can also indicates that the vehicle is not equipped with the system.
- "Air Bag Warning Lamp, On/Off", "Ignition Cycle, Crash", "Seat Track Position Switch, Foremost, Status, Driver", "Occupant Size Classification, Front Passenger", "Safety Belt Status, Driver", "Safety Belt Status, Front Passenger", "Frontal Air Bag Suppression Switch Status, Front Passenger", and "RSCA Disable Switch" indicate the state approximately 1 second before time zero. They may not always indicate the state at the moment of collision.
- The upper and lower limits for the recorded value of "Motor RPM" is 17,500 rpm and -7,500 rpm respectively. Resolution is 100 rpm and the value is rounded down and recorded.
- "Brake Oil Pressure" has an upper limit of 12.14 Mpa. In the case of the vehicle that has not VSC system, "0 Mpa" or "Invalid" may be displayed.
- "Longitudinal Acceleration, VSC Sensor" has upper and lower limits for the recorded value of 8.973 m/s<sup>2</sup> and -8.973 m/s<sup>2</sup> respectively. This acceleration sensor does not sense collisions.

- "Sequential Shift Range" displaying "Undetermined" indicates the shift range is undetermined or was not being used.
- Some vehicles will not be equipped with all "Drive Mode" types indicated in the "Drive Mode" table. If some or all drive modes are not applicable to vehicle, "OFF" or "Invalid" may be displayed. The item in the "Drive Mode" table may not match the name of switch or indicator that equipped the vehicle.
- The upper and lower limits for the recorded value of "Steering Input" is 375 deg and -375 deg respectively. Resolution is 1.5 deg and the value is rounded down and recorded.
- Resolution of the "Air Bag Warning Lamp ON Time Since DTC was Set" is 15 minutes, and the value is rounded down and recorded.
- "Delta-V, Longitudinal" indicates the change in forward speed after time zero. This does not refer to vehicle speed, and it does not include the change in speed during the period from the start of the actual collision to establishment of the time zero.
- "Location of Side Satellite Sensor" shows the outline of a typical sensor position. Sensory location can be confirmed using the repair manual.
- "Time from Previous Pre-Crash TRG" indicates the time between the establishment of an event's pre-crash recording trigger to the establishment of a more recent event's pre-crash recording trigger. The upper limit for the recorded value is 16,381 milliseconds. In the event of establishment of the first pre-crash recording trigger after the ignition is switched ON, the upper limit value(max value) is recorded.
- "TRG Count" indicates a calculated value of the number of times recording triggers have been established for all crash types. The sequence in which each event occurred can be verified from the "TRG Count". The smaller the "TRG Count" value, the older the data. The upper limit for the recorded value is 65,533 times. When more than one event reaches the upper limit, the actual "TRG Count" may be greater than what is displayed for that event.
- "Linked Pre-Crash Page" is used to link 'paged" pre-crash data with 'paged" post-crash data. When old pre-crash data is overwritten by new pre-crash data, the "Linked Pre-Crash Page" value may record a page number that is not actually linked.
- Resolution of the "Time from Pre-Crash to TRG" is 50 [ms], and the value is rounded up and recorded.
- "Roll Angle at the Time of TRG" and "Roll Angle Peak" do not represent the actual roll angle of the vehicle. These values are used internally by the airbag ECU for sensing a rollover.

05013\_ToyotaS00std\_r028

### System Status at Time of Retrieval

ECU Part Number	89170-0R191
EDR Generation	13EDR
Complete File Recorded	Yes
Freeze Signal	OFF
Freeze Signal Factor	None
Diagnostic Trouble Codes Exist	No
Ignition Cycle .Download (times)	10828
Multi-event, number of events (times)	1
Time from event 1 to 2 (s)	5.0 or greater
Time from Previous Pre Crash TRG (msec)	16381 or greater
Latest Pre-Crash Page	0
Contains Unlinked Pre-Crash Data	No

### Event Record Summary at Retrieval

Events Recorded	TRG Count	Crash Type	Time (msec)	Pre-Crash & DTC Data Recording Status	Event & Crash Pulse Data Recording Status
Most Recent Event	7	Side Crash	0	Complete (Page 0)	Complete (Side Page 1)
1st Prior Event	6	Rollover	-16381 or greater	Complete (Page 1)	Complete (Rollover Page 1)
2nd Prior Event	5	Rollover	N/A	N/A	Complete (Rollover Page 0)
3rd Prior Event	3	Side Crash	N/A	N/A	Complete (Side Page 0)
4th Prior Event	2	Front/Rear Crash	N/A	N/A	Complete (Front/Rear Page 0)


**System Status at Event (Most Recent Event, TRG 7)**

Recording Status, Side Crash Info.	Complete
Crash Type	Side Crash
TRG Count (times)	7
Previous Crash Type	No Event
Time from Pre-Crash TRG (msec)	0
Linked Pre-Crash Page	0
Side Airbag Deployment, Time to Deploy (If Equipped) (msec)	No
Side Curtain Airbag Deployment, Time to Deploy (If Equipped) (msec)	No
Pretensioner Deployment, Time to Fire (msec)	No
Rear Window Airbag Deployment, Time to Deploy (msec)	SNA

**Lateral Crash Pulse (Most Recent Event, TRG 7 - table 1 of 2)**

Recording Status, Time Series Data	Complete
Recorded Side	Left Side
Time from TRG to Next Sample (msec)	1
Location of Side Satellite Sensor 1	Front Door
Location of Side Satellite Sensor 2	Not Equipped
Location of Side Satellite Sensor 3	Not Equipped
Location of Side Satellite Sensor 4	C-Pillar
Location of Floor Sensor	Airbag ECU
Clipping Time of Lateral Acceleration, Side Satellite Sensor 1 (msec)	No
Clipping Time of Lateral Acceleration, Side Satellite Sensor 2 (msec)	SNA
Clipping Time of Lateral Acceleration, Side Satellite Sensor 3 (msec)	SNA
Clipping Time of Lateral Acceleration, Side Satellite Sensor 4 (msec)	No
Clipping Time of Lateral Acceleration, Floor Sensor (msec)	No


**Side Satellite Sensor 1**



**Deployment Time Marker Key**

1	Driver/Passenger Pretensioner
2	Side Airbag
3	Rear Window Airbag Deployment Time


**Side Satellite Sensor 2**



**Deployment Time Marker Key**

1	Driver/Passenger Pretensioner
2	Side Airbag
3	Rear Window Airbag Deployment Time


**Side Satellite Sensor 3**



**Deployment Time Marker Key**

1	Side Curtain Airbag
---	---------------------


Side Satellite Sensor 4



Deployment Time Marker Key

1	Side Curtain Airbag
---	---------------------

Floor Sensor



Deployment Time Marker Key

1	Driver/Passenger Pretensioner
2	Side Airbag
3	Rear Window Airbag Deployment Time
4	Side Curtain Airbag

### Lateral Crash Pulse (Most Recent Event, TRG 7 - table 2 of 2)

Time (msec)	Lateral Acceleration, Side Satellite Sensor 1 (m/sec <sup>2</sup> )	Lateral Acceleration, Side Satellite Sensor 2 (m/sec <sup>2</sup> )	Lateral Acceleration, Side Satellite Sensor 3 (m/sec <sup>2</sup> )	Lateral Acceleration, Side Satellite Sensor 4 (m/sec <sup>2</sup> )	Lateral Acceleration for Side Crash, Floor Sensor (m/sec <sup>2</sup> )
-23	0.0	SNA	SNA	0.0	0.0
-19	0.0	SNA	SNA	0.0	0.0
-15	0.0	SNA	SNA	0.0	-5.7
-11	0.0	SNA	SNA	0.0	-21.1
-7	0.0	SNA	SNA	0.0	3.8
-3	0.0	SNA	SNA	0.0	15.3
1	0.0	SNA	SNA	0.0	26.8
5	0.0	SNA	SNA	0.0	15.3
9	0.0	SNA	SNA	0.0	-5.7
13	0.0	SNA	SNA	0.0	-7.7
17	0.0	SNA	SNA	0.0	-3.8
21	0.0	SNA	SNA	0.0	1.9
25	0.0	SNA	SNA	0.0	-11.5
29	0.0	SNA	SNA	0.0	-19.2
33	0.0	SNA	SNA	0.0	-5.7
37	0.0	SNA	SNA	0.0	3.8
41	0.0	SNA	SNA	0.0	9.6
45	0.0	SNA	SNA	0.0	3.8
49	19.2	SNA	SNA	0.0	0.0
53	0.0	SNA	SNA	0.0	3.8
57	0.0	SNA	SNA	0.0	5.7
61	0.0	SNA	SNA	0.0	1.9
65	0.0	SNA	SNA	0.0	3.8
69	0.0	SNA	SNA	0.0	1.9

**DTCs Present at Time of Event (Most Recent Event, TRG 7)**

Recording Status, Diagnostic	Complete
Ignition Cycle Since DTC was Set (times)	0
Airbag Warning Lamp ON Time Since DTC was Set (min)	0
Diagnostic Trouble Codes	None

**Pre-Crash Data, 1 Sample (Most Recent Event, TRG 7)**

Recording Status, Pre-Crash/Occupant	Complete
Time from Pre-Crash to TRG (msec)	350
TRG Count when Pre-crash TRG was Established (times)	7
Safety Belt Status, Driver	ON
Safety Belt Status, Front Passenger	OFF
Occupant Size Classification, Front Passenger	Child or Not Occupied
Frontal Airbag Suppression Switch Status, Front Passenger	SNA
RSCA Disable Switch	SNA
Seat Track Position Switch, Foremost, Status, Driver	No
Airbag Warning Lamp, On/Off	OFF
Ignition Cycle ,Crash (times)	10431

### Pre-Crash Data, -5 to 0 seconds (Most Recent Event, TRG 7)

Time (sec)	-4.85	-4.35	-3.85	-3.35	-2.85	-2.35	-1.85	-1.35	-0.85	-0.35	0 (TRG)
Vehicle Speed (MPH [km/h])	54.1 [87]	52.2 [84]	51.6 [83]	50.3 [81]	46.6 [75]	42.3 [68]	38.5 [62]	35.4 [57]	32.3 [52]	29.2 [47]	22.4 [36]
Accelerator Pedal, % Full (%)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Percentage of Engine Throttle (%)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Engine RPM (RPM)	1,600	1,500	1,500	1,500	1,400	1,200	1,100	1,000	1,100	1,000	900
Motor RPM (RPM)	Invalid	Invalid	Invalid	Invalid	Invalid	Invalid	Invalid	Invalid	Invalid	Invalid	Invalid
Service Brake, ON/OFF	ON	ON	ON	ON	ON	ON	ON	ON	ON	ON	ON
Brake Oil Pressure (Mpa)	1.20	0.29	0.48	1.34	2.64	2.83	2.45	1.82	1.82	2.59	3.31
Longitudinal Acceleration, VSC Sensor (m/sec <sup>2</sup> )	-2.153	-0.933	-1.220	-2.297	-3.733	-3.876	-3.158	-2.943	-2.871	-4.235	-8.973
Yaw Rate (deg/sec)	-2.44	-2.44	-2.44	-0.98	-0.49	0.00	0.00	0.00	-0.49	-0.49	-1.46
Steering Input (degrees)	-6.0	-6.0	-6.0	-1.5	0.0	1.5	1.5	0.0	-1.5	-1.5	-3.0
Shift Position	D	D	D	D	D	D	D	D	D	D	D
Sequential Shift Range	Undetermined	Undetermined	Undetermined	Undetermined	Undetermined	Undetermined	Undetermined	Undetermined	Undetermined	Undetermined	Undetermined
Cruise Control Status	OFF	OFF	OFF	OFF	OFF	OFF	OFF	OFF	OFF	OFF	OFF
Drive Mode, PWR	OFF	OFF	OFF	OFF	OFF	OFF	OFF	OFF	OFF	OFF	OFF
Drive Mode, ECO	ON	ON	ON	ON	ON	ON	ON	ON	ON	ON	ON
Drive Mode, Sport	OFF	OFF	OFF	OFF	OFF	OFF	OFF	OFF	OFF	OFF	OFF
Drive Mode, Snow	OFF	OFF	OFF	OFF	OFF	OFF	OFF	OFF	OFF	OFF	OFF
Drive Mode, EV	Invalid	Invalid	Invalid	Invalid	Invalid	Invalid	Invalid	Invalid	Invalid	Invalid	Invalid

Fuel Injection Quantity (mm3/st)	Invalid	Invalid	Invalid	Invalid	Invalid	Invalid	Invalid	Invalid	Invalid	Invalid	Invalid
----------------------------------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------


**System Status at Event (1st Prior Event, TRG 6)**

Recording Status, Rollover Crash Info.	Complete
Crash Type	Rollover
TRG Count (times)	6
Previous Crash Type	No Event
Time from Pre-Crash TRG (msec)	0
Linked Pre-Crash Page	1
Side Curtain Airbag Deployment, Time to Deploy (msec)	No
Pretensioner Deployment, Time to Fire, Driver (msec)	No
Pretensioner Deployment, Time to Fire, Front Passenger (msec)	No

**Rollover Crash Pulse (1st Prior Event, TRG 6 - table 1 of 2)**

Recording Status, Time Series Data	Complete
Time from TRG to Next Sample (msec)	50
Roll Angle Peak (degrees)	6.6
Roll Angle at the Time of TRG (degrees)	3.6


**Roll Rate**



**Deployment Time Marker Key**

1	Driver/Passenger CSA
2	Driver/Passenger Pretensioner

Lateral Acceleration for Rollover, Floor Sensor



Deployment Time Marker Key

1	Driver/Passenger CSA
2	Driver/Passenger Pretensioner

### Rollover Crash Pulse (1st Prior Event, TRG 6 - table 2 of 2)

Time (msec)	Roll Rate (deg/sec)	Lateral Acceleration for Rollover, Floor Sensor (m/sec^2)
-590	0.0	0.0
-526	-1.6	0.0
-462	3.3	0.0
-398	9.8	0.0
-334	-19.5	0.0
-270	-30.9	-3.8
-206	-17.9	0.0
-142	6.5	0.0
-78	29.3	0.0
-14	35.8	0.0
50	40.7	0.0
114	17.9	0.0
178	3.3	-1.9
242	11.4	-3.8
306	11.4	-1.9
370	-1.6	-1.9
434	-11.4	0.0
498	-22.8	0.0
562	-34.2	0.0
626	-29.3	0.0
690	-11.4	0.0
754	11.4	0.0
818	17.9	0.0
882	8.1	-1.9
946	1.6	-1.9
1010	0.0	-1.9
1074	-3.3	-1.9
1138	-4.9	-1.9
1202	-4.9	0.0
1266	-3.3	0.0
1330	-1.6	0.0
1394	0.0	0.0
1458	0.0	0.0
1522	0.0	0.0
1586	0.0	0.0
1650	0.0	0.0
1714	1.6	0.0
1778	0.0	0.0
1842	0.0	0.0
1906	-1.6	0.0

**DTCs Present at Time of Event (1st Prior Event, TRG 6)**

Recording Status, Diagnostic	Complete
Ignition Cycle Since DTC was Set (times)	0
Airbag Warning Lamp ON Time Since DTC was Set (min)	0
Diagnostic Trouble Codes	None

**Pre-Crash Data, 1 Sample (1st Prior Event, TRG 6)**

Recording Status, Pre-Crash/Occupant	Complete
Time from Pre-Crash to TRG (msec)	200
TRG Count when Pre-crash TRG was Established (times)	6
Safety Belt Status, Driver	ON
Safety Belt Status, Front Passenger	OFF
Occupant Size Classification, Front Passenger	Child or Not Occupied
Frontal Airbag Suppression Switch Status, Front Passenger	SNA
RSCA Disable Switch	SNA
Seat Track Position Switch, Foremost, Status, Driver	No
Airbag Warning Lamp, On/Off	OFF
Ignition Cycle ,Crash (times)	6166

### Pre-Crash Data, -5 to 0 seconds (1st Prior Event, TRG 6)

Time (sec)	-4.7	-4.2	-3.7	-3.2	-2.7	-2.2	-1.7	-1.2	-0.7	-0.2	0 (TRG)
Vehicle Speed (MPH [km/h])	67.7 [109]	67.7 [109]	68.4 [110]	68.4 [110]	67.1 [108]	65.2 [105]	62.1 [100]	58.4 [94]	54.7 [88]	46.6 [75]	45.4 [73]
Accelerator Pedal, % Full (%)	49.5	36.5	8.0	24.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Percentage of Engine Throttle (%)	46.0	33.5	7.5	12.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Engine RPM (RPM)	2,700	2,800	2,700	2,600	2,100	1,900	1,800	1,700	1,600	1,400	1,300
Motor RPM (RPM)	Invalid	Invalid	Invalid	Invalid	Invalid	Invalid	Invalid	Invalid	Invalid	Invalid	Invalid
Service Brake, ON/OFF	OFF	OFF	OFF	OFF	ON	ON	ON	ON	ON	ON	ON
Brake Oil Pressure (Mpa)	0.00	0.00	0.00	0.00	1.01	2.26	2.69	3.22	3.41	3.12	3.89
Longitudinal Acceleration, VSC Sensor (m/sec <sup>2</sup> )	0.431	0.574	0.359	-0.287	-1.579	-2.584	-2.943	-3.445	-3.948	-4.307	-2.369
Yaw Rate (deg/sec)	0.00	0.00	0.00	0.00	-2.44	-4.39	-5.86	-3.90	0.00	-0.98	2.93
Steering Input (degrees)	3.0	3.0	3.0	3.0	0.0	-12.0	-13.5	-13.5	3.0	9.0	4.5
Shift Position	D	D	D	D	D	D	D	D	D	D	D
Sequential Shift Range	Undetermined	Undetermined	Undetermined	Undetermined	Undetermined	Undetermined	Undetermined	Undetermined	Undetermined	Undetermined	Undetermined
Cruise Control Status	OFF	OFF	OFF	OFF	OFF	OFF	OFF	OFF	OFF	OFF	OFF
Drive Mode, PWR	OFF	OFF	OFF	OFF	OFF	OFF	OFF	OFF	OFF	OFF	OFF
Drive Mode, ECO	OFF	OFF	OFF	OFF	OFF	OFF	OFF	OFF	OFF	OFF	OFF
Drive Mode, Sport	OFF	OFF	OFF	OFF	OFF	OFF	OFF	OFF	OFF	OFF	OFF
Drive Mode, Snow	OFF	OFF	OFF	OFF	OFF	OFF	OFF	OFF	OFF	OFF	OFF
Drive Mode, EV	Invalid	Invalid	Invalid	Invalid	Invalid	Invalid	Invalid	Invalid	Invalid	Invalid	Invalid

Fuel Injection Quantity (mm3/st)	Invalid	Invalid	Invalid	Invalid	Invalid	Invalid	Invalid	Invalid	Invalid	Invalid	Invalid
----------------------------------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------


**System Status at Event (2nd Prior Event, TRG 5)**

Recording Status, Rollover Crash Info.	Complete
Crash Type	Rollover
TRG Count (times)	5
Previous Crash Type	No Event
Time from Pre-Crash TRG (msec)	0
Linked Pre-Crash Page	0
Side Curtain Airbag Deployment, Time to Deploy (msec)	No
Pretensioner Deployment, Time to Fire, Driver (msec)	No
Pretensioner Deployment, Time to Fire, Front Passenger (msec)	No

**Rollover Crash Pulse (2nd Prior Event, TRG 5 - table 1 of 2)**

Recording Status, Time Series Data	Complete
Time from TRG to Next Sample (msec)	24
Roll Angle Peak (degrees)	-6.5
Roll Angle at the Time of TRG (degrees)	-4.3


**Roll Rate**



**Deployment Time Marker Key**

1	Driver/Passenger CSA
2	Driver/Passenger Pretensioner

Lateral Acceleration for Rollover, Floor Sensor



Deployment Time Marker Key

1	Driver/Passenger CSA
2	Driver/Passenger Pretensioner

**Rollover Crash Pulse (2nd Prior Event, TRG 5 - table 2 of 2)**

<b>Time (msec)</b>	<b>Roll Rate (deg/sec)</b>	<b>Lateral Acceleration for Rollover, Floor Sensor (m/sec^2)</b>
-616	-1.6	0.0
-552	-1.6	0.0
-488	-1.6	0.0
-424	0.0	0.0
-360	0.0	0.0
-296	0.0	0.0
-232	1.6	0.0
-168	3.3	0.0
-104	3.3	0.0
-40	-8.1	0.0
24	-40.7	-1.9
88	-30.9	0.0
152	1.6	1.9
216	21.2	5.7
280	24.4	1.9
344	35.8	0.0
408	35.8	-1.9
472	6.5	-3.8
536	-29.3	-1.9
600	-21.2	0.0
664	8.1	3.8
728	1.6	3.8
792	-1.6	1.9
856	6.5	0.0
920	8.1	0.0
984	6.5	0.0
1048	4.9	0.0
1112	0.0	0.0
1176	-1.6	0.0
1240	0.0	0.0
1304	0.0	0.0
1368	0.0	0.0
1432	1.6	0.0
1496	0.0	0.0
1560	0.0	0.0
1624	0.0	0.0
1688	0.0	0.0
1752	1.6	0.0
1816	0.0	0.0
1880	1.6	0.0


**System Status at Event (3rd Prior Event, TRG 3)**

Recording Status, Side Crash Info.	Complete
Crash Type	Side Crash
TRG Count (times)	3
Previous Crash Type	No Event
Time from Pre-Crash TRG (msec)	0
Linked Pre-Crash Page	0
Side Airbag Deployment, Time to Deploy (If Equipped) (msec)	No
Side Curtain Airbag Deployment, Time to Deploy (If Equipped) (msec)	No
Pretensioner Deployment, Time to Fire (msec)	No
Rear Window Airbag Deployment, Time to Deploy (msec)	SNA

**Lateral Crash Pulse (3rd Prior Event, TRG 3 - table 1 of 2)**

Recording Status, Time Series Data	Complete
Recorded Side	Right Side
Time from TRG to Next Sample (msec)	3
Location of Side Satellite Sensor 1	Front Door
Location of Side Satellite Sensor 2	Not Equipped
Location of Side Satellite Sensor 3	Not Equipped
Location of Side Satellite Sensor 4	C-Pillar
Location of Floor Sensor	Airbag ECU
Clipping Time of Lateral Acceleration, Side Satellite Sensor 1 (msec)	No
Clipping Time of Lateral Acceleration, Side Satellite Sensor 2 (msec)	SNA
Clipping Time of Lateral Acceleration, Side Satellite Sensor 3 (msec)	SNA
Clipping Time of Lateral Acceleration, Side Satellite Sensor 4 (msec)	No
Clipping Time of Lateral Acceleration, Floor Sensor (msec)	No


**Side Satellite Sensor 1**



**Deployment Time Marker Key**

1	Driver/Passenger Pretensioner
2	Side Airbag
3	Rear Window Airbag Deployment Time


**Side Satellite Sensor 2**



**Deployment Time Marker Key**

1	Driver/Passenger Pretensioner
2	Side Airbag
3	Rear Window Airbag Deployment Time


**Side Satellite Sensor 3**



**Deployment Time Marker Key**

1	Side Curtain Airbag
---	---------------------


Side Satellite Sensor 4



Deployment Time Marker Key

1	Side Curtain Airbag
---	---------------------

Floor Sensor



Deployment Time Marker Key

1	Driver/Passenger Pretensioner
2	Side Airbag
3	Rear Window Airbag Deployment Time
4	Side Curtain Airbag

**Lateral Crash Pulse (3rd Prior Event, TRG 3 - table 2 of 2)**

Time (msec)	Lateral Acceleration, Side Satellite Sensor 1 (m/sec^2)	Lateral Acceleration, Side Satellite Sensor 2 (m/sec^2)	Lateral Acceleration, Side Satellite Sensor 3 (m/sec^2)	Lateral Acceleration, Side Satellite Sensor 4 (m/sec^2)	Lateral Acceleration for Side Crash, Floor Sensor (m/sec^2)
-21	0.0	SNA	SNA	0.0	11.5
-17	0.0	SNA	SNA	0.0	-1.9
-13	0.0	SNA	SNA	0.0	0.0
-9	0.0	SNA	SNA	0.0	-5.7
-5	0.0	SNA	SNA	0.0	0.0
-1	0.0	SNA	SNA	0.0	13.4
3	0.0	SNA	SNA	0.0	-23.0
7	0.0	SNA	SNA	0.0	-9.6
11	0.0	SNA	SNA	0.0	-3.8
15	0.0	SNA	SNA	0.0	5.7
19	0.0	SNA	SNA	0.0	3.8
23	0.0	SNA	SNA	0.0	0.0
27	0.0	SNA	SNA	0.0	0.0
31	0.0	SNA	SNA	0.0	-1.9
35	0.0	SNA	SNA	0.0	0.0
39	0.0	SNA	SNA	0.0	-1.9
43	0.0	SNA	SNA	0.0	3.8
47	0.0	SNA	SNA	0.0	0.0
51	0.0	SNA	SNA	0.0	0.0
55	0.0	SNA	SNA	0.0	-3.8
59	0.0	SNA	SNA	0.0	-7.7
63	0.0	SNA	SNA	0.0	0.0
67	0.0	SNA	SNA	0.0	-5.7
71	0.0	SNA	SNA	0.0	-3.8


### System Status at Event (4th Prior Event, TRG 2)

Recording Status, Front/Rear Crash Info.	Complete
Crash Type	Front/Rear Crash
TRG Count (times)	2
Previous Crash Type	No Event
Time from Pre-Crash TRG (msec)	0
Linked Pre-Crash Page	1
Frontal Airbag Deployment, Time to 1st Stage Deployment, Driver (msec)	No
Frontal Airbag Deployment, Time to 1st Stage Deployment, Front Passenger (msec)	No
Pretensioner Deployment, Time to Fire, Driver (msec)	No
Pretensioner Deployment, Time to Fire, Front Passenger (msec)	No
Frontal Airbag Deployment, Time to 2nd Stage, Driver (msec)	N/A
Frontal Airbag Deployment, Time to 2nd Stage, Front Passenger (msec)	N/A
Active Head Restraint, Time to Deploy, Driver (msec)	SNA
Active Head Restraint, Time to Deploy, Front Passenger (msec)	SNA
Side Curtain Airbag Deployment, Time to Deploy, Driver (msec)	No
Side Curtain Airbag Deployment, Time to Deploy, Passenger (msec)	No
Side Airbag Deployment, Time to Deploy, Driver (msec)	No
Side Airbag Deployment, Time to Deploy, Passenger (msec)	No
Rear Window Airbag Deployment, Time to Deploy (msec)	SNA

**Longitudinal/Lateral Crash Pulse (4th Prior Event, TRG 2 - table 1 of 2)**

Recording Status, Time Series Data	Complete
Time from Time Zero to TRG (msec)	51.5
Length of Delta-V (msec)	110
Max. Longitudinal Delta-V (MPH [km/h])	7.9 [12.7]
Time, Maximum Delta-V, Longitudinal (msec)	116.5
Power Supply Status at Max. Delta-V	ON
Clipping Time of Longitudinal Delta-V (msec)	No
Clipping Time of Lateral Acceleration, Floor Sensor (msec)	No


**Longitudinal Delta-V**



**Deployment Time Marker Key**

1	Driver Airbag Deployment Time
2	Passenger Airbag Deployment Time
3	Driver/Passenger Pretensioner
4	Driver 2nd Stage Airbag Deployment Time
5	Passenger 2nd Stage Airbag Deployment
6	Driver/Passenger AHR
7	Driver CSA
8	Passenger CSA
9	Rear Window Airbag Deployment Time
10	Driver SAB
11	Passenger SAB

Lateral Acceleration for frontal/rear crash, Floor Sensor



Deployment Time Marker Key

1	Driver Airbag Deployment Time
2	Passenger Airbag Deployment Time
3	Driver/Passenger Pretensioner
4	Driver 2nd Stage Airbag Deployment Time
5	Passenger 2nd Stage Airbag Deployment
6	Driver/Passenger AHR
7	Driver CSA
8	Passenger CSA
9	Rear Window Airbag Deployment Time
10	Driver SAB
11	Passenger SAB

**Longitudinal/Lateral Crash Pulse (4th Prior Event, TRG 2 - table 2 of 2)**

<b>Time (msec)</b>	<b>Longitudinal Delta-V (MPH [km/h])</b>	<b>Lateral Acceleration for Frontal/Rear Crash, Floor Sensor (m/sec^2)</b>	<b>Power Supply Status</b>
0	0.0 [0.0]	0.0	ON
10	0.7 [1.1]	0.0	ON
20	1.4 [2.2]	0.0	ON
30	2.2 [3.6]	0.0	ON
40	3.6 [5.8]	0.0	ON
50	5.0 [8.0]	0.0	ON
60	6.2 [9.9]	1.9	ON
70	7.0 [11.3]	0.0	ON
80	7.4 [11.9]	0.0	ON
90	7.5 [12.1]	1.9	ON
100	7.5 [12.1]	0.0	ON
110	7.7 [12.4]	0.0	ON
120	0.0 [0.0]	0.0	ON
130	0.0 [0.0]	0.0	ON
140	0.0 [0.0]	0.0	ON
150	0.0 [0.0]	0.0	ON
160	0.0 [0.0]	0.0	ON
170	0.0 [0.0]	0.0	ON
180	0.0 [0.0]	0.0	ON
190	0.0 [0.0]	0.0	ON
200	0.0 [0.0]	0.0	ON
210	0.0 [0.0]	0.0	ON
220	0.0 [0.0]	0.0	ON
230	0.0 [0.0]	0.0	ON
240	0.0 [0.0]	0.0	ON
250	0.0 [0.0]	0.0	ON

## Hexadecimal Data

Data that the vehicle manufacturer has specified for data retrieval is shown in the hexadecimal data section of the CDR report. The hexadecimal data section of the CDR report may contain data that is not translated by the CDR program. The control module contains additional data that is not retrievable by the CDR system.

PIDs	PID	Data
	00	BC 64 00 01
	01	00
	03	30 52 31 39 31 30 30 30 39 33 30 30 30 39 33 30 30 30 39 44 30 30 30 39 44 30 30 30 39 46 30 30 30 39 46
	04	02 03 01 01
	05	01
	06	00
	0A	03
	0B	00
	20	80 00 00 01
	21	02 A0
	40	00 00 00 01
	60	FF FF F0 01
	61	02 05 E8 00 C0 E0 05 00 02 80 02 80 00 00 00 00 00 00 00 00 05 00 05 00 19 00 29 B1 85 5F C8 00
	62	00 00 3F FD 2A 4C 00 00 00 00
	63	55 18 28 BF 11 10 00 00 11 11 11 11 11 10 57 54 53 51 4B 44 3E 39 34 2F 24 00 00 00 00 00 00 00 00 00 00 00 55 55 54 10 0F 0F 0F 0E 0C 0B 0A 0B 0A 09 00 00 00 00 00 00 07
	64	55 0C 18 16 11 10 00 00 11 11 11 11 11 10 6D 6D 6E 6E 6C 69 64 5E 58 4B 49 63 49 10 30 00 00 00 00 00 00 00 55 54 1B 1C 1B 1A 15 13 12 11 10 0E 0D 00 00 00 00 00 00 00 06
	65	55 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00
	66	55 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00
	67	55 E4 00 00 02 FE FE FE FE FE 55 FD FD FF FE FF FE FF FE FF FE 03 FE
	68	00 00
	69	00 67 0C 00 00 3F FC 3F F8 3F F3 3F EB 3F E3 3F DC 3F D7 3F D5 3F D4 3F D4 3F D3 00 3F D2 00 E9
	6A	00 00
	6B	55 E0 00 00 03 FE FE FE FE 55 13 00
	6C	55 E0 00 00 07 FE FE FE FE 55 01 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 01 00
	6D	00 FE 01 FE 01 FE 01 FE 01 FE 01 FE
	6E	00 FE 01 FE 01 FE 01 FE 01 FE
	6F	55 FF FE E0 00 00 05 55 D8 FF FF FF 00 00 00 01 02 02 FB E7 ED 01 0D 0F 16 16 04 EE F3 05 01 FF 04 05 04 03 00 FF 00 00 00 01 00 00 00 00 01 00 01 FF AE FF 84
	70	55 FF FE E4 00 00 06 55 F2 00 FF 02 06 F4 ED F5 04 12 16 19 0B 02 07 07 FF F9 F2 EB EE F9 07 0B 05 01 00 FE FD FD FE FF 00 00 00 00 00 01 00 00 FF 00 46 00 7E
	71	00 00 00 00 00 00 00 00 00 00 00 01 00 FF FD FF 00 01 02 01 00 FE FE FF 00
	72	00 00 00 00 00 02 00 00 00 00 00 00 00 01 02 01 01 00 00 00 00 00 00 01 01 01 01 01 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00
	73	19 06 0A 1C 37 3B 33 26 26 36 45 00 00 00 00 00 00 00 00 00 00 00 FB FB FB FE FF 00 00 00 00 FF FF FD E2 F3 EF E0 CC CA D4 D7 D8 C5 83 00
	74	00 00 00 00 15 2F 38 43 47 41 51 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 FB F7 F4 F8 00 FE 06 06 08 05 FC EA DC D7 D0 C9 C4 DF

```
5C 43 0F 18 00 00 00 00 00 00 00 00 00 00
80 00 00 00 01
A0 0C 00 DF 81
A5 00 42 00 42 00 42 00 42 00 42 00 42 00 42 00 42 00 42 00 42
FE FE FE FE FE FE FE FE FE FE FE FE FE FE FE FE FE FE FE FE FE
FE FE FE FE FE FE FE FE FE FE FE FE
A6 00 40 00 40 00 40 00 40 00 40 00 40 00 40 00 40 00 40 00 40
FE FE FE FE FE FE FE FE FE FE FE FE FE FE FE FE FE FE FE FE FE
FE FE FE FE FE FE FE FE FE FE FE FE
B4 FA 01 00 03 00 F9 0C 05 02 FD FE 00 00 01 00 01 FE 00 00 02 04 00
03 02 01 FE
B5 00 00 03 0B FE F8 F2 F8 03 04 02 FF 06 0A 03 FE FB FE 00 FE FD FF
FE FF 01 FE
B6 00 00 00 00 00 00 FF 00 00 FF 00 00 00 00 00 00 00 00 00 00 00
00 00 00 00 03 FE
B7 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00
00 00 00 00 00 00
B8 03 FC 03 FC 03 FC 03 FF 00 00 00 01 00 01 00 00 03 FF 03 FF 03 FE
B9 00 02 00 02 00 02 00 02 00 00 03 F8 03 F7 03 F7 00 02 00 06 00 03
```

## Disclaimer of Liability

The users of the CDR product and reviewers of the CDR reports and exported data shall ensure that data and information supplied is applicable to the vehicle, vehicle's system(s) and the vehicle ECU. Robert Bosch LLC and all its directors, officers, employees and members shall not be liable for damages arising out of or related to incorrect, incomplete or misinterpreted software and/or data. Robert Bosch LLC expressly excludes all liability for incidental, consequential, special or punitive damages arising from or related to the CDR data, CDR software or use thereof.