

U.S. Department
of TransportationNational Highway
Traffic Safety
Administration

DOT Auto Safety Hotline

Vehicle Owner's Questionnaire (VOQ)**NATIONWIDE 1-888-DASH-2-DOT****1-888-327-4236****www.nhtsa.dot.gov/hotline****FOR AGENCY USE ONLY****258**

Date Received

26-AUG-2000

Od_or _____

rt_dt _____

od_rt _____

up_ltr _____

Reference No.

729165

Do you authorize NHTSA to provide a copy of report to the manufacturer of your vehicle? ☐ YES ☐ NO
 In the absence of an authorization, NHTSA WILL NOT provide your name and address to the vehicle manufacturer.

Signature of Owner _____

Date ____/____/____

VEHICLE INFORMATION

Vehicle Ident. No. (VIN.) (located at front of vehicle or on driver's side)	Vehicle Make	Vehicle Model	Vehicle Year	Current Odometer Reading
JM1BJ2211X0189324	MAZDA	PROTEGE	1999	

Purchase Date

01-JUL-1999

Dealer's Name _____

Engine Size

1.8L

(CID/CC/L)

☐ Turbo☐ Diesel☐ Gas☒ Fuel Injection

No. Cylinders _____

☒ New ☐ Used

City _____ State _____ Zip Code _____

Transmission Type ☐ Manual ☐ Automatic	Antilock Brakes ☒ Yes ☐ No	Restraint System ☒ 3-Point Belt ☐ Driverside Airbag ☐ Passengerside Airbag ☐ Motorbelt ☐ 2-Point Belt	Cruise Control ☒ Yes ☐ No	Drive Train ☒ Front ☐ Rear ☐ 4-Wheel	Vehicle Type ☐ Car ☐ Van ☐ Minivan ☐ Other	Body Style ☐ Sport Vlt ☐ Truck ☐ Motorcycle ☒ 2-Door ☒ 4-Door ☐ Stationwagon ☐ Pick Up Truck ☐ Other
--	---	--	--	---	--	--

FAILED COMPONENT(S)/PART(S) INFORMATION

Component 02700000	Part Name(s) TIRES	Location ☐ Left ☐ Front ☐ Right ☐ Rear	Failed Part(s) ☐ Original ☐ Replacement
No. of Failures	Date(s) of Failure(s) 22-AUG-2000 Mileage at Failure(s) 34000 Vehicle Speed at Failure(s) 45	Failed Part(s) Available? Yes No	NHTSA Previously Contacted? Yes No

APPLICATION INCIDENT INFORMATION

(Please describe in detail the incident(s), Failure(s), Crash(es), and injury(ies) on the back of this form)

Crash ☐ Yes ☐ No	Fire ☐ Yes ☒ No	Number of Persons Injured	Number of Fatalities	Estimated Property Damage	Reported to Police ☐ Yes ☒ No
---	---	---------------------------	----------------------	---------------------------	---

NARRATIVE DESCRIPTION OF FAILURE(S), INCIDENT(S), INJURY(IES)

TIRE TREAD SEPARATED ON BOTH FRONT TIRES ON THE INSIDE OF TIRES DOWN TO METAL BELT. WAS NOTICED BEFORE ANY FLAT OCCURED BECAUSE STRIPS OF TIRE TREAD WERE HITTING THE INSIDE OF THE FENDER WELL MAKING A LOT OF NOISE. RETURNED TIRES TO FIRESTONE DEALER BUT WAS TOLD PROBLEM WAS DUE TO ALIGNMENT WHICH I DID NOT AGREE WITH. TOOK TIRES TO ANOTHER SHOP (SAM'S CLUB) AND WAS TOLD THAT THE TIRE FAILURES WERE NOT ALIGNMENT RELATED AND MUST BE DUE TO TIRE DEFECTS. I REPLACED THE TIRES AND THE NEW TIRES SHOW NO SIGNS OF MISALIGNMENT WEAR. THE FAILED TIRES ARE STILL IN MY POSSESSION. WHAT COURSE OF ACTION DO YOU RECOMMEND NEXT?

CONTINUE ON BACK IF NEEDED

The Privacy Act of 1974-Public Law 93-579 This information is requested pursuant to authority vested in the National Highway Traffic Safety Act and subsequent amendments. You are under no obligation to respond to this questionnaire. Your response may be used to assist the NHTSA in determining whether a manufacturer should take appropriate action to correct a safety defect. If the NHTSA proceeds with administrative enforcement or litigation against a manufacturer, your response, or a statistical summary thereof, may be used in support of the agency's action.

U.S. Department
of TransportationNational Highway
Traffic Safety
Administration

DOT Auto Safety Hotline

Vehicle Owner's Questionnaire (VOQ)

NATIONWIDE 1-888-DASH-2-DOT

1-888-327-4236

www.nhtsa.dot.gov/hotline

FOR AGENCY USE ONLY 258

Date Received

26-AUG-2000

 Od_or _____
 Rt_dt _____
 od_rt _____
 up_ltr _____

Reference No.

729165

 Do you authorize NHTSA to provide a copy of report to the manufacturer of your vehicle? ☐ YES ☐ NO
 In the absence of an authorization, NHTSA WILL NOT provide your name and address to the vehicle manufacturer.

Signature of Owner _____ Date ____/____/____

VEHICLE INFORMATION

Vehicle Ident. No. (VIN) (Listed at front of windshield or drivers side)	Vehicle Make	Vehicle Model	Vehicle Year	Current Odometer Reading
JM1BJ2211X0189324	MAZDA	PROTEGE	1999	

Purchase Date 01-JUL-1999	Dealer's Name _____	Engine Size (CID/CC/L) 1.8L	☐ Turbo ☐ Diesel ☐ Gas ☒ Fuel Injection
☒ New ☐ Used	City _____ State _____ Zip Code _____	No Cylinders _____	

Transmission Type ☐ Manual ☐ Automatic	Antilock Brakes ☒ Yes ☐ No	Restraint System ☒ 3-Point Belt ☐ Motorbell ☐ Driverside Airbag ☐ 2-Point Belt ☐ Passengerside Airbag	Cruise Control ☒ Yes ☐ No	Drive Train ☒ Front ☐ Rear ☐ 4-Wheel	Vehicle Type ☐ Car ☐ Sport Ult ☐ Van ☐ Truck ☐ Minivan ☐ Motorcycle ☐ Other _____	Body Style ☐ 2-Door ☒ 4-Door ☐ Stationwagon ☐ Pick Up Truck ☐ Other _____
--	---	--	--	---	--	--

FAILED COMPONENT(S)/PART(S) INFORMATION

Component 02700000	Part Name(s) TIRES	Location ☐ Left ☐ Right ☐ Front ☐ Rear	Failed Part(s) ☐ Original ☐ Replacement
No of Failures	Date(s) of Failure(s) 22-AUG-2000 Mileage at Failure(s) 34000 Vehicle Speed at Failure(s) 45	Failed Part(s) Available? ☐ Yes ☐ No	NHTSA Previously Contacted? ☐ Yes ☐ No

APPLICATION INCIDENT INFORMATION

(Please describe in detail the incident(s), Failure(s), Crash(es), and injury(ies) on the back of this form)

Crash ☐ Yes ☐ No	Fire ☐ Yes ☒ No	Number of Persons Injured	Number of Fatalities	Estimated Property Damage	Reported to Police ☐ Yes ☒ No
---	---	---------------------------	----------------------	---------------------------	---

NARRATIVE DESCRIPTION OF FAILURE(S), INCIDENT(S), INJURY(IES)

TIRE TREAD SEPARATED ON BOTH FRONT TIRES ON THE INSIDE OF TIRES DOWN TO METAL BELT. WAS NOTICED BEFORE ANY FLAT OCCURED BECAUSE STRIPS OF TIRE TREAD WERE HITTING THE INSIDE OF THE FENDER WELL MAKING A LOT OF NOISE. RETURNED TIRES TO FIRESTONE DEALER BUT WAS TOLD PROBLEM WAS DUE TO ALIGNMENT WHICH I DID NOT AGREE WITH. TOOK TIRES TO ANOTHER SHOP (SAM'S CLUB) AND WAS TOLD THAT THE TIRE FAILURES WERE NOT ALIGNMENT RELATED AND MUST BE DUE TO TIRE DEFECTS. I REPLACED THE TIRES AND THE NEW TIRES SHOW NO SIGNS OF MISALIGNMENT WEAR. THE FAILED TIRES ARE STILL IN MY POSSESSION. WHAT COURSE OF ACTION DO YOU RECOMMEND NEXT?(DOT NUMBER: H48NCJN229 TIRE SIZE: P195/55R15)

CONTINUED ON BACK (REVERSE)

The Privacy Act of 1974-Public Law 93-579 This information is requested pursuant to authority vested in the National Highway Traffic Safety Act and subsequent amendments. You are under no obligation to respond to this questionnaire. Your response may be used to assist the NHTSA in determining whether a manufacturer should take appropriate action to correct a safety defect. If the NHTSA proceeds with administrative enforcement or litigation against a manufacturer, your response, or a statistical summary thereof, may be used in support of the agency's action.

U.S. Department
of TransportationNational Highway
Traffic Safety
Administration

DOT Auto Safety Hotline

Vehicle Owner's Questionnaire (VOQ)

NATIONWIDE 1-888-DASH-2-DOT

1-888-327-4236

www.nhtsa.dot.gov/hotline

FOR AGENCY USE ONLY 258

Date Received

26-AUG-2000

 Od_or _____
 Rt_dt _____
 od_rt _____
 up_ltr _____

Reference No.

729165

Do you authorize NHTSA to provide a copy of report to the manufacturer of your vehicle? ☐ YES ☐ NO
 In the absence of an authorization, NHTSA WILL NOT provide your name and address to the vehicle manufacturer.

Signature of Owner _____ Date ____/____/____

VEHICLE INFORMATION

Vehicle Ident. No. (VIN) (Listed at front of windshield or driver's door)	Vehicle Make	Vehicle Model	Vehicle Year	Current Odometer Reading
JM1BJ2211X0189324	BRIDGESTONE	POTENZA	1900	

Purchase Date 01-JUL-1999	Dealer's Name _____	Engine Size (CID/CC/L) <u>1.8L</u>	☐ Turbo ☐ Diesel ☐ Gas ☒ Fuel Injection
☒ New ☐ Used	City _____ State _____ Zip Code _____	No Cylinders _____	

Transmission Type ☐ Manual ☐ Automatic	Antilock Brakes ☒ Yes ☐ No	Restraint System ☒ 3-Point Belt ☐ Motorbell ☐ Driverside Airbag ☐ 2-Point Belt ☐ Passengerside Airbag	Cruise Control ☒ Yes ☐ No	Drive Train ☒ Front ☐ Rear ☐ 4-Wheel	Vehicle Type ☐ Car ☐ Sport Ult ☐ Van ☐ Truck ☐ Minivan ☐ Motorcycle ☐ Other _____	Body Style ☐ 2-Door ☒ 4-Door ☐ Stationwagon ☐ Pick Up Truck ☐ Other _____
--	---	--	--	---	--	--

FAILED COMPONENT(S)/PART(S) INFORMATION

Component 02700000	Part Name(s) TIRES	Location ☐ Left ☐ Right ☐ Front ☐ Rear	Failed Part(s) ☐ Original ☐ Replacement
No of Failures	Date(s) of Failure(s) <u>22-AUG-2000</u> Mileage at Failure(s) <u>34000</u> Vehicle Speed at Failure(s) <u>45</u>	Failed Part(s) Available? ☐ Yes ☐ No	NHTSA Previously Contacted? ☐ Yes ☐ No

APPLICATION INCIDENT INFORMATION

(Please describe in detail the incident(s), Failure(s), Crash(es), and injury(ies) on the back of this form)

Crash ☐ Yes ☐ No	Fire ☐ Yes ☒ No	Number of Persons Injured	Number of Fatalities	Estimated Property Damage	Reported to Police ☐ Yes ☒ No
---	---	---------------------------	----------------------	---------------------------	---

NARRATIVE DESCRIPTION OF FAILURE(S), INCIDENT(S), INJURY(IES)

TIRE TREAD SEPARATED ON BOTH FRONT TIRES ON THE INSIDE OF TIRES DOWN TO METAL BELT. WAS NOTICED BEFORE ANY FLAT OCCURED BECAUSE STRIPS OF TIRE TREAD WERE HITTING THE INSIDE OF THE FENDER WELL MAKING A LOT OF NOISE. RETURNED TIRES TO FIRESTONE DEALER BUT WAS TOLD PROBLEM WAS DUE TO ALIGNMENT WHICH I DID NOT AGREE WITH. TOOK TIRES TO ANOTHER SHOP (SAM'S CLUB) AND WAS TOLD THAT THE TIRE FAILURES WERE NOT ALIGNMENT RELATED AND MUST BE DUE TO TIRE DEFECTS. I REPLACED THE TIRES AND THE NEW TIRES SHOW NO SIGNS OF MISALIGNMENT WEAR. THE FAILED TIRES ARE STILL IN MY POSSESSION. WHAT COURSE OF ACTION DO YOU RECOMMEND NEXT?(DOT NUMBER: H48NCJN229 TIRE SIZE: P195/55R15)

CONTINUED ON BACK (REVERSE)

The Privacy Act of 1974-Public Law 93-579 This information is requested pursuant to authority vested in the National Highway Traffic Safety Act and subsequent amendments. You are under no obligation to respond to this questionnaire. Your response may be used to assist the NHTSA in determining whether a manufacturer should take appropriate action to correct a safety defect. If the NHTSA proceeds with administrative enforcement or litigation against a manufacturer, your response, or a statistical summary thereof, may be used in support of the agency's action.