

U.S. Department
of TransportationNational Highway
Traffic Safety
Administration

DOT Auto Safety Hotline

Vehicle Owner's Questionnaire (VOQ)

NATIONWIDE 1-888-DASH-2-DOT

1-888-327-4236

www.nhtsa.dot.gov/hotline

FOR AGENCY USE ONLY 258

Date Received

13-OCT-2000

 Od_or _____
 Rt_dt _____
 od_rt _____
 up_ltr _____

Reference No.

734248

 Do you authorize NHTSA to provide a copy of report to the manufacturer of your vehicle? ☐ YES ☐ NO
 In the absence of an authorization, NHTSA WILL NOT provide your name and address to the vehicle manufacturer.

Signature of Owner _____ Date ____/____/____

VEHICLE INFORMATION

Vehicle Ident. No. (VIN) (Listed above or on windshield or drivers side)	Vehicle Make	Vehicle Model	Vehicle Year	Current Odometer Reading
1P4GP44G7WB645455	GOODYEAR	GOODYEAR	1900	

Purchase Date 01-MAR-2098	Dealer's Name _____	Engine Size (CID/CC/L) _____	☐ Turbo ☐ Diesel ☐ Gas ☒ Fuel Injection
☒ New ☐ Used	City _____ State _____ Zip Code _____	No Cylinders _____	

Transmission Type ☐ Manual ☐ Automatic	Antilock Brakes ☒ Yes ☐ No	Restraint System ☒ 3-Point Belt ☐ Motorbell ☐ Driverside Airbag ☐ 2-Point Belt ☐ Passengerside Airbag	Cruise Control ☒ Yes ☐ No	Drive Train ☒ Front ☐ Rear ☐ 4-Wheel	Vehicle Type ☐ Car ☐ Sport Ult ☐ Van ☐ Truck ☐ Minivan ☐ Motorcycle ☐ Other _____	Body Style ☐ 2-Door ☐ 4-Door ☐ Stationwagon ☐ Pick Up Truck ☒ Other _____
--	---	--	--	---	--	--

FAILED COMPONENT(S)/PART(S) INFORMATION

Component 02700000	Part Name(s) TIRES	Location ☐ Left ☐ Right ☐ Front ☐ Rear	Failed Part(s) ☐ Original ☐ Replacement
No of Failures 2	Date(s) of Failure(s) 10-OCT-2099 Mileage at Failure(s) 34000 Vehicle Speed at Failure(s) _____	Failed Part(s) Available? ☐ Yes ☐ No	NHTSA Previously Contacted? ☐ Yes ☐ No

APPLICATION INCIDENT INFORMATION

(Please describe in detail the incident(s), Failure(s), Crash(es), and injury(ies) on the back of this form)

Crash ☐ Yes ☐ No	Fire ☐ Yes ☒ No	Number of Persons Injured	Number of Fatalities	Estimated Property Damage	Reported to Police ☐ Yes ☒ No
---	---	---------------------------	----------------------	---------------------------	---

NARRATIVE DESCRIPTION OF FAILURE(S), INCIDENT(S), INJURY(IES)

CHRYSLER HAS A STICKER ON DRIVERSIDE DOOR STATING 35 LBS AIR THE FRONT TIRES WERE RUNNING ON THE SIDE WALLS I COMPLAINED TO CHRYSLER THE SEND ME TO A DEALER JIM BOAST IN BRADENTON FL THE SERVICE MANAGER CLAIMED I DIDNT HAVE ENOUGH AIR IT WAS 35 LBS THAN HE RECOMENDED TO GO TO 37 LBS WICH I HAD DONE BY GOODYAER ON THE TIRES THAT I HAD TO REPLACE THE RUBBER SEPARATED FROM THE STEEL BELT CHRYSLER SAYS THERE NOT RESONSIBLE. *AK

CONTINUED ON BACK (SEE)

The Privacy Act of 1974-Public Law 93-579 This information is requested pursuant to authority vested in the National Highway Traffic Safety Act and subsequent amendments. You are under no obligation to respond to this questionnaire. Your response may be used to assist the NHTSA in determining whether a manufacturer should take appropriate action to correct a safety defect. If the NHTSA proceeds with administrative enforcement or litigation against a manufacturer, your response, or a statistical summary thereof, may be used in support of the agency's action.

U.S. Department
of TransportationNational Highway
Traffic Safety
Administration

DOT Auto Safety Hotline

Vehicle Owner's Questionnaire (VOQ)

NATIONWIDE 1-888-DASH-2-DOT

1-888-327-4236

www.nhtsa.dot.gov/hotline

FOR AGENCY USE ONLY 258

Date Received

13-OCT-2000

 Od_or _____
 rt_dt _____
 od_rt _____
 up_ltr _____

Reference No.

734248

 Do you authorize NHTSA to provide a copy of report to the manufacturer of your vehicle? ☐ YES ☐ NO
 In the absence of an authorization, NHTSA WILL NOT provide your name and address to the vehicle manufacturer.

Signature of Owner _____ Date ____/____/____

VEHICLE INFORMATION

Vehicle Ident. No. (VIN) (located at front of windshield on drivers side)	Vehicle Make	Vehicle Model	Vehicle Year	Current Odometer Reading
1P4GP44G7WB645455	PLYMOUTH TRUC	VOYAGER	1998	

Purchase Date 01-MAR-2098	Dealer's Name _____	Engine Size (CID/CC/L) _____	☐ Turbo ☐ Diesel ☐ Gas ☒ Fuel Injection
☒ New ☐ Used	City _____ State _____ Zip Code _____	No Cylinders _____	

Transmission Type ☐ Manual ☐ Automatic	Antilock Brakes ☒ Yes ☐ No	Restraint System ☒ 3-Point Belt ☐ Motorbell ☐ Driverside Airbag ☐ 2-Point Belt ☐ Passengerside Airbag	Cruise Control ☒ Yes ☐ No	Drive Train ☒ Front ☐ Rear ☐ 4-Wheel	Vehicle Type ☐ Car ☐ Sport Ult ☐ Van ☐ Truck ☐ Minivan ☐ Motorcycle ☐ Other _____	Body Style ☐ 2-Door ☐ 4-Door ☐ Stationwagon ☐ Pick Up Truck ☒ Other _____
--	---	--	--	---	--	--

FAILED COMPONENT(S)/PART(S) INFORMATION

Component 02700000	Part Name(s) TIRES	Location ☐ Left ☐ Right ☐ Front ☐ Rear	Failed Part(s) ☐ Original ☐ Replacement
No of Failures 2	Date(s) of Failure(s) 10-OCT-2099 Mileage at Failure(s) 34000 Vehicle Speed at Failure(s) _____	Failed Part(s) Available? ☐ Yes ☐ No	NHTSA Previously Contacted? ☐ Yes ☐ No

APPLICATION INCIDENT INFORMATION

(Please describe in detail the incident(s), Failure(s), Crash(es), and injury(ies) on the back of this form)

Crash ☐ Yes ☐ No	Fire ☐ Yes ☒ No	Number of Persons Injured	Number of Fatalities	Estimated Property Damage	Reported to Police ☐ Yes ☒ No
---	---	---------------------------	----------------------	---------------------------	---

NARRATIVE DESCRIPTION OF FAILURE(S), INCIDENT(S), INJURY(IES)

CHRYSLER HAS A STICKER ON DRIVERSIDE DOOR STATING 35 LBS AIR THE FRONT TIRES WERE RUNNING ON THE SIDE WALLS I COMPLAINED TO CHRYSLER THE SEND ME TO A DEALER JIM BOAST IN BRADENTON FL THE SERVICE MANAGER CLAIMED I DIDNT HAVE ENOUGH AIR IT WAS 35 LBS THAN HE RECOMENDED TO GO TO 37 LBS WICH I HAD DONE BY GOODYAER ON THE TIRES THAT I HAD TO REPLACE THE RUBBER SEPARATED FROM THE STEEL BELT CHRYSLER SAYS THERE NOT RESONSIBLE. *AK

CONTINUED ON BACK (SEE)

The Privacy Act of 1974-Public Law 93-579 This information is requested pursuant to authority vested in the National Highway Traffic Safety Act and subsequent amendments. You are under no obligation to respond to this questionnaire. Your response may be used to assist the NHTSA in determining whether a manufacturer should take appropriate action to correct a safety defect. If the NHTSA proceeds with administrative enforcement or litigation against a manufacturer, your response, or a statistical summary thereof, may be used in support of the agency's action.

U.S. Department
of TransportationNational Highway
Traffic Safety
Administration

DOT Auto Safety Hotline

Vehicle Owner's Questionnaire (VOQ)

NATIONWIDE 1-888-DASH-2-DOT

1-888-327-4236

www.nhtsa.dot.gov/hotline

FOR AGENCY USE ONLY 258

Date Received

13-OCT-2000

 Od_or _____
 Rt_dt _____
 od_rt _____
 up_ltr _____

Reference No.

734248

Do you authorize NHTSA to provide a copy of report to the manufacturer of your vehicle? ☐ YES ☐ NO
 In the absence of an authorization, NHTSA WILL NOT provide your name and address to the vehicle manufacturer.

Signature of Owner _____ Date ____/____/____

VEHICLE INFORMATION

Vehicle Ident. No. (VIN) (located at front of windshield on drivers side) 1P4GP44G7WB645455	Vehicle Make PLYMOUTH TRUC	Vehicle Model VOYAGER	Vehicle Year 1998	Current Odometer Reading
--	--------------------------------------	---------------------------------	-----------------------------	--------------------------

Purchase Date 01-MAR-2008	Dealer's Name _____	Engine Size (CID/CC/L) _____	☐ Turbo ☐ Diesel ☐ Gas ☒ Fuel Injection
☒ New ☐ Used	City _____ State _____ Zip Code _____	No Cylinders _____	

Transmission Type ☐ Manual ☐ Automatic	Antilock Brakes ☒ Yes ☐ No	Restraint System ☒ 3-Point Belt ☐ Motorbell ☐ Driverside Airbag ☐ 2-Point Belt ☐ Passengerside Airbag	Cruise Control ☒ Yes ☐ No	Drive Train ☒ Front ☐ Rear ☐ 4-Wheel	Vehicle Type ☐ Car ☐ Sport Ult ☐ Van ☐ Truck ☐ Minivan ☐ Motorcycle ☐ Other _____	Body Style ☐ 2-Door ☐ 4-Door ☐ Stationwagon ☐ Pick Up Truck ☒ Other _____
--	---	--	--	---	--	--

FAILED COMPONENT(S)/PART(S) INFORMATION

Component 02700000	Part Name(s) TIRES	Location ☐ Left ☐ Right ☐ Front ☐ Rear	Failed Part(s) ☐ Original ☐ Replacement
No of Failures 2	Date(s) of Failure(s) 10-OCT-2000 Mileage at Failure(s) 34000 Vehicle Speed at Failure(s) _____	Failed Part(s) Available? ☐ Yes ☐ No	NHTSA Previously Contacted? ☐ Yes ☐ No

APPLICATION INCIDENT INFORMATION

(Please describe in detail the incident(s), Failure(s), Crash(es), and injury(ies) on the back of this form)

Crash ☐ Yes ☐ No	Fire ☐ Yes ☒ No	Number of Persons Injured	Number of Fatalities	Estimated Property Damage	Reported to Police ☐ Yes ☒ No
---	---	---------------------------	----------------------	---------------------------	---

NARRATIVE DESCRIPTION OF FAILURE(S), INCIDENT(S), INJURY(IES)

CHRYSLER HAS A STICKER ON DRIVERSIDE DOOR STATING 35 LBS AIR THE FRONT TIRES WERE RUNNING ON THE SIDE WALLS I COMPLAINED TO CHRYSLER THE SEND ME TO A DELER JIM BOAST IN BRADENTON FL THE SERVICE MANAGER CLAIMED I DIDNT HAVE ANOGH AIR IT WAS 35 LBS THAN HE RECOMENDED TO GO TO 37 LBS WICH I HAD DONE BY GOODYAER ON THE TIRES THAT I HAD TO REPLACE THE RUBBER SEPERATED FROM THE STEEL BELT CHRYSLER SAYS THERE NOT RESONSIBLE. *AK

CONTINUED ON BACK (SEE)

The Privacy Act of 1974-Public Law 93-579 This information is requested pursuant to authority vested in the National Highway Traffic Safety Act and subsequent amendments. You are under no obligation to respond to this questionnaire. Your response may be used to assist the NHTSA in determining whether a manufacturer should take appropriate action to correct a safety defect. If the NHTSA proceeds with administrative enforcement or litigation against a manufacturer, your response, or a statistical summary thereof, may be used in support of the agency's action.