

785286

From: siracusa@publicinteractive.com
To: Young, Beverly <NHTSA>, Jimenez, Alberto <NHTSA>, Chiang, George <NHTSA>
Date: 2/18/01 3:43PM
Subject: Car Talk VOQ submission

* This data was submitted via a fill-in form at the Cartalk web site
* (<http://www.cartalk.cars.com/Tools/nhtsa.pl>) If you have any problems
* or suggestions regarding the format of this submission, send email
* to webmaster@cartalk.com

SUBMISSION DATE: Sunday, February 18th 2001 at 6:32:13 AM

VEHICLE OWNER'S QUESTIONNAIRE
=====

OWNER INFORMATION

NAME

ADDRESS

ap

TELEPHONE

NHTSA authorized to send a copy of this report to the manufacturer: No

VEHICLE INFORMATION

VIN: 1g1jc5247x7295472

MAKE: chevrolet

MODEL: cavalier sedan

YEAR: 1999

ODOMETER: 29000

PURCHASE DATE: NEW OR USED: New

DEALER NAME: aafes military car sales

ADDRESS: kaiserslautern Germany,

ENGINE SIZE: 2.2

CYLINDERS: 4

FUEL INJECTION: Yes

TURBO: No

FUEL TYPE: Gas

ANTILOCK BRAKES: Yes

CRUISE CONTROL: Yes

DRIVETRAIN: Front

DRIVER AIRBAG: Yes
PASSENGER AIRBAG: Yes
3-POINT BELT: No
MOTOR BELT: No
2-POINT BELT: No
BODY STYLE: 4-Door

FAILED COMPONENT(S)/PART(S) INFORMATION

COMPONENT: see additional comments

PART NAME(S): brake rotors
main seal

LOCATION:

NUMBER OF FAILURES:

DATE(S) OF FAILURES: see comments

MILEAGE AT FAILURE(S): see comments

SPEED AT FAILURE(S): n/a

MANUFACTURER CONTACTED: No

NHTSA CONTACTED: No

APPLICABLE ACCIDENT INFORMATION

ACCIDENT: No
FIRE: No

NUMBER OF PERSONS INJURED: 0
NUMBER OF FATALITIES: 0
ESTIMATED PROPERTY DAMAGE: \$0

DRIVER AIRBAG DEPLOYED: N/A
PASSENGER AIRBAG DEPLOYED: N/A

REPORTED TO POLICE: No

INFORMATION ON TIRE FAILURE(S) (IF APPLICABLE)

DOT NUMBER: DOT
TIRE MANUFACTURER:
TIRE NAME:
TIRE SIZE:

ADDITIONAL COMMENTS

- Engine leaked oil at 5000 miles (main seal). Leak is relatively small...but it is a new car and shouldn't leak at all. Was told by several mechanics that nearly all 2.2L Cavaliers leak from here
- Brake rotors noticeably warped at 15000 miles
- Vehicle engine suddenly surged and stayed at high rpm until car was turned off and restarted. Happened 2 times between 20,000-25,000 miles
- Very often, engine is hard to restart once it has run a little while.

END OF FORM



U.S. Department
of Transportation
**National Highway
Traffic Safety
Administration**

Auto Safety Hotline

Vehicle Owner's Questionnaire

NATIONWIDE 1-800-424-9393
DC METRO AREA (202) 366-0123
INTERNET: <http://www.nhtsa.dot.gov>

FOR AGENCY USE ONLY 778

Date Received

18-FEB-2001

Od_or _____
rt_dt _____
pd_rt _____
rp_lr _____

Reference No.

785286

Do you authorize NHTSA to provide a copy of report to the manufacturer of your vehicle? ☐ YES ☐ NO
In the absence of an authorization, NHTSA WILL NOT provide your name and address to the vehicle manufacturer.

Signature of Owner _____ Date ____/____/____

VEHICLE INFORMATION

Vehicle Ident. No. (VIN) (Locate at bottom of windshield or driver's side) 1G1JC5247X7295472	Vehicle Make CHEVROLET	Vehicle Model CAVALIER	Vehicle Year 1999	Current Odometer Reading
Purchase Date ☒ New ☐ Used	Dealer's Name _____ City _____ State _____ Zip Code _____		Engine Size (CID/CC/L 4 CYL) No Cylinders _____	☐ Turbo ☐ Diesel ☐ Gas ☒ Fuel Injection
Transmission Type ☐ Manual ☐ Automatic	Antilock Brakes ☒ Yes ☐ No	Restraint System ☐ 3-Point Belt ☐ Motorbelt ☐ Driverside Airbag ☐ 2-Point Bel ☐ Passengerside Airbag	Cruise Control ☒ Yes ☐ No	Drive Train ☒ Front ☐ Rear ☐ 4-Wheel
Vehicle Type ☐ Car ☐ Sport Util ☐ Van ☐ Truck ☐ Minivan ☐ Motorcycle ☐ Other _____		Body Style ☐ 2-Door ☒ 4-Door ☐ Stationwagon ☐ Pick Up Truck ☐ Other _____		

FAILED COMPONENT(S)/PART(S) INFORMATION

Component 05100000	Part Name(s) ENGINE	Location ☐ Left ☐ Right ☐ Front ☐ Rear	Failed Part(s) ☐ Original ☐ Replacement
No of Failure 1	Date(s) of Failure(s) _____ Mileage at Failure(s) _____	Failed Part(s) ☐ Yes ☐ No	NHTSA Previously ☐ Yes ☐ No

APPLICATION INCIDENT INFORMATION

(Please describe in detail the incident(s), Failure(s), Crash(es), and Injury(ies) on the back of this form)

Crash ☐ Yes ☐ No	Fire ☐ Yes ☐ No	Number of Persons Injured	Number of Fatalities	Estimated Property Damag	Reported to Police ☐ Yes ☐ No
---	--	---------------------------	----------------------	--------------------------	--

NARRATIVE DESCRIPTION OF FAILURE(S), INCIDENT(S), INJURY(IES)

**MAIN SEAL LEAKED OIL AT 5000 MILES, VEHICLE IS HARD TO RESTART ONCE IT HAS RUN FOR A WHILE.
*SLC**

COPIES OF THIS FORM ARE:

The Privacy Act of 1974-Public Law 93-579 This information is requested pursuant to authority vested in the National Highway Traffic Safety Act and subsequent amendments. You are under no obligation to respond to this questionnaire. Your response may be used to assist the NHTSA in determining whether a manufacturer should take appropriate action to correct a safety defect. If the NHTSA proceeds with administrative enforcement or litigation against a manufacturer, your response, or a statistical summary thereof, may be used in support of the agency's action.



U.S. Department
of Transportation
**National Highway
Traffic Safety
Administration**

Auto Safety Hotline

Vehicle Owner's Questionnaire

NATIONWIDE 1-800-424-9393
DC METRO AREA (202) 366-0123
INTERNET: <http://www.nhtsa.dot.gov>

FOR AGENCY USE ONLY 778

Date Received

18-FEB-2001

Od_or _____
rt_dt _____
pd_rt _____
rp_lr _____

Reference No.

785286

Do you authorize NHTSA to provide a copy of report to the manufacturer of your vehicle? ☐ YES ☐ NO
In the absence of an authorization, NHTSA WILL NOT provide your name and address to the vehicle manufacturer.

Signature of Owner _____ Date ____/____/____

VEHICLE INFORMATION

Vehicle Ident. No. (VIN) (Locate at bottom of windshield or driver's side) 1G1JC5247X7295472	Vehicle Make CHEVROLET	Vehicle Model CAVALIER	Vehicle Year 1999	Current Odometer Reading
Purchase Date ☒ New ☐ Used	Dealer's Name _____ City _____ State _____ Zip Code _____		Engine Size (CID/CC/L 4 CYL) No Cylinders _____	☐ Turbo ☐ Diesel ☐ Gas ☒ Fuel Injection
Transmission Type ☐ Manual ☐ Automatic	Antilock Brakes ☒ Yes ☐ No	Restraint System ☐ 3-Point Belt ☐ Motorbelt ☐ Driverside Airbag ☐ 2-Point Bel ☐ Passengerside Airbag	Cruise Control ☒ Yes ☐ No	Drive Train ☒ Front ☐ Rear ☐ 4-Wheel
Vehicle Type ☐ Car ☐ Sport Util ☐ Van ☐ Truck ☐ Minivan ☐ Motorcycle ☐ Other _____		Body Style ☐ 2-Door ☒ 4-Door ☐ Stationwagon ☐ Pick Up Truck ☐ Other _____		

FAILED COMPONENT(S)/PART(S) INFORMATION

Component 06400000	Part Name(s) FUEL THROTTLE LINKAGES AND CONTROL	Location ☐ Left ☐ Right ☐ Front ☐ Rear	Failed Part(s) ☐ Original ☐ Replacement
No of Failure 2	Date(s) of Failure(s) _____ Mileage at Failure(s) _____	Failed Part(s) ☐ Yes ☐ No	NHTSA Previously ☐ Yes ☐ No

APPLICATION INCIDENT INFORMATION

(Please describe in detail the incident(s), Failure(s), Crash(es), and Injury(ies) on the back of this form)

Crash ☐ Yes ☐ No	Fire ☐ Yes ☐ No	Number of Persons Injured	Number of Fatalities	Estimated Property Damag	Reported to Police ☐ Yes ☐ No
---	--	---------------------------	----------------------	--------------------------	--

NARRATIVE DESCRIPTION OF FAILURE(S), INCIDENT(S), INJURY(IES)

VEHICLE SURGED AND STAYED AT HIGH RPM UNTIL VEHICLE WAS TURNED OFF AND RESTARTED. *SLC

COPIES OF REPORTS - FREE -

The Privacy Act of 1974-Public Law 93-579 This information is requested pursuant to authority vested in the National Highway Traffic Safety Act and subsequent amendments. You are under no obligation to respond to this questionnaire. Your response may be used to assist the NHTSA in determining whether a manufacturer should take appropriate action to correct a safety defect. If the NHTSA proceeds with administrative enforcement or litigation against a manufacturer, your response, or a statistical summary thereof, may be used in support of the agency's action.



U.S. Department
of Transportation
**National Highway
Traffic Safety
Administration**

Auto Safety Hotline

Vehicle Owner's Questionnaire

NATIONWIDE 1-800-424-9393
DC METRO AREA (202) 366-0123
INTERNET: <http://www.nhtsa.dot.gov>

FOR AGENCY USE ONLY 778

Date Received

18-FEB-2001

Od_or _____
rt_dt _____
pd_rt _____
rp_lr _____

Reference No.

785286

Do you authorize NHTSA to provide a copy of report to the manufacturer of your vehicle? ☐ YES ☐ NO
In the absence of an authorization, NHTSA WILL NOT provide your name and address to the vehicle manufacturer.

Signature of Owner _____ Date ____/____/____

VEHICLE INFORMATION

Vehicle Ident. No. (VIN) (Locate at bottom of windshield or driver's side door)	Vehicle Make	Vehicle Model	Vehicle Year	Current Odometer Reading
1G1JC5247X7295472	CHEVROLET	CAVALIER	1999	

Purchase Date	Dealer's Name _____	Engine Size (CID/CC/L 4 CYL	☐ Turbo ☐ Diesel ☐ Gas ☒ Fuel Injection
☒ New ☐ Used	City _____ State _____ Zip Code _____	No Cylinders _____	
Transmission Type ☐ Manual ☐ Automatic	Antilock Brakes ☒ Yes ☐ No	Restraint System ☐ 3-Point Belt ☐ Motorbelt ☐ Driverside Airbag ☐ 2-Point Bel ☐ Passengerside Airbag	Cruise Control ☒ Yes ☐ No
		Drive Train ☒ Front ☐ Rear ☐ 4-Wheel	Vehicle Type ☐ Car ☐ Sport Util ☐ Van ☐ Truck ☐ Minivan ☐ Motorcycle ☐ Other _____
			Body Style ☐ 2-Door ☒ 4-Door ☐ Stationwagon ☐ Pick Up Truck ☐ Other _____

FAILED COMPONENT(S)/PART(S) INFORMATION

Component 03273000	Part Name(s) BRAKES:HYDRAULIC:DISC:ROTOR:DISC HUB	Location ☐ Left ☐ Right ☐ Front ☐ Rear	Failed Part's ☐ Original ☐ Replacement
No of Failure 1	Date(s) of Failure(s) _____ Mileage at Failure(s) _____	Failed Part(s) ☐ Yes ☐ No	NHTSA Previously ☐ Yes ☐ No

APPLICATION INCIDENT INFORMATION

(Please describe in detail the incident(s), Failure(s), Crash(es), and Injury(ies) on the back of this form)

Crash ☐ Yes ☐ No	Fire ☐ Yes ☐ No	Number of Persons Injured	Number of Fatalities	Estimated Property Damag	Reported to Police ☐ Yes ☐ No
---	--	---------------------------	----------------------	--------------------------	--

NARRATIVE DESCRIPTION OF FAILURE(S), INCIDENT(S), INJURY(IES)

BRAKE ROTORS WARPED. *SLC

COPIES OF THIS FORM ARE:

The Privacy Act of 1974-Public Law 93-579 This information is requested pursuant to authority vested in the National Highway Traffic Safety Act and subsequent amendments. You are under no obligation to respond to this questionnaire. Your response may be used to assist the NHTSA in determining whether a manufacturer should take appropriate action to correct a safety defect. If the NHTSA proceeds with administrative enforcement or litigation against a manufacturer, your response, or a statistical summary thereof, may be used in support of the agency's action.