

785914

From: feedback@cartalk.com
To: Alberto <NHTSA> Jimenez
Date: 3/14/02 1:20PM
Subject: Car Talk VOQ submission


* This data was submitted via a fill-in form at the Cartalk web site
* (<http://www.cartalk.cars.com/Tools/nhtsa.pl>) If you have any problems
* or suggestions regarding the format of this submission, send email
* to webmaster@cartalk.com

SUBMISSION DATE: Thursday, March 14th 2002 at 1:19:44 PM

VEHICLE OWNER'S QUESTIONNAIRE

=====

OWNER INFORMATION



NHTSA authorized to send a copy of this report to the manufacturer: No

VEHICLE INFORMATION

VIN: 1G1ND52J6Y6162570
MAKE: CHEVROLET
MODEL: MALIBO
YEAR: 2000

ODOMETER: 22300
PURCHASE DATE: 12/18/99
NEW OR USED: New

DEALER NAME: Appleway Chevrolet
ADDRESS: Spokane, WA 99212

ENGINE SIZE: V-8
CYLINDERS:

FUEL INJECTION: Yes
TURBO: No
FUEL TYPE: Gas
ANTILOCK BRAKES: Yes
CRUISE CONTROL: Yes

DRIVETRAIN: Front
DRIVER AIRBAG: Yes
PASSENGER AIRBAG: Yes
3-POINT BELT: Yes
MOTOR BELT: No
2-POINT BELT: No
BODY STYLE: 4-Door

FAILED COMPONENT(S)/PART(S) INFORMATION

COMPONENT: Brake Rotors get warped after about 4000 miles. We have had them fix twice and replaced once. We also have had the the calipers replaced. Also we have had both front struts replaced.

PART NAME(S):

LOCATION: Front

NUMBER OF FAILURES: 5

DATE(S) OF FAILURES: From 1999 to present

MILEAGE AT FAILURE(S): From 300 miles to 22300

SPEED AT FAILURE(S):

MANUFACTURER CONTACTED: No

NHTSA CONTACTED: No

APPLICABLE ACCIDENT INFORMATION

ACCIDENT: No

FIRE: No

NUMBER OF PERSONS INJURED:

NUMBER OF FATALITIES:

ESTIMATED PROPERTY DAMAGE: \$

DRIVER AIRBAG DEPLOYED: No

PASSENGER AIRBAG DEPLOYED: No

REPORTED TO POLICE: No

INFORMATION ON TIRE FAILURE(S) (IF APPLICABLE)

DOT NUMBER: DOT



U.S. Department
of Transportation
**National Highway
Traffic Safety
Administration**

Auto Safety Hotline

Vehicle Owner's Questionnaire

NATIONWIDE 1-800-424-9393
DC METRO AREA (202) 366-0123
INTERNET: <http://www.nhtsa.dot.gov>

FOR AGENCY USE ONLY 1058

Date Received

14-MAR-2002

Ord. or

rt. dt

pd. rt

rp. ltr

Reference No.

785914

Work Number

Home Number 208-263-7062

OWNER INFORMATION (Type or Print)

KELLY SPIELMAN 751618
210 SUNRISE CIRCLE
SAGEL ID 83860

Do you authorize NHTSA to provide a copy of report to the manufacturer of your vehicle? ☐ YES ☐ NO
In the absence of an authorization, NHTSA WILL NOT provide your name and address to the vehicle manufacturer.

Signature of Owner _____ Date ____/____/____

VEHICLE INFORMATION

Vehicle Ident. No. (VIN) (Location at bottom of and/or above dashboard) 1G1ND52J6Y6162570	Vehicle Make CHEVROLET	Vehicle Model MALIBU	Vehicle Year 2000	Current Odometer Reading
--	---------------------------	-------------------------	----------------------	--------------------------

Purchase Date 18-DEC-1999	Dealer's Name _____	Engine Size (CID/CC/L 6 CYL	☐ Turbo ☐ Diesel ☐ Gas ☒ Fuel Injection
☒ New ☐ Used	City _____ State _____ Zip Code _____	No Cylinders _____	

Transmission Type ☐ Manual ☐ Automatic	Antilock Brakes ☒ Yes ☐ No	Restraint System ☒ 3-Point Belt ☐ Motorbelt ☐ Driverside Airbag ☐ 2-Point Bel ☐ Passengerside Airbag	Cruise Control ☒ Yes ☐ No	Drive Train ☒ Front ☐ Rear ☐ 4-Wheel	Vehicle Type ☐ Car ☐ Sport Util ☐ Van ☐ Truck ☐ Minivan ☐ Motorcycle ☐ Other _____	Body Style ☐ 2-Door ☐ 4-Door ☐ Stationwagon ☐ Pick Up Truck ☒ Other _____
--	---	---	--	---	---	--

FAILED COMPONENT(S)/PART(S) INFORMATION

Component 03271000 03273000	Part Name(s) BRAKES:HYDRAULIC:DISC:CALIPER BRAKES:HYDRAULIC:DISC:ROTOR:DISC HUB	Location ☐ Left ☐ Right ☐ Front ☐ Rear	Failed Part(s) ☐ Original ☐ Replacement
No of Failure 5	Date(s) of Failure(s) _____ Mileage at Failure(s) 300 Vehicle Speed at Failure(s) _____	Failed Part(s) ☐ Yes ☐ No	NHTSA Previously ☐ Yes ☐ No

APPLICATION INCIDENT INFORMATION

(Please describe in detail the incident(s), Failure(s), Crash(es), and injury(ies) on the back of this form)

Crash ☐ Yes ☐ No	Fire ☐ Yes ☒ No	Number of Persons Injured	Number of Fatalities	Estimated Property Damag	Reported to Police ☐ Yes ☒ No
---	---	---------------------------	----------------------	--------------------------	---

NARRATIVE DESCRIPTION OF FAILURE(S), INCIDENT(S), INJURY(IES)

FRONT BRAKE ROTORS GET WARPED AFTER APPROXIMATELY 4000 MILES, CONSUMER HAS HAD THEM REPLACED ONCE AND FIXED TWICE, THE CALIPERS HAVE ALSO BEEN REPLACED. *SLC

CONTINUE ON REVERSE

The Privacy Act of 1974-Public Law 93-579 This information is requested pursuant to authority vested in the National Highway Traffic Safety Act and subsequent amendments. You are under no obligation to respond to this questionnaire. Your response may be used to assist the NHTSA in determining whether a manufacturer should take appropriate action to correct a safety defect. If the NHTSA proceeds with administrative enforcement or litigation against a manufacturer, your response, or a statistical summary thereof, may be used in support of the agency's action.

TIRE MANUFACTURER:
TIRE NAME:
TIRE SIZE:

ADDITIONAL COMMENTS

END OF FORM



U.S. Department
of Transportation
**National Highway
Traffic Safety
Administration**

Auto Safety Hotline

Vehicle Owner's Questionnaire

NATIONWIDE 1-800-424-9393
DC METRO AREA (202) 366-0123
INTERNET: <http://www.nhtsa.dot.gov>

FOR AGENCY USE ONLY 1058

Date Received

14-MAR-2002

Ord. or
rt. dt
pd. rt
rp. ltr

Reference No.

785914

Work Number

Home Number 208-263-7062

OWNER INFORMATION (Type or Print)

KELLY SPIELMAN 751618
210 SUNRISE CIRCLE
SAGEL ID 83860

Do you authorize NHTSA to provide a copy of report to the manufacturer of your vehicle? ☐ YES ☐ NO
In the absence of an authorization, NHTSA WILL NOT provide your name and address to the vehicle manufacturer.

Signature of Owner _____ Date ____/____/____

VEHICLE INFORMATION

Vehicle Ident. No. (VIN) (Location at bottom of and/or above driver's side) 1G1ND52J6Y6162570	Vehicle Make CHEVROLET	Vehicle Model MALIBU	Vehicle Year 2000	Current Odometer Reading
--	---------------------------	-------------------------	----------------------	--------------------------

Purchase Date 18-DEC-1999	Dealer's Name _____	Engine Size (CID/CC/L 6 CYL	☐ Turbo ☐ Diesel ☐ Gas ☒ Fuel Injection
☒ New ☐ Used	City _____ State _____ Zip Code _____	No Cylinders _____	

Transmission Type ☐ Manual ☐ Automatic	Antilock Brakes ☒ Yes ☐ No	Restraint System ☒ 3-Point Belt ☐ Motorbelt ☐ Driverside Airbag ☐ 2-Point Bel ☐ Passengerside Airbag	Cruise Control ☒ Yes ☐ No	Drive Train ☒ Front ☐ Rear ☐ 4-Wheel	Vehicle Type ☐ Car ☐ Sport Util ☐ Van ☐ Truck ☐ Minivan ☐ Motorcycle ☐ Other _____	Body Style ☐ 2-Door ☐ 4-Door ☐ Stationwagon ☐ Pick Up Truck ☒ Other _____
--	---	---	--	---	---	--

FAILED COMPONENT(S)/PART(S) INFORMATION

Component 02120010	Part Name(s) SUSPENSION:MACPHERSON STRUT	Location ☐ Left ☐ Right ☐ Front ☐ Rear	Failed Part(s) ☐ Original ☐ Replacement
No of Failure 1	Date(s) of Failure(s) _____ Mileage at Failure(s) _____ Vehicle Speed at Failure(s) _____	Failed Part(s) ☐ Yes ☐ No	NHTSA Previously ☐ Yes ☐ No

APPLICATION INCIDENT INFORMATION

(Please describe in detail the incident(s), Failure(s), Crash(es), and Injury(ies) on the back of this form)

Crash ☐ Yes ☐ No	Fire ☐ Yes ☒ No	Number of Persons Injured	Number of Fatalities	Estimated Property Damag	Reported to Police ☐ Yes ☒ No
---	---	---------------------------	----------------------	--------------------------	---

NARRATIVE DESCRIPTION OF FAILURE(S), INCIDENT(S), INJURY(IES)

CONSUMER STATES THAT BOTH FRONT STRUTS HAVE BEEN REPLACED. *SLC

CONTINUE ON REVERSE

The Privacy Act of 1974-Public Law 93-579 This information is requested pursuant to authority vested in the National Highway Traffic Safety Act and subsequent amendments. You are under no obligation to respond to this questionnaire. Your response may be used to assist the NHTSA in determining whether a manufacturer should take appropriate action to correct a safety defect. If the NHTSA proceeds with administrative enforcement or litigation against a manufacturer, your response, or a statistical summary thereof, may be used in support of the agency's action.



U.S. Department
of Transportation

National Highway
Traffic Safety
Administration

Auto Safety Hotline

Vehicle Owner's Questionnaire

NATIONWIDE 1-800-424-9393
DC METRO AREA (202) 366-0123
INTERNET: <http://www.nhtsa.dot.gov>

FOR AGENCY USE ONLY 1058

Date Received

14-MAR-2002

Ord or _____
rt dt _____
pd rt _____
rp lr _____

Reference No.

785914

Do you authorize NHTSA to provide a copy of report to the manufacturer of your vehicle? ☐ YES ☐ NO
In the absence of an authorization, NHTSA WILL NOT provide your name and address to the vehicle manufacturer.

Signature of Owner _____ Date ____/____/____

VEHICLE INFORMATION

Vehicle Ident. No. (VIN) (Location at bottom of windshield and driver's side door) 1G1ND52J6Y6162570	Vehicle Make CHEVROLET	Vehicle Model MALIBU	Vehicle Year 2000	Current Odometer Reading
Purchase Date 18-DEC-1999	Dealer's Name _____		Engine Size (CID/CC/L 6 CYL)	☐ Turbo ☐ Diesel ☐ Gas ☒ Fuel Injection
☒ New ☐ Used	City _____ State _____ Zip Code _____		No Cylinders _____	
Transmission Type ☐ Manual ☐ Automatic	Antilock Brakes ☒ Yes ☐ No	Restraint System ☒ 3-Point Belt ☐ Motorbelt ☐ Driverside Airbag ☐ 2-Point Bel ☐ Passengerside Airbag	Cruise Control ☒ Yes ☐ No	Drive Train ☒ Front ☐ Rear ☐ 4-Wheel
Vehicle Type ☐ Car ☐ Sport Util ☐ Van ☐ Truck ☐ Minivan ☐ Motorcycle ☐ Other _____		Body Style ☐ 2-Door ☐ 4-Door ☐ Stationwagon ☐ Pick Up Truck ☒ Other _____		

FAILED COMPONENT(S)/PART(S) INFORMATION

Component 03271000 03273000	Part Name(s) BRAKES:HYDRAULIC:DISC:CALIPER BRAKES:HYDRAULIC:DISC:ROTOR:DISC HUB	Location ☐ Left ☐ Right ☐ Front ☐ Rear	Failed Part's ☐ Original ☐ Replacement
No of Failure 5	Date(s) of Failure(s) _____ Mileage at Failure(s) 300 Vehicle Speed at Failure(s) _____	Failed Part(s) ☐ Yes ☐ No	NHTSA Previously ☐ Yes ☐ No

APPLICATION INCIDENT INFORMATION

(Please describe in detail the incident(s), Failure(s), Crash(es), and Injury(ies) on the back of this form)

Crash ☐ Yes ☐ No	Fire ☐ Yes ☒ No	Number of Persons Injured	Number of Fatalities	Estimated Property Damag	Reported to Police ☐ Yes ☒ No
---	---	---------------------------	----------------------	--------------------------	---

NARRATIVE DESCRIPTION OF FAILURE(S), INCIDENT(S), INJURY(IES)

FRONT BRAKE ROTORS GET WARPED AFTER APPROXIMATELY 4000 MILES, CONSUMER HAS HAD THEM REPLACED ONCE AND FIXED TWICE, THE CALIPERS HAVE ALSO BEEN REPLACED. *SLC

COPIES OF THIS FORM ARE:

The Privacy Act of 1974-Public Law 93-579 This information is requested pursuant to authority vested in the National Highway Traffic Safety Act and subsequent amendments. You are under no obligation to respond to this questionnaire. Your response may be used to assist the NHTSA in determining whether a manufacturer should take appropriate action to correct a safety defect. If the NHTSA proceeds with administrative enforcement or litigation against a manufacturer, your response, or a statistical summary thereof, may be used in support of the agency's action.