



U.S. Department
of Transportation
**National Highway
Traffic Safety
Administration**

Auto Safety Hotline

Vehicle Owner's Questionnaire

NATIONWIDE 1-800-424-9393
DC METRO AREA (202) 366-0123
INTERNET: <http://www.nhtsa.dot.gov>

FOR AGENCY USE ONLY 798

Date Received

21-FEB-2002

Od_or _____
rt_dt _____
pd_rt _____
rp_lr _____

Reference No.

8004352

Do you authorize NHTSA to provide a copy of report to the manufacturer of your vehicle? ☐ YES ☐ NO
In the absence of an authorization, NHTSA WILL NOT provide your name and address to the vehicle manufacturer.

Signature of Owner _____ Date ____/____/____

VEHICLE INFORMATION

Vehicle Ident. No. (VIN) (Location at bottom of windshield and driver's side)		Vehicle Make	Vehicle Model	Vehicle Year	Current Odometer Reading
KMHJG34F7WU102294		HYUNDAI	TIBURON	1998	
Purchase Date	Dealer's Name _____		Engine Size (CID/CC/L _____)	☐ Turbo ☐ Diesel ☐ Gas ☐ Fuel Injection	
☒ New ☐ Used	City _____ State _____ Zip Code _____		No Cylinders _____		
Transmission Type	Antilock Brakes	Restraint System	Cruise Control	Drive Train	Vehicle Type
☐ Manual ☐ Automatic	☐ Yes ☐ No	☒ 3-Point Belt ☐ Driverside Airbag ☐ Passengerside Airbag ☐ Motorbelt ☐ 2-Point Belt	☒ Yes ☐ No	☐ Front ☐ Rear ☐ 4-Wheel	☐ Car ☐ Van ☐ Minivan ☐ Other _____ ☐ Sport Utl ☐ Truck ☐ Motorcycle
					Body Style
					☐ 2-Door ☐ 4-Door ☐ Stationwagon ☐ Pick Up Truck ☐ Other _____

FAILED COMPONENT(S)/PART(S) INFORMATION

Component 06410000	Part Name(s) FUEL:THROTTLE LINKAGES AND CONTROL:PEDAL	Location ☐ Left ☐ Right ☐ Front ☐ Rear	Failed Part's ☐ Original ☐ Replacement
No of Failure	Dates of Failure(s) 01-FEB-2002 Mileage at Failure(s) 16439 Vehicle Speed at Failure(s) _____	Failed Part(s) ☐ Yes ☐ No	NHTSA Previously ☐ Yes ☐ No

APPLICATION INCIDENT INFORMATION

(Please describe in detail the incident(s), Failure(s), Crash(es), and Injury(ies) on the back of this form)

Crash ☐ Yes ☐ No	Fire ☐ Yes ☐ No	Number of Persons Injured	Number of Fatalities	Estimated Property Damag	Reported to Police ☐ Yes ☐ No
---	--	---------------------------	----------------------	--------------------------	--

NARRATIVE DESCRIPTION OF FAILURE(S), INCIDENT(S), INJURY(IES)

WHEN DRIVING AT TIMES WILL HAVE TROUBLE ACCELERATEING TO HIGHER SPEEDS, AND THEN VEHICLE WILL START TO JERK BEFORE IT STARTS TO MOVE.*AK

COPIES OF THIS FORM ARE:

The Privacy Act of 1974-Public Law 93-579 This information is requested pursuant to authority vested in the National Highway Traffic Safety Act and subsequent amendments. You are under no obligation to respond to this questionnaire. Your response may be used to assist the NHTSA in determining whether a manufacturer should take appropriate action to correct a safety defect. If the NHTSA proceeds with administrative enforcement or litigation against a manufacturer, your response, or a statistical summary thereof, may be used in support of the agency's action.

 DOT Auto Safety Hotline Vehicle Owner's Questionnaire (VOQ) NATIONALWIDE 1-888-DASH-2-DOT 1-888-327-4236 www.nhtsa.dot.gov/hotline		FOR AGENCY USE ONLY 798 Date Received <u>21-FEB-2002</u> Od or <u>_____</u> rt dt <u>_____</u> od rt <u>_____</u> up_ltr <u>_____</u> Reference No. 8004352 Work Number <u>_____</u> Home <u>_____</u>	
OWNER INFORMATION (Type or Print) [Redacted]		Do you authorize NHTSA to provide a copy of report to the manufacturer of your vehicle? in the absence of your signature, address to the vehicle manufacturer. Signature of Owner <u>[Redacted]</u> ☒ YES ☐ NO Date <u>3-18-02</u>	
VEHICLE INFORMATION			
Vehicle Ident. No. (VIN) (Located at bottom of windshield on driver's side)	Vehicle Make	Vehicle Model	Vehicle Year
KMHJG34F7WU102294	HYUNDAI	TIBURON	1998
Current Odometer Reading	16478		
Purchase Date	Dealer's Name	Engine Size (CID/CMP)	☐ Turbo Diesel Gas Fuel Injection
8-29-98	QUALITY HYUNDAI	No. Cylinders 4	☒ Gas Fuel Injection
☒ New ☐ Used	City CHICAGO State IL Zip Code 60620		
Transmission Type	Antilock Brakes	Restraint System	Cruise Control
☐ Manual ☒ Automatic	☐ Yes ☐ No	☒ 3-Point Belt ☐ Motorbelt ☐ Driverside Airbag ☐ 2-Point Belt ☐ Passengerside Airbag	☒ Yes ☐ No
Vehicle Type	Body Style		
☒ Car ☐ Van ☐ Minivan ☐ Other	☒ 2-Door ☐ 4-Door ☐ Stationwagon ☐ Pick Up ☐ Truck		
FAILED COMPONENT(S)/PART(S) INFORMATION			
Component	Part Name(s)	Location	Failed Part(s)
06410000	FUEL THROTTLE LINKAGES AND CONTROL PEDAL	☐ Left ☐ Right ☐ Front ☐ Rear	☒ Original ☒ Replacement
No. of Failures	Date(s) of Failure(s)	Failed Part(s)	NHTSA Previously
6	01-FEB-2002 Mileage at Failure(s) 16439 Vehicle Speed at Failure(s) _____	☒ Yes ☐ No	☒ Yes ☐ No
APPLICATION INCIDENT INFORMATION (Please describe in detail the Incident(s), Failure(s), Crash(es), and Injury(ies) on the back of this form)			
Crash	Fire	Number of Persons Injured	Number of Fatalities
☐ Yes ☒ No	☐ Yes ☒ No		
Estimated Property Damage		Reported to Police	
		☐ Yes ☐ No	
NARRATIVE DESCRIPTION OF FAILURE(S), INCIDENT(S), INJURY(IES) WHEN DRIVING AT TIMES WILL HAVE TROUBLE ACCELERATEING TO HIGHER SPEEDS, AND THEN VEHICLE WILL START TO JERK BEFORE IT STARTS TO MOVE.*AK			

CONTINUE ON BACK IF NEEDED

The Privacy Act of 1974-Public Law 93-579 This information is requested pursuant to authority vested in the National Highway Traffic Safety Act and subsequent amendments. You are under no obligation to respond this questionnaire. Your response may be used to assist the NHTSA in determining whether a manufacturer should take appropriate action to correct a safety defect. If the NHTSA proceeds with administrative enforcement or litigation against a manufacturer, your response, or a statistical summary thereof, may be used in support of the agency's action.

Fold to show Return Address (no stamp needed) Fasten with tape or staple and mail

INFORMATION ON TIRE FAILURE(S) (IF APPLICABLE)

TIRE IDENTIFICATION NO.*

D O T

MANUFACTURER/TIRE NAME

SIZE

* The identification number consists of 7 to 10 letters and numerals following the letters DOT. It is usually located near the rim flange on the side opposite the whitewall or on either side of a blackwall tire.

NARRATIVE DESCRIPTION (CONTINUED)

WHILE ACCELERATING THE CAR WILL START TO JEER BACK AND FORTH.
THIS HAPPENS AT ANY TIME. ONE DAY THE CAR WILL BE FINE. THE
NEXT DAY IT MAY HAPPEN ONLY ONCE THE NEXT DAY IT MAY
DO IT SEVERAL TIMES WHILE ON VARIATION GOING TO OHIO - ON THE
OHIO TURNPIKE DOING 70 MPH AS AN EXAMPLE IT HAPPENED TRIED TO
PRESS HARDER ON GAS PEDAL WOULD NOT GO HAD TRAFFIC IN
FRONT + BACK OF ME.
IN OCTOBER OF 98 WAS THE FIRST TIME IT STARTED AT THAT TIME I
DID NOT KNOW WHAT IT WAS TOOK IT FOR SERVICE THEY COULD NOT DUPLICATE
THEN I TOOK IT BACK ON 4-8-99 FOR SAME PROBLEM THEY KEPT MY CAR
AND ORDERED A PART CALLED TCU. AGAIN IT HAPPENED TOOK BACK ON
3-24-2000 (COULD NOT DUPLICATE PROBLEM - REPLACED SPARK PLUGS + IGN
WIRES. (CONT)

☆ U.S. G.P.O.: 1992 - 623-887 / 80086

U.S. Department
of Transportation
National Highway
Traffic Safety
Administration

400 Seventh St., S.W.
Washington, D.C. 20590

Official Business
Penalty for Private Use \$300

BUSINESS REPLY MAIL

FIRST CLASS PERMIT NO. 73173 WASHINGTON, D.C.


POSTAGE WILL BE PAID BY NATL HWY TRAFFIC SAFETY ADMIN

U.S. Department of Transportation
National Highway Traffic Safety Administration
Information Management Staff NSA-10.01
400 7th Street, SW
Washington, DC 20590

NO POSTAGE
NECESSARY
IF MAILED
IN THE
UNITED STATES


**THE FOLLOWING PAGES ARE WITHHELD TO
PROTECT UNWARRANTED INVASION OF
PERSONAL PRIVACY PURSUANT TO
EXEMPTION 6 OF THE FREEDOM OF
INFORMATION ACT (FOIA), 5 U.S.C. 552(b)(6)**

(Page 1 through Page 6)




[The following text is a dense, continuous block of characters and symbols, appearing to be a corrupted or heavily redacted document. It contains no legible words or phrases.]


[The page contains a large, solid black rectangular area, likely representing redacted content or a placeholder for an image.]




[The page contains a large, faint, illegible watermark or bleed-through from the reverse side of the paper. The text is mirrored and cannot be transcribed accurately.]

[The page contains a large, solid black rectangular area, likely representing redacted content or a placeholder for an image.]







[The page contains a large, faint, illegible watermark or bleed-through from the reverse side of the paper. The text is mirrored and cannot be transcribed accurately.]

