



U.S. Department
of Transportation
**National Highway
Traffic Safety
Administration**

Auto Safety Hotline

Vehicle Owner's Questionnaire

NATIONWIDE 1-800-424-9393
DC METRO AREA (202) 366-0123
INTERNET: <http://www.nhtsa.dot.gov>

FOR AGENCY USE ONLY 1220

Date Received

10-APR-2002

Od_or _____
rt_dt _____
pd_rt _____
ip_lr _____

Reference No.

8007255

Do you authorize NHTSA to provide a copy of report to the manufacturer of your vehicle? ☐ YES ☐ NO
In the absence of an authorization, NHTSA WILL NOT provide your name and address to the vehicle manufacturer.

Signature of Owner _____ Date ____/____/____

VEHICLE INFORMATION

Vehicle Ident. No. (VIN) (Location at bottom of windshield and driver's side door)	Vehicle Make	Vehicle Model	Vehicle Year	Current Odometer Reading
1HD4CJM122K113536	HARLEY DAVIDSO	SPORTSTER	2002	
Purchase Date ☐ New ☒ Used	Dealer's Name _____ City _____ State _____ Zip Code _____		Engine Size (CID/CC/L) _____ No Cylinders _____	☐ Turbo ☐ Diesel ☐ Gas ☐ Fuel Injection
Transmission Type ☐ Manual ☐ Automatic	Antilock Brakes ☒ Yes ☐ No	Restraint System ☐ 3-Point Belt ☐ Motorbelt ☐ Driverside Airbag ☐ 2-Point Bel ☐ Passengerside Airbag	Cruise Control ☒ Yes ☐ No	Drive Train ☐ Front ☐ Rear ☐ 4-Wheel
Vehicle Type ☐ Car ☐ Sport Util ☐ Van ☐ Truck ☐ Minivan ☐ Motorcycle ☐ Other _____		Body Style ☐ 2-Door ☐ 4-Door ☐ Stationwagon ☐ Pick Up Truck ☒ Other _____		

FAILED COMPONENT(S)/PART(S) INFORMATION

Component 06212000	Part Name(s) FUEL:CARBURETOR:UNKNOWN TYPE:MANIFOLD:INTAKE	Location ☐ Left ☐ Right ☐ Front ☐ Rear	Failed Part(s) ☐ Original ☐ Replacement
No of Failure	Dates of Failure(s) _____ Mileage at Failure(s) _____ Vehicle Speed at Failure(s) _____	Failed Part(s) ☐ Yes ☐ No	NHTSA Previously ☐ Yes ☐ No

APPLICATION INCIDENT INFORMATION

(Please describe in detail the incident(s), Failure(s), Crash(es), and Injury(ies) on the back of this form)

Crash ☐ Yes ☐ No	Fire ☐ Yes ☐ No	Number of Persons Injured	Number of Fatalities	Estimated Property Damag	Reported to Police ☐ Yes ☐ No
---	--	---------------------------	----------------------	--------------------------	--

NARRATIVE DESCRIPTION OF FAILURE(S), INCIDENT(S), INJURY(IES)

WHILE DRIVING VEHICLE INTAKE MANIFOLF LEAKS AND MOTORCYCLE COMPLETELY SHUTSDOWN.
PLEASE PROVIDE ANY FURTHER INFORMATION.*AK

COPIES OF THIS FORM ARE:

The Privacy Act of 1974-Public Law 93-579 This information is requested pursuant to authority vested in the National Highway Traffic Safety Act and subsequent amendments. You are under no obligation to respond to this questionnaire. Your response may be used to assist the NHTSA in determining whether a manufacturer should take appropriate action to correct a safety defect. If the NHTSA proceeds with administrative enforcement or litigation against a manufacturer, your response, or a statistical summary thereof, may be used in support of the agency's action.

U.S. Department
of TransportationNational Highway
Traffic Safety
Administration

DOT Auto Safety Hotline

Vehicle Owner's Questionnaire (VOQ)

NATIONWIDE 1-888-DASH-2-DOT

1-888-327-4236

www.nhtsa.dot.gov/hotline

FOR AGENCY USE ONLY

1220

Date Received

DEFECT INVESTIGATION
10-APR-2002Defect
or
rt. dt
ed. rt
ip. yr

Reference No.

48007255

Work Number

Home Number

OWNER INFORMATION (Type or Print)

47663

Do you authorize NHTSA to provide a copy of report to the manufacturer of your vehicle?

☒ YES☐ NO

In the absence of your signature, NHTSA will use your name and address to the vehicle manufacturer.

Signature of Owner

Date 04/23/02

VEHICLE INFORMATION

Vehicle Ident. No. (VIN) (located at bottom of windshield on driver's side)

1HD4CJM122K113536

Vehicle Make

HARLEY DAVIDSON

Vehicle Model

SPORTSTER

Vehicle Year

2002

Current Odometer Reading

1500 mi.

Purchase Date

11-00

Dealer's Name Doyle's Harley Davidson

Engine Size

883

(CID/CC/L)

No Cylinders

2

☐ Turbo☐ Diesel☒ Gas☐ Fuel Injection☒ New ☒ Used

Not used

City Roseburg State OR Zip Code 97470

Transmission Type

☒ Manual☐ Automatic

Antilock Brakes

☒ Yes☐ No

Restraint System

☐ 3-Point Belt☐ Motorbelt☐ Driverside Airbag☐ 2-Point Belt☐ Passengerside Airbag

Cruise Control

☒ Yes☐ No

Drive Train

☐ Front☐ Rear☐ 4-Wheel

Vehicle Type

☐ Car☐ Van☐ Minivan☐ Other☐ Sport Utl☐ Truck☒ Motorcycle

Body Style

☐ 2-Door☐ 4-Door☐ Stationwagon☐ Pick Up☒ Truck

FAILED COMPONENT(S)/PART(S) INFORMATION

Component

06212000

Part Name(s)

FUEL CARBURETOR; UNKNOWN TYPE; MANIFOLD; INTAKE

Location

☐ Left☐ Front☐ Right☐ Rear

Failed Part(s)

☒ Original☐ Replacement

No of Failures

4

Date(s) of Failure(s) Dec Jan Feb MarchMileage at Failure(s) 6 less than 5000Vehicle Speed at Failure(s) Start from stop

Failed Part(s)

☒ Yes☐ No

NHTSA Previously

☒ Yes☐ No

APPLICATION INCIDENT INFORMATION

(Please describe in detail the incident(s), failure(s), crash(es), and injury(ies) on the back of this form)

Crash

☐ Yes☒ No

Fire

☐ Yes☐ No

Number of Persons Injured

Number of Fatalities

Estimated Property Damage

Reported to Police

☐ Yes☐ No

NARRATIVE DESCRIPTION OF FAILURE(S), INCIDENT(S), INJURY(IES)

WHILE DRIVING VEHICLE INTAKE MANIFOLD LEAKS AND MOTORCYCLE COMPLETELY SHUTSDOWN. PLEASE PROVIDE ANY FURTHER INFORMATION.*AK

Bike is registered in son's name

Damon McAnelly

CONTINUE ON BACK IF NEEDED

The Privacy Act of 1974 (Public Law 93-579) This information is requested pursuant to authority vested in the National Highway Traffic Safety Act and subsequent amendments. You are under no obligation to respond to this questionnaire. Your response may be used to assist the NHTSA in determining whether a manufacturer should take appropriate action to correct a safety defect. If the NHTSA proceeds with administrative enforcement or litigation against a manufacturer your response, or a statistical summary thereof, may be used in support of the agency's action.

Went to take off from stop, Put Feet on Pegs from stop to start off. Bike would stall out before I could get feet Planted back off bike to keep from falling. Dropped bike twice. Once on right turn, Once on left turn. Mirrors are scratched, Clutch lever is Bent, Brake Lever is broken, Primary Cover is scratched, Pipes are scratched, All of these scratches are deep. Talked to Reps. from Doyle's a minimum of 5 times about Peppering or backfiring and total shutdown. Was told because bike has to meet EPA Guidelines, bike has to run lean. Pipes have to be restrictive on 5mog. Not happy with explanations, excuses to customer service.

U.S. Department of Transportation
National Highway Traffic Safety
Administration
<https://www.nhtsa.dot.gov/nohwa>