



U.S. Department
of Transportation
**National Highway
Traffic Safety
Administration**

Auto Safety Hotline

Vehicle Owner's Questionnaire

NATIONWIDE 1-800-424-9393
DC METRO AREA (202) 366-0123
INTERNET: <http://www.nhtsa.dot.gov>

FOR AGENCY USE ONLY 336

Date Received

22-APR-2002

Od_or _____
rt_dt _____
od_rt _____
rp_lr _____

Reference No.

8008223

Do you authorize NHTSA to provide a copy of report to the manufacturer of your vehicle? ☐ YES ☐ NO
In the absence of an authorization, NHTSA WILL NOT provide your name and address to the vehicle manufacturer.

Signature of Owner _____ Date ____/____/____

VEHICLE INFORMATION

Vehicle Ident. No. (VIN) (Locate at bottom of windshield or driver's side)		Vehicle Make	Vehicle Model	Vehicle Year	Current Odometer Reading
1FDXE40S8WHA56797		FIRESTONE	STEEL TEX	1900	
Purchase Date	Dealer's Name _____		Engine Size (CID/CC/L) _____	☐ Turbo ☐ Diesel ☐ Gas ☐ Fuel Injection	
☐ New ☒ Used	City _____ State _____ Zip Code _____		No Cylinders _____		
Transmission Type	Antilock Brakes	Restraint System	Cruise Control	Drive Train	Vehicle Type
☐ Manual ☐ Automatic	☐ Yes ☐ No	☐ 3-Point Belt ☐ Driverside Airbag ☐ Passengerside Airbag ☐ Motorbelt ☐ 2-Point Bel	☐ Yes ☐ No	☐ Front ☐ Rear ☐ 4-Wheel	☐ Car ☐ Van ☐ Minivan ☐ Other _____
					☐ Sport Util ☐ Truck ☐ Motorcycle ☒ Other _____
					☐ 2-Door ☐ 4-Door ☐ Stationwagon ☐ Pick Up Truck ☒ Other _____

FAILED COMPONENT(S)/PART(S) INFORMATION

Component 02740000	Part Name(s) TIRES:TREAD	Location ☐ Left ☐ Right ☐ Front ☐ Rear	Failed Part(s) ☐ Original ☐ Replacement
No of Failure	Dates of Failure(s) 11-DEC-2000	Failed Part(s) ☐ Yes ☐ No	NHTSA Previously ☐ Yes ☐ No
	Mileage at Failure(s) 28000		
	Vehicle Speed at Failure(s)		

APPLICATION INCIDENT INFORMATION

(Please describe in detail the incident(s), Failure(s), Crash(es), and injury(ies) on the back of this form)

Crash ☐ Yes ☐ No	Fire ☐ Yes ☐ No	Number of Persons Injured	Number of Fatalities	Estimated Property Damag	Reported to Police ☐ Yes ☐ No
---	--	---------------------------	----------------------	--------------------------	--

NARRATIVE DESCRIPTION OF FAILURE(S), INCIDENT(S), INJURY(IES)

ORIGINAL TIRES DOT VO1L1XD417 R4S LT225/75R16 MS ROAD RANGE E. ON DEC 11, 2001CASTING CAME OFF THE RIGHT REAR INSIDE DUELLER. TIRE SEPARATED AND STAYED INFLATED. LEFT REAR INSIDE DUELLER FAILED ON MARCH 26, 2002 TREAD COMPLETELY CAME OFF AND STUCK UNDER VEHICLE. PLEASE PROVIDE ANY FURTHER INFORMATION.*AK

COPIES OF THIS FORM ARE:

The Privacy Act of 1974-Public Law 93-579 This information is requested pursuant to authority vested in the National Highway Traffic Safety Act and subsequent amendments. You are under no obligation to respond to this questionnaire. Your response may be used to assist the NHTSA in determining whether a manufacturer should take appropriate action to correct a safety defect. If the NHTSA proceeds with administrative enforcement or litigation against a manufacturer, your response, or a statistical summary thereof, may be used in support of the agency's action.



U.S. Department
of Transportation
National Highway
Traffic Safety
Administration

DOT Auto Safety Hotline

Vehicle Owner's Questionnaire (VOQ)

NATIONWIDE 1-888-DASH-2-DOT
1-888-327-4236
www.nhtsa.dot.gov/hotline

FOR AGENCY USE ONLY 333

Date Received

22-APR-2002

DEFECTS DIVISION

do or
rt dt
ed rt
up lr

Reference No.
8008223

OWNER INFORMATION (Type or Print)

749610

Work Number

Home Number

SAME

Do you authorize NHTSA to provide a copy of report to the manufacturer of your vehicle?

☒ YES

☐ NO

In the absence of a signature, please print name and address to the vehicle manufacturer.

Signature of Owner

Date 5/24/02

VEHICLE INFORMATION

Vehicle Ident. No. (VIN) (Located on column or windshield on driver's side)	Vehicle Make	Vehicle Model	Vehicle Year	Current Odometer Reading
1FDXE40S8WHA56797	FIRESTONE	STEEL TEX	78 1996	30632

Purchase Date

Sept 1998

Dealer's Name Walker's RV Sales

Engine Size
(CID/CC/L)

No Cylinders 10

☐ Turbo
☐ Diesel
☐ Gas
☒ Fuel Injected

☒ New ☐ Used

City Oklahoma State OK Zip Code

Transmission Type	Antilock Brakes	Restraint System	Cruise Control	Drive Train	Vehicle Type	Body Style
☐ Manual ☒ Automatic	☒ Yes ☐ No	☐ 3-Point Belt ☒ Driverside Airbag ☐ Motorbelt ☐ 2-Point Belt ☒ Passengerside Airbag	☒ Yes ☐ No	☐ Front ☒ Rear ☐ 4-Wheel	☐ Car ☐ Van ☐ Minivan ☒ Other Motor home	☐ Sport Ult ☐ Truck ☐ Motorcycle ☒ 2-Door ☐ 4-Door ☐ Stationwagon ☐ Pick Up ☒ Truck RV

FAILED COMPONENT(S)/PART(S) INFORMATION

Component 02740000	Part Name(s) TIRES: TREAD	Location ☐ Left ☐ Front ☒ Right ☒ Rear	Failed Part(s) ☒ Original ☐ Replacement
No of Failures 2	Date(s) of Failure(s) 11-DEC-2001 & 03/26/02 Mileage at Failure(s) 28080 & 29964 Vehicle Speed at Failure(s) Approx 40 MPH & Approx 50 MPH	Failed Part(s) ☒ Yes ☐ No	NHTSA Previously ☐ Yes ☐ No

APPLICATION INCIDENT INFORMATION

(Please describe in detail the incident(s), Failure(s), Crash(es), and injury(ies) on the back of this form)

Crash ☐ Yes ☒ No	Fire ☐ Yes ☒ No	Number of Persons Injured 0	Number of Fatalities 0	Estimated Property Damage 0	Reported to Police ☐ Yes ☒ No
---	--	--------------------------------	---------------------------	--------------------------------	--

NARRATIVE DESCRIPTION OF FAILURE(S), INCIDENT(S), INJURY(IES)

ORIGINAL TIRES DOT VO1L1XD417 R4S LT225/75R16 MS ROAD RANGE E. ON DEC 11, 2001 CASTING CAME OFF THE RIGHT REAR INSIDE DUELLER. TIRE SEPARATED AND STAYED INFLATED. LEFT REAR INSIDE DUELLER FAILED ON MARCH 26, 2002 TREAD COMPLETELY CAME OFF AND STUCK UNDER VEHICLE. PLEASE PROVIDE ANY FURTHER INFORMATION.*AK


Thank goodness that I was in a speed zone and not at highway speed on both occurrence and was able to exit the highway safely. I have 5 more of this type & size tire left on my vehicle.

CONTINUE ON BACK IF NEEDED

The Privacy Act of 1974 Public Law 93-579 This information is requested pursuant to authority vested in the National Highway Traffic Safety Act and subsequent amendments. You are under no obligation to respond to this questionnaire. Your response may be used to assist the NHTSA in determining whether a manufacturer should take appropriate action to correct a safety defect. If the NHTSA proceeds with administrative enforcement or litigation against a manufacturer, your response, or a statistical summary thereof, may be used in support of the agency's action.

**THE FOLLOWING PAGES ARE WITHHELD TO
PROTECT UNWARRANTED INVASION OF
PERSONAL PRIVACY PURSUANT TO
EXEMPTION 6 OF THE FREEDOM OF
INFORMATION ACT (FOIA), 5 U.S.C. 552(b)(6)**

(Page 1 through Page 2)



 U.S. Department of Transportation National Highway Traffic Safety Administration		Vehicle Owner's Questionnaire (VOQ) DOT Auto Safety Hotline	
FOR AGENCY USE ONLY 336		DATE RECEIVED 22-APR-2002	
REFERENCE NO. 8008223		OWNER INFORMATION (Type or Print) 749610	
WORK NUMBER [Redacted]		HOME NUMBER [Redacted]	
Do you authorize NHTSA to provide a copy of report to the manufacturer of your vehicle? ☒ YES ☐ NO			
In the absence of an authorization, NHTSA will NOT provide your name and address to the vehicle manufacturer.			
SIGNATURE OF OWNER [Redacted Signature]			
VEHICLE INFORMATION			
Vehicle Identification No. (VIN) (located at bottom of windshield on driver's side) 1FDXE40S8WH456797		Vehicle Make FIRESTONE	
Vehicle Year 1998		Vehicle Model STEEL TEX	
Current Odometer Reading 30632		Purchase Date Sept. 1998	
City Oklahoma		State OK	
Zip Code 73101		Dealer's Name Walker's RV Sales	
Engine Size (CID/CC) 10		Fuel Injection ☒ Turbo ☐ Diesel ☐ Gas ☐ Fuel Injected	
Vehicle Type ☒ Motorhome ☐ Truck ☐ Station Wagon ☐ Pick Up ☐ 2-Door ☐ 4-Door		Transmission Type ☒ Automatic ☐ Manual	
Vehicle Type ☒ Car ☐ Van ☐ Minivan ☐ Other		Restraint System ☒ 3-Point Belt ☐ 2-Point Belt ☐ Motorbelt ☐ Driverside Airbag ☐ Passengerside Airbag	
Drive Type ☒ Front ☐ Rear ☐ 4-Wheel		Cruise Control ☒ Yes ☐ No	
Location ☐ Front ☐ Left ☐ Right		Tires/Tread 02740000	
Failed Parts ☐ Original ☐ Replacement		No of Failures 2	
Dates of Failures 11-DEC-2000 to 3/24/02		Mileage at Failures 28000 to 32969	
Failed Parts ☒ Yes ☐ No		Previously NHTSA ☐ Yes ☐ No	
APPLICATION INCIDENT INFORMATION (Please describe in detail the incident(s), failure(s), crash(es), and injury(ies) on the back of this form)			
NARRATIVE DESCRIPTION OF FAILURE(S), INCIDENT(S), INJURY(IES) ORIGINAL TIRES DOT VO1L1XD417 R4S LT225/75R16 MS ROAD RANGE E. ON DEC 11, 2001 CASTING CAME OFF THE RIGHT REAR INSIDE DUELLER. TIRE SEPARATED AND STAYED INFLATED. LEFT REAR INSIDE DUELLER FAILED ON MARCH 26, 2002 TREAD COMPLETELY CAME OFF AND STUCK UNDER VEHICLE. PLEASE PROVIDE ANY FURTHER INFORMATION. *AK Thank goodness that I was in a speed zone and not of highway speed on both occurrence and was able to exit the highway safely. I have 5 more of this type and size tire left on my vehicle.			
CONTINUE ON BACK IF NEEDED			

The Privacy Act of 1974 (Public Law 93-579) This information is requested pursuant to authority vested in the National Highway Traffic Safety Act and subsequent amendments. You are under no obligation to respond to this questionnaire. Your response may be used to assist the NHTSA in determining whether a manufacturer should take appropriate action to correct a safety defect. If the NHTSA proceeds with administrative enforcement or litigation against a manufacturer, your response, or a statistical summary thereof, may be used in support of the agency's action.

**THE FOLLOWING PAGES ARE WITHHELD TO
PROTECT UNWARRANTED INVASION OF
PERSONAL PRIVACY PURSUANT TO
EXEMPTION 6 OF THE FREEDOM OF
INFORMATION ACT (FOIA), 5 U.S.C. 552(b)(6)**

(Page 1 through Page 2)

