

U.S. Department
of TransportationNational Highway
Traffic Safety
Administration

DOT Auto Safety Hotline

Vehicle Owner's Questionnaire (VOQ)

NATIONWIDE 1-888-DASH-2-DOT

1-888-327-4236

www.nhtsa.dot.gov/hotline

FOR AGENCY USE ONLY

335

Date Received

27-APR-2000

Od_or _____

rt_dt _____

od_rt _____

up_ltr _____

Reference No.

861061

Do you authorize NHTSA to provide a copy of report to the manufacturer of your vehicle? ☐ YES ☐ NO
 In the absence of an authorization, NHTSA WILL NOT provide your name and address to the vehicle manufacturer.

Signature of Owner _____ Date ____/____/____

VEHICLE INFORMATION

Vehicle Ident. No. (VIN.) (located at front of windshield or driver's side)	Vehicle Make	Vehicle Model	Vehicle Year	Current Odometer Reading
IB7KF2367XJ569970	DODGE TRUCK	2500	1999	

Purchase Date	Dealer's Name _____	Engine Size (CID/CCL) _____	☐ Turbo ☐ Diesel ☐ Gas ☐ Fuel Injection
☒ New ☐ Used	City _____ State _____ Zip Code _____	No. Cylinders _____	

Transmission Type ☐ Manual ☐ Automatic	Antilock Brakes ☒ Yes ☐ No	Restraint System ☐ 3-Point Belt ☐ Driverside Airbag ☐ Passengerside Airbag ☐ Motorbelt ☐ 2-Point Belt	Cruise Control ☐ Yes ☒ No	Drive Train ☐ Front ☐ Rear ☐ 4-Wheel	Vehicle Type ☐ Car ☐ Van ☐ Minivan ☐ Other ☐ Sport Utl ☐ Truck ☐ Motorcycle	Body Style ☐ 2-Door ☐ 4-Door ☐ Stationwagon ☒ Pick Up Truck ☐ Other _____
--	---	---	--	--	---	--

FAILED COMPONENT(S)/PART(S) INFORMATION

Component 02000000	Part Name(s) SUSPENSION	Location ☐ Left ☐ Front ☐ Right ☐ Rear	Failed Part(s) ☐ Original ☐ Replacement
No. of Failures 0	Dates of Failure(s) 01-JAN-1999 Mileage at Failure(s) 25000 Vehicle Speed at Failure(s) 55	Failed Part(s) Available? Yes No	NHTSA Previously Contacted? Yes No

APPLICATION INCIDENT INFORMATION

(Please describe in detail the incident(s), Failure(s), Crash(es), and injury(ies) on the back of this form)

Crash ☐ Yes ☒ No	Fire ☐ Yes ☒ No	Number of Persons Injured 0	Number of Fatalities 0	Estimated Property Damage	Reported to Police ☐ Yes ☒ No
--	---	--------------------------------	---------------------------	---------------------------	---

NARRATIVE DESCRIPTION OF FAILURE(S), INCIDENT(S), INJURY(IES)

THERES A PROBLEM WITH VEHICLE IT DRIFTING. IF TOWING VEHICLE AND IT,S DRIFTING, IT MAKES MATTERS WORSE. *AK

CONTINUE ON BACK IF NEEDED

The Privacy Act of 1974-Public Law 93-579 This information is requested pursuant to authority vested in the National Highway Traffic Safety Act and subsequent amendments. You are under no obligation to respond to this questionnaire. Your response may be used to assist the NHTSA in determining whether a manufacturer should take appropriate action to correct a safety defect. If the NHTSA proceeds with administrative enforcement or litigation against a manufacturer, your response, or a statistical summary thereof, may be used in support of the agency's action.



U.S. Department
of Transportation
National Highway
Traffic Safety
Administration

DOT Auto Safety Hotline

Vehicle Owner's Questionnaire (VOQ)

NATIONWIDE 1-888-DASH-2-DOT

1-888-327-4236

www.nhtsa.dot.gov/hotline

FOR AGENCY USE ONLY 335

RECEIVED

00 MAY 27 3 41 PM '02

OFFICE
SAFETY INVESTIGATION

Od or
rt dl
od rt
up ltr

Reference No.

861061

OWNER INFORMATION (Type or Print)

Work Number

Home Number

Do you authorize NHTSA to provide a copy of report to the manufacturer of your vehicle?

☒ YES☐ NO

In the absence of an authorization, NHTSA WILL NOT provide your name and address to the vehicle manufacturer.

Signature of Owner

Date 5/6/00

VEHICLE INFORMATION

Vehicle Ident. No. (VIN) (Located at bottom of windshield on driver's side)	Vehicle Make	Vehicle Model	Vehicle Year	Current Odometer Reading
1B7KF2367XJ669970	DODGE TRUCK	2500	1999	26500
Purchase Date	Dealer's Name	Engine Size (CID/CC/L)	☒ Turbo	☒ Diesel
☒ New ☐ Used	City	No Cylinders	☒ Gas	☒ Fuel Injection
Transmission Type	Antilock Brakes	Restraint System	Cruise Control	Drive Train
☐ Manual ☒ Automatic	☒ Yes ☐ No	☒ 3-Point Belt ☐ Motorbelt ☒ Driverside Airbag ☐ 2-Point Belt ☒ Passengerside Airbag	☒ Yes ☒ No	☐ Front ☐ Rear ☒ 4-Wheel
Vehicle Type	Body Style			
☐ Car ☐ Van ☐ Minivan ☐ Other	☐ Sport Ute ☒ Truck ☐ Motorcycle ☐ 2-Door ☐ 4-Door ☐ Stationwagon ☒ Pick Up Truck ☐ Other			

FAILED COMPONENT(S)/PART(S) INFORMATION

Component 02000000	Part Name(s) SUSPENSION	Location ☐ Left ☐ Front ☐ Right ☐ Rear	Failed Part(s) ☐ Original ☐ Replacement
No of Failures 0	Date(s) of Failure(s) 01 JAN 1999 Mileage at Failure(s) 25000 Vehicle Speed at Failure(s) 55	Failed Part(s) Available? ☐ Yes ☐ No	NHTSA Previously Contacted? ☐ Yes ☒ No

APPLICATION INCIDENT INFORMATION

(Please describe in detail the incident(s), failure(s), crash(es), and injury(ies) on the back of this form)

Crash ☐ Yes ☒ No	Fire ☐ Yes ☒ No	Number of Persons Injured 0	Number of Fatalities 0	Estimated Property Damage	Reported to Police ☐ Yes ☒ No
--	---	--------------------------------	---------------------------	---------------------------	---

NARRATIVE DESCRIPTION OF FAILURE(S), INCIDENT(S), INJURY(IES)

THERES A PROBLEM WITH VEHICLE, ITS DRIFTING. IF TOWING VEHICLE AND ITS DRIFTING, IT MAKES MATTERS WORSE. *AK

constant correction needed, truck doesn't track true
work was done twice to remedy problem
Service writer told me front suspension design was
changed after 1997, he says its an

CONTINUE ON BACK IF NEEDED

The Privacy Act of 1974-Public Law 93-579 This information is requested pursuant to authority vested in the National Highway Traffic Safety Act and subsequent amendments. You are under no obligation to respond this questionnaire. Your response may be used to assist the NHTSA in determining whether a manufacturer should take appropriate action to correct a safety defect. If the NHTSA proceeds with administrative enforcement or litigation against a manufacturer, your response, or a statistical summary thereof, may be used in support of the agency's action.

Fold to show Return Address (no stamp needed) Fasten with tape or staple and mail

INFORMATION ON TIRE FAILURE(S) (IF APPLICABLE)

TIRE IDENTIFICATION NO.*

D O T


MANUFACTURER/TIRE NAME

SIZE

* The identification number consists of 7 to 10 letters and numerals following the letters DOT. It is usually located near the rim flange on the side opposite the whitewall or on either side of a blackwall tire.

NARRATIVE DESCRIPTION (CONTINUED)

ongoing complaint. When towing, problem worsens.
A \$38000.00 vehicle should steer straight in my
opinion.



☆ U.S. G.P.O.: 1982-623-657 / 50086

U.S. Department
of Transportation

National Highway
Traffic Safety
Administration

400 Seventh St., S.W.
Washington, D.C. 20590

Official Business
Penalty for Private Use \$300



NO POSTAGE
NECESSARY
IF MAILED
IN THE
UNITED STATES

BUSINESS REPLY MAIL

FIRST CLASS PERMIT NO. 73173 WASHINGTON, D.C.

POSTAGE WILL BE PAID BY NATL HWY TRAFFIC SAFETY ADMIN.

U.S. Department of Transportation
National Highway Traffic Safety Administration
Auto Safety Hotline, NEF-11 HL
400 7th Street, SW
Washington, DC 20590

