

U.S. Department
of TransportationNational Highway
Traffic Safety
Administration

DOT Auto Safety Hotline

Vehicle Owner's Questionnaire (VOQ)

NATIONWIDE 1-888-DASH-2-DOT

1-888-327-4236

www.nhtsa.dot.gov/hotline

FOR AGENCY USE ONLY

118

Date Received

09-MAY-2000

 Od_or _____
 Rt_dt _____
 Od_rt _____
 Up_ltr _____

Reference No.

861646

 Do you authorize NHTSA to provide a copy of report to the manufacturer of your vehicle? ☐ YES ☐ NO
 In the absence of an authorization, NHTSA WILL NOT provide your name and address to the vehicle manufacturer.

Signature of Owner _____ Date ____/____/____

VEHICLE INFORMATION

Vehicle Ident. No. (VIN.) (located at front of vehicle or driver's side)	Vehicle Make	Vehicle Model	Vehicle Year	Current Odometer Reading
JN1HJ01F6NT027506	NISSAN	MAXIMA	1992	

Purchase Date	Dealer's Name _____	Engine Size (CID/CC/L) _____	☐ Turbo ☐ Diesel ☐ Gas ☐ Fuel Injection
☒ New ☐ Used	City _____ State _____ Zip Code _____	No. Cylinders _____	

Transmission Type ☐ Manual ☐ Automatic	Antilock Brakes ☐ Yes ☒ No	Restraint System ☐ 3-Point Belt ☒ Driverside Airbag ☐ Passengerside Airbag ☐ Motorbelt ☒ 2-Point Belt	Cruise Control ☐ Yes ☒ No	Drive Train ☐ Front ☐ Rear ☐ 4-Wheel	Vehicle Type ☐ Car ☐ Van ☐ Minivan ☐ Other _____ ☐ Sport Utl ☐ Truck ☐ Motorcycle	Body Style ☐ 2-Door ☐ 4-Door ☐ Stationwagon ☐ Pick Up Truck ☐ Other _____
--	---	---	--	--	---	---

FAILED COMPONENT(S)/PART(S) INFORMATION

Component 12270000	Part Name(s) INTERIOR SYSTEMS;RESTRANIBELT WARNING SYSTEM	Location ☐ Left ☐ Front ☐ Right ☐ Rear	Failed Part(s) ☐ Original ☐ Replacement
No. of Failures	Date(s) of Failure(s) <u>26-APR-2000</u> Mileage at Failure(s) <u>07600</u> Vehicle Speed at Failure(s) _____	Failed Part(s) Available? Yes No	NHTSA Previously Contacted? Yes No

APPLICATION INCIDENT INFORMATION

(Please describe in detail the incident(s), Failure(s), Crash(es), and injury(ies) on the back of this form)

Crash ☐ Yes ☒ No	Fire ☐ Yes ☒ No	Number of Persons Injured	Number of Fatalities	Estimated Property Damage	Reported to Police ☐ Yes ☒ No
--	---	---------------------------	----------------------	---------------------------	---

NARRATIVE DESCRIPTION OF FAILURE(S), INCIDENT(S), INJURY(IES)

WHILE DRIVING SEAT BELT WARNING SYSTEM CHIMES, AND THE WARNING LIGHT COMES ON AND GOES OFF AFTER 40 SECONDS. DEALER HAS BEEN NOTIFIED ABOUT THE PROBLEM. VEHICLE WILL BE CHECKED FOR THE PROBLEM. PLEASE PROVIDE ANY FURTHER INFORMATION. *AK

CONTINUE ON BACK IF NEEDED

The Privacy Act of 1974-Public Law 93-579 This information is requested pursuant to authority vested in the National Highway Traffic Safety Act and subsequent amendments. You are under no obligation to respond to this questionnaire. Your response may be used to assist the NHTSA in determining whether a manufacturer should take appropriate action to correct a safety defect. If the NHTSA proceeds with administrative enforcement or litigation against a manufacturer, your response, or a statistical summary thereof, may be used in support of the agency's action.



U.S. Department
of Transportation
National Highway
Traffic Safety
Administration

DOT Auto Safety Hotline

Vehicle Owner's Questionnaire (VOQ)

NATIONWIDE 1-888-DASH-2-DOT

1-888-327-4236

www.nhtsa.dot.gov/hotline

FOR AGENCY USE ONLY 118

DATE RECEIVED

ON JUN 20 PM 1:18
09-MAY-2000

OFFICE
EFFECTS INVESTIGATION

Of or
at
od rt
up str

Reference No.

861645

OWNER INFORMATION (Type or Print)

Work Number

Home Number

Do you authorize NHTSA to provide a copy of report to the manufacturer of your vehicle?
in the absence of your signature, name and address to the vehicle manufacturer.

☒ YES ☐ NO

Signature of Owner

Date 6/12/2000

VEHICLE INFORMATION

Vehicle Ident. No. (VIN) (Located at bottom of windshield on driver's side) Vehicle Make Vehicle Model Vehicle Year Current Odometer Reading

JN1HJ01F6NT027608

NISSAN

MAXIMA

1992

89,100

Purchase Date

10/92

Dealer's Name

Pence Nissan

Engine Size

V-6

☐ Turbo

☐ Diesel

☒ Gas

☐ Fuel Injection

☒ New ☐ Used

CITY

Midlothian

State

VA

Zip Code

23112

Transmission Type

Antilock Brakes

Restraint System

Cruise Control

Drive Train

Vehicle Type

Body Style

☐ Manual

☒ Yes

☐ 3-Point Belt

☐ Motorbelt

☒ Yes

☐ Front

☐ Sport Ut

☐ Truck

☒ 2-Door

☒ Automatic

☒ No

☒ Driverside Airbag

☒ 2-Point Belt

☒ No

☐ Rear

☒ 4-Wheel

☐ Minivan

☐ Motorcycle

☐ Stationwagon

☐ Pick Up Truck

☐ Other

FAILED COMPONENT(S)/PART(S) INFORMATION

Component Part Name(s) Location Failed Part(s)

12276000

INTERIOR SYSTEMS:RESTRAINT:BELT WARNING SYSTEM

Left

Front

Right

Rear

☒ Original

☐ Replacement

No of Failures

Date(s) of Failure(s)

28-APR-2000

Mileage at Failure(s)

87000

Vehicle Speed at Failure(s)

Failed Part(s)

Available?

☐ Yes ☐ No

NHTSA Previously

Contacted?

☐ Yes ☒ No

APPLICATION INCIDENT INFORMATION

(Please describe in detail the incident(s), Failure(s), Crash(es), and Injury(ies) on the back of this form)

Crash Fire Number of Persons Injured Number of Fatalities Estimated Property Damage Reported to Police

☐ Yes

☒ No

☐ Yes

☒ No

...

...

...

☐ Yes

☒ No

NARRATIVE DESCRIPTION OF FAILURE(S), INCIDENT(S), INJURY(IES)

WHILE DRIVING SEAT BELT WARNING SYSTEM CHIMES, AND THE WARNING LIGHT COMES ON AND GOES OFF AFTER 40 SECONDS. DEALER HAS BEEN NOTIFIED ABOUT THE PROBLEM. VEHICLE WILL BE CHECKED FOR THE PROBLEM. PLEASE PROVIDE ANY FURTHER INFORMATION. *AK

CONTINUE ON BACK IF NEEDED

The Privacy Act of 1974-Public Law 93-579 This information is requested pursuant to authority vested in the National Highway Traffic Safety Act and subsequent amendments. You are under no obligation to respond this questionnaire. Your response may be used to assist the NHTSA in determining whether a manufacturer should take appropriate action to correct a safety defect. If the NHTSA proceeds with administrative enforcement or litigation against a manufacturer, your response, or a statistical summary thereof, may be used in support of the agency's action.

Fold to show Return Address (no stamp needed) Fasten with tape or staple and mail

INFORMATION ON TIRE FAILURE(S) (IF APPLICABLE)

TIRE IDENTIFICATION NO.*

D O T

MANUFACTURER/TIRE NAME

SIZE

* The identification number consists of 7 to 10 letters and numerals following the letters DOT. It is usually located near the rim flange on the side opposite the whitewall or on either side of a blackwall tire.

NARRATIVE DESCRIPTION (CONTINUED)


Have not had an opportunity to go to the dealership to determine the extent of the seat belt problem or get an estimate of the repair costs.

★ U.S. G.P.O.: 1992 - 623-897 / 60368

U.S. Department
of Transportation
**National Highway
Traffic Safety
Administration**

400 Seventh St., S.W.
Washington, D.C. 20590

Official Business
Penalty for Private Use \$300



NO POSTAGE
NECESSARY
IF MAILED
IN THE
UNITED STATES

BUSINESS REPLY MAIL

FIRST CLASS PERMIT NO. 73173 WASHINGTON, D.C.

POSTAGE WILL BE PAID BY NATL HWY TRAFFIC SAFETY ADMIN.

U.S. Department of Transportation
National Highway Traffic Safety Administration
Auto Safety Hotline, NEF-11 HL
400 7th Street, SW
Washington, DC 20590

