

U.S. Department
of TransportationNational Highway
Traffic Safety
Administration

DOT Auto Safety Hotline

Vehicle Owner's Questionnaire (VOQ)

NATIONWIDE 1-888-DASH-2-DOT

1-888-327-4236

www.nhtsa.dot.gov/hotline

FOR AGENCY USE ONLY

117

Date Received

06-JUN-2000

Od_or

rt_dt

od_rt

up_ltr

Reference No.

863114

Do you authorize NHTSA to provide a copy of report to the manufacturer of your vehicle? ☐ YES ☐ NO
 In the absence of an authorization, NHTSA WILL NOT provide your name and address to the vehicle manufacturer.

Signature of Owner _____ Date ____/____/____

VEHICLE INFORMATION

Vehicle Ident. No. (VIN) (located at front of windshield or driver's side)	Vehicle Make	Vehicle Model	Vehicle Year	Current Odometer Reading
3B7KF2262WG229966	DODGE TRUCK	2500	1998	

Purchase Date	Dealer's Name _____	Engine Size (CID/CCL) _____	☐ Turbo ☐ Diesel ☐ Gas ☐ Fuel Injection
☐ New ☒ Used	City _____ State _____ Zip Code _____	No. Cylinders _____	

Transmission Type ☐ Manual ☐ Automatic	Antilock Brakes ☒ Yes ☐ No	Restraint System ☒ 3-Point Belt ☐ Driverside Airbag ☐ Passengerside Airbag ☐ Motorbelt ☐ 2-Point Belt	Cruise Control ☒ Yes ☐ No	Drive Train ☐ Front ☐ Rear ☐ 4-Wheel	Vehicle Type ☐ Car ☐ Van ☐ Minivan ☐ Other	Body Style ☐ Sport Vlt ☐ Truck ☐ Motorcycle ☐ 2-Door ☐ 4-Door ☐ Stationwagon ☐ Pick Up Truck ☐ Other
--	---	--	--	--	--	--

FAILED COMPONENT(S)/PART(S) INFORMATION

Component 03250000 03270000 03264000	Part Name(s) BRAKES:HYDRAULIC:ANTI-SKID SYSTEM BRAKES:HYDRAULIC:SHOE:DISC BRAKE SYSTEM BRAKES:HYDRAULIC:SHOE AND DRUM SYSTEM:DRUM	Location ☐ Left ☐ Front ☐ Right ☐ Rear	Failed Part(s) ☐ Original ☐ Replacement
No. of Failures 5	Date(s) of Failure(s) _____ Mileage at Failure(s) 27 Vehicle Speed at Failure(s) 40	Failed Part(s) Available? Yes No	NHTSA Previously Contacted? Yes No

APPLICATION INCIDENT INFORMATION

(Please describe in detail the incident(s), failure(s), crash(es), and injury(ies) on the back of this form)

Crash ☐ Yes ☒ No	Fire ☐ Yes ☒ No	Number of Persons Injured 0	Number of Fatalities 0	Estimated Property Damage	Reported to Police ☐ Yes ☒ No
--	---	--------------------------------	---------------------------	---------------------------	---

NARRATIVE DESCRIPTION OF FAILURE(S), INCIDENT(S), INJURY(IES)

REAR (ABS) BRAKES WOULD CAUSE A SHIMMYING EFFECT WHEN APPLIED. PROBLEM HAD OCCURRED TWICE BEFORE. FRONT (ABS) BRAKES WERE THREE TIMES REPLACED, INCLUDING PADS AND SHOES/ROTORS AND CALIPERS. TOOK VEHICLE TO DEALERSHIP & WAS INFORMED THAT DRUMS NEEDED TO BE CUT. THE PROBLEM WAS INTERMITTENT. "AK"

CONTINUE ON BACK IF NEEDED

The Privacy Act of 1974-Public Law 93-579 This information is requested pursuant to authority vested in the National Highway Traffic Safety Act and subsequent amendments. You are under no obligation to respond to this questionnaire. Your response may be used to assist the NHTSA in determining whether a manufacturer should take appropriate action to correct a safety defect. If the NHTSA proceeds with administrative enforcement or litigation against a manufacturer, your response, or a statistical summary thereof, may be used in support of the agency's action.

U.S. Department
of TransportationNational Highway
Traffic Safety
Administration

DOT Auto Safety Hotline

Vehicle Owner's Questionnaire (VOQ)

NATIONWIDE 1-888-DASH-2-DOT

1-888-327-4236

www.nhtsa.dot.gov/hotline

FOR AGENCY USE ONLY 117

Date Received

JUN 27 PM 3:56
06-JUN-2000OFFICE
DEFECTS INVESTIGATION
 Od_or _____
 rt_dt _____
 od_rt _____
 up_itr _____

Reference No.

853114

OWNER INFORMATION (Type or Print)

12871

Work Number

Home

Do you authorize NHTSA to provide a copy of report to the manufacturer of your vehicle?

☐ YES☐ NO

In the absence of an authorization, NHTSA WILL NOT provide your name and address to the vehicle manufacturer.

Signature of Owner

Date / /

VEHICLE INFORMATION

 Vehicle Ident. No. (VIN) (Located at bottom of windshield on driver's side) 3B7KF2262WG229966
 Vehicle Make DODGE TRUCK
 Vehicle Model 2600
 Vehicle Year 1998
 Current Odometer Reading

Purchase Date

Dealer's Name

Dutchess Auto

Engine Size
(CID/CC/L)
☒ Turbo
☐ Diesel
☐ Gas
☒ Fuel Injection
☐ New ☒ Used

City Poughkeepsie State NY Zip Code 12601

No Cylinders

6

Transmission Type ☐ Manual ☒ Automatic	Antilock Brakes ☒ Yes ☐ No	Restraint System ☒ 3-Point Belt ☐ Driverside Airbag ☐ Passengerside Airbag ☐ Motorbelt ☐ 2-Point Belt	Cruise Control ☒ Yes ☐ No	Drive Train ☐ Front ☐ Rear ☒ 4-Wheel	Vehicle Type ☐ Car ☐ Van ☐ Minivan ☐ Other	Body Style ☒ 2-Door ☐ 4-Door ☐ Stationwagon ☐ Pick Up Truck ☐ Other
---	---	--	--	---	--	--

FAILED COMPONENT(S)/PART(S) INFORMATION

Component 03250000 03270000 03284000	Part Name(s) BRAKES:HYDRAULIC:ANTI-SKID SYSTEM BRAKES:HYDRAULIC:SHOE:DISC BRAKE SYSTEM BRAKES:HYDRAULIC:SHOE AND DRUM SYSTEM:DRUM	Location ☒ Left ☒ Front ☐ Right ☒ Rear	Failed Part(s) ☐ Original ☐ Replacement
No of Failures 5	Date(s) of Failure(s) 7 times between Feb 99 & Nov Mileage at Failure(s) 27 Vehicle Speed at Failure(s) 40	Failed Part(s) Available? ☒ Yes ☐ No	NHTSA Previously Contacted? ☐ Yes ☒ No

APPLICATION INCIDENT INFORMATION

(Please describe in detail the incident(s), Failure(s), Crash(es), and injury(ies) on the back of this form)

Crash ☐ Yes ☒ No	Fire ☐ Yes ☒ No	Number of Persons Injured 0	Number of Fatalities 0	Estimated Property Damage	Reported to Police ☐ Yes ☒ No
--	---	--------------------------------	---------------------------	---------------------------	---

NARRATIVE DESCRIPTION OF FAILURE(S), INCIDENT(S), INJURY(IES)

REAR (ABS) BRAKES WOULD CAUSE A SHIMMYING EFFECT WHEN APPLIED. PROBLEM HAD OCCURRED TWICE BEFORE. FRONT (ABS) BRAKES WERE THREE TIMES REPLACED, INCLUDING PADS AND SHOES/ROTORS AND CALIPERS. TOOK VEHICLE TO DEALERSHIP & WAS INFORMED THAT DRUMS NEEDED TO BE CUT. THE PROBLEM WAS INTERMITTENT. *AK

CONTINUE ON BACK IF NEEDED

The Privacy Act of 1974-Public Law 93-579 This information is requested pursuant to authority vested in the National Highway Traffic Safety Act and subsequent amendments. You are under no obligation to respond this questionnaire. Your response may be used to assist the NHTSA in determining whether a manufacturer should take appropriate action to correct a safety defect. If the NHTSA proceeds with administrative enforcement or litigation against a manufacturer, your response, or a statistical summary thereof, may be used in support of the agency's action.

INFORMATION ON TIRE FAILURE(S) (IF APPLICABLE)

THE IDENTIFICATION NO. *

~~DO: 3A KIF 226 LV~~

MANUFACTURER/TIRE NAME

Boyle

SIZE

2500

* The identification number consists of 7 to 10 letters and numerals following the letters DOT. It is usually located near the rim flange on the side opposite the whitewall or on either side of a blackwall tire.

NARRATIVE DESCRIPTION (CONTINUED)

I'll Have Pull in front and shimming
effect in rear - dealer. Met with regional
manager whom offered me a deal to trade
my truck for 10 K and the difference
in price is over list price for the truck
My truck has about 5 1/2" in extras
and is worth a lot more than that.

☆ U.S. G.P.O.: 1982-623-697 / 500896

**National Highway
Traffic Safety
Administration**

400 Seventh St., S.W.
Washington, D.C. 20590

Official Business
Penalty for Private Use \$300



NO POSTAGE
NECESSARY
IF MAILED
IN THE
UNITED STATES

BUSINESS REPLY MAIL

FIRST CLASS PERMIT NO. 73173 WASHINGTON, D.C.

POSTAGE WILL BE PAID BY NATL HWY TRAFFIC SAFETY ADMIN.

U.S. Department of Transportation
National Highway Traffic Safety Administration
Information Management Staff NSA-10.01
400 7th Street, SW
Washington, DC 20590

20530+0001 11111111111111111111111111111111