

U.S. Department
of TransportationNational Highway
Traffic Safety
Administration

DOT Auto Safety Hotline

Vehicle Owner's Questionnaire (VOQ)

NATIONWIDE 1-888-DASH-2-DOT

1-888-327-4236

www.nhtsa.dot.gov/hotline

FOR AGENCY USE ONLY

252

Date Received

04-AUG-2000

Od_or

rt_dt

od_rt

up_ltr

Reference No.

866876

Do you authorize NHTSA to provide a copy of report to the manufacturer of your vehicle? ☐ YES ☐ NO
 In the absence of an authorization, NHTSA WILL NOT provide your name and address to the vehicle manufacturer.

Signature of Owner

Date ____/____/____

VEHICLE INFORMATION

Vehicle Ident. No. (VIN.) (located at front of vehicle or driver's side)	Vehicle Make	Vehicle Model	Vehicle Year	Current Odometer Reading
1FMDY32P1TZB77203	FORD TRUCK	EXPLORER	1996	

Purchase Date	Dealer's Name	Engine Size (CID/CCL)	☐ Turbo ☐ Diesel ☐ Gas ☐ Fuel Injection
☐ New ☒ Used	City	State	Zip Code

Transmission Type ☐ Manual ☐ Automatic	Antilock Brakes ☐ Yes ☒ No	Restraint System ☐ 3-Point Belt ☐ Driverside Airbag ☐ Passengerside Airbag ☐ Motorbelt ☐ 2-Point Belt	Cruise Control ☐ Yes ☒ No	Drive Train ☐ Front ☐ Rear ☐ 4-Wheel	Vehicle Type ☐ Car ☐ Van ☐ Minivan ☐ Other ☐ Sport Utl ☐ Truck ☐ Motorcycle	Body Style ☐ 2-Door ☐ 4-Door ☐ Stationwagon ☐ Pick Up Truck ☒ Other
--	---	---	--	--	---	--

FAILED COMPONENT(S)/PART(S) INFORMATION

Component 02740000	Part Name(s) TIRES: TREAD	Location ☐ Left ☐ Front ☐ Right ☐ Rear	Failed Part(s) ☐ Original ☐ Replacement
No. of Failures 0	Dates of Failure(s) 20-JUL-2000 Mileage at Failure(s) 47500 Vehicle Speed at Failure(s) 0	Failed Part(s) Available? Yes No	NHTSA Previously Contacted? Yes No

APPLICATION INCIDENT INFORMATION

(Please describe in detail the incident(s), Failure(s), Crash(es), and injury(ies) on the back of this form)

Crash ☒ Yes ☐ No	Fire ☐ Yes ☒ No	Number of Persons Injured 0	Number of Fatalities 0	Estimated Property Damage	Reported to Police ☐ Yes ☒ No
--	---	--------------------------------	---------------------------	---------------------------	---

NARRATIVE DESCRIPTION OF FAILURE(S), INCIDENT(S), INJURY(IES)

PE0 020; CONSUMER WAS TRAVELING ABOUT 70MPH ON HIGHWAY AND SHE HEARD VIBRATION, AND THEN VEHICLE WENT OUT OF CONTROL. DRIVER RIGHT REAR TREAD SEPARATED FROM TIRE, BUT TIRE WAS STILL INFLATED. *AK

CONTINUE ON BACK IF NEEDED

The Privacy Act of 1974-Public Law 93-579 This information is requested pursuant to authority vested in the National Highway Traffic Safety Act and subsequent amendments. You are under no obligation to respond to this questionnaire. Your response may be used to assist the NHTSA in determining whether a manufacturer should take appropriate action to correct a safety defect. If the NHTSA proceeds with administrative enforcement or litigation against a manufacturer, your response, or a statistical summary thereof, may be used in support of the agency's action.

U.S. Department
of TransportationNational Highway
Traffic Safety
Administration

DOT Auto Safety Hotline

Vehicle Owner's Questionnaire (VOQ)

NATIONWIDE 1-888-DASH-2-DOT

1-888-327-4236

www.nhtsa.dot.gov/hotline

FOR AGENCY USE ONLY 252

Date Received

00 SEP 21 AM 8:14

04-AUG-2000

OFFICE

DEFECTS INVESTIGATION

Od_or

rt_dt

od_rt

up_jtr

Reference No.

866876

Work Number

Home

OWNER INFORMATION (Type or Print)

625005

Do you authorize NHTSA to provide a copy of report to the manufacturer of your vehicle?
In the absence of an authorized signature, please print name and address to the vehicle manufacturer.☒ YES☐ NO

Signature of Owner

Date 9/9/00

VEHICLE INFORMATION

Vehicle Ident. No. (VIN) (located at bottom of
windshield on driver's side)

1FMDY32P1TZB77203

Vehicle Make

FORD TRUCK

Vehicle Model

EXPLORER

Vehicle Year

1996

Current Odometer Reading

49,129

Purchase Date

9/4/00

Dealer's Name

Overturn

Engine Size

(CID/CC/L)

302

☐ Turbo☐ Diesel☐ Gas☒ Fuel Injection

No Cylinders

8

☐ New ☒ Used

City Kern

State Wa

Zip Code 99336

Transmission Type

☐ Manual☒ Automatic

Antilock Brakes

☒ Yes☒ No

Restraint System

☒ 3-Point Belt☐ Motorbelt☒ Driverside Airbag☐ 2-Point Belt☒ Passengerside Airbag

Cruise Control

☒ Yes☒ No

Drive Train

☒ Front☒ Rear☐ 4-Wheel

Vehicle Type

☐ Car☐ Van☐ Minivan☐ Other☒ Sport Ut☐ Truck☐ Motorcycle

Body Style

☐ 2-Door☒ 4-Door☐ Stationwagon☐ Pick Up Truck☒ Other

FAILED COMPONENT(S)/PART(S) INFORMATION

Component

02740000

Part Name(s)

TIRES:TREAD

Location

☒ Left☐ Right☐ Front☒ Rear

Failed Part(s)

☒ Original☐ Replacement

No of Failures

0

Date(s) of Failure(s)

20-JUL-2000

Mileage at Failure(s)

47305

Vehicle Speed at Failure(s)

0

Failed Part(s)

Available?

☐ Yes ☐ No

NHTSA Previously

Contacted?

☐ Yes ☐ No

APPLICATION INCIDENT INFORMATION

(Please describe in detail the incident(s), failure(s), crash(es), and injury(ies) on the back of this form)

Crash

☒ Yes☐ No

Fire

☐ Yes☒ No

Number of Persons Injured

0

Number of Fatalities

0

Estimated Property Damage

2,500

Reported to Police

☒ Yes☒ No

NARRATIVE DESCRIPTION OF FAILURE(S), INCIDENT(S), INJURY(IES)

PE0 020; CONSUMER WAS TRAVELING ABOUT 70MPH ON HIGHWAY AND SHE HEARD VIBRATION, AND THEN VEHICLE WENT OUT OF CONTROL. DRIVER RIGHT REAR TREAD SEPARATED FROM TIRE, BUT TIRE WAS STILL INFLATED. *AK

CONTINUE ON BACK IF NEEDED

The Privacy Act of 1974-Public Law 93-579 This information is requested pursuant to authority vested in the National Highway Traffic Safety Act and subsequent amendments. You are under no obligation to respond this questionnaire. Your response may be used to assist the NHTSA in determining whether a manufacturer should take appropriate action to correct a safety defect. If the NHTSA proceeds with administrative enforcement or litigation against a manufacturer, your response, or a statistical summary thereof, may be used in support of the agency's action.

Fold to show Return Address (no stamp needed) Fasten with tape or staple and mail

INFORMATION ON TIRE FAILURE(S) (IF APPLICABLE)

TIRE IDENTIFICATION NO.*

DOT VDA11 10M226

MANUFACTURER/TIRE NAME

Firestone Radial Att

SIZE

P235/75/R15

* The identification number consists of 7 to 10 letters and numerals following the letters DOT. It is usually located near the rim flange on the side opposite the whitewall or on either side of a blackwall tire.

NARRATIVE DESCRIPTION (CONTINUED)

★ U.S. G.P.O.: 1982 - 623-897 / 60048

U.S. Department
of Transportation
**National Highway
Traffic Safety
Administration**

400 Seventh St., S.W.
Washington, D.C. 20590

Official Business
Penalty for Private Use \$300

BUSINESS REPLY-MAIL

FIRST CLASS PERMIT NO. 73173 WASHINGTON, D.C.

POSTAGE WILL BE PAID BY NATL HWY TRAFFIC SAFETY ADMIN.

U.S. Department of Transportation
National Highway Traffic Safety Administration
Information Management Staff NSA-10.01
400 7th Street, SW
Washington, DC 20590

NO POSTAGE
NECESSARY
IF MAILED
IN THE
UNITED STATES

09/12/00 PASCO WA 9930