

U.S. Department
of TransportationNational Highway
Traffic Safety
Administration

DOT Auto Safety Hotline

Vehicle Owner's Questionnaire (VOQ)

NATIONWIDE 1-888-DASH-2-DOT

1-888-327-4236

www.nhtsa.dot.gov/hotline

FOR AGENCY USE ONLY

241

Date Received

07-AUG-2000

Od_or

rt_dt

od_rt

up_ltr

Reference No.

867084

Do you authorize NHTSA to provide a copy of report to the manufacturer of your vehicle? ☐ YES ☐ NO
 In the absence of an authorization, NHTSA WILL NOT provide your name and address to the vehicle manufacturer.

Signature of Owner

Date ____/____/____

VEHICLE INFORMATION

Vehicle Ident. No. (VIN.) (located at front of vehicle or on driver's side)	Vehicle Make	Vehicle Model	Vehicle Year	Current Odometer Reading
4M2ZU86P3YUJ06293	FIRESTONE	ATX	1900	

Purchase Date	Dealer's Name	Engine Size (CID/CCL)	☐ Turbo ☐ Diesel ☐ Gas ☐ Fuel Injection
☒ New ☐ Used	City _____ State _____ Zip Code _____	No. Cylinders	

Transmission Type ☐ Manual ☐ Automatic	Antilock Brakes ☒ Yes ☐ No	Restraint System ☒ 3-Point Belt ☐ Driverside Airbag ☐ Passengerside Airbag ☐ Motorbelt ☐ 2-Point Belt	Cruise Control ☐ Yes ☒ No	Drive Train ☐ Front ☐ Rear ☐ 4-Wheel	Vehicle Type ☐ Car ☐ Van ☐ Minivan ☐ Other ☐ Sport Utl ☐ Truck ☐ Motorcycle	Body Style ☐ 2-Door ☐ 4-Door ☐ Stationwagon ☐ Pick Up Truck ☒ Other
--	---	--	--	--	---	--

FAILED COMPONENT(S)/PART(S) INFORMATION

Component 02740000	Part Name(s) TIRES: TREAD	Location ☐ Left ☐ Front ☐ Right ☐ Rear	Failed Part(s) ☐ Original ☐ Replacement
No. of Failures	Date(s) of Failure(s) 15-DEC-2000 Mileage at Failure(s) 2200 Vehicle Speed at Failure(s)	Failed Part(s) Available? Yes No	NHTSA Previously Contacted? Yes No

APPLICATION INCIDENT INFORMATION

(Please describe in detail the incident(s), failure(s), crash(es), and injury(ies) on the back of this form)

Crash ☐ Yes ☒ No	Fire ☐ Yes ☒ No	Number of Persons Injured	Number of Fatalities	Estimated Property Damage	Reported to Police ☐ Yes ☒ No
--	---	---------------------------	----------------------	---------------------------	---

NARRATIVE DESCRIPTION OF FAILURE(S), INCIDENT(S), INJURY(IES)

VEHICLE EXPERIENCED A RIGHT REAR BLOWOUT(TIRE SIZE P235/75R15/DOT # UNAVAILABLE) WHILE TRAVELING AT 45 MPH IN A 2000 MERCURY MOUNTAINEER. TIRE WAS THE ORIGINAL EQUIPMENT. NO INJURIES WERE REPORTED. REPLACEMENT WAS MADE AT DEALER, AND TIRE NOT AVAILABLE FOR ANALYSIS. PLEASE PROVIDE ANY FURTHER DETAILS. *AK

CONTINUE ON BACK IF NEEDED

The Privacy Act of 1974-Public Law 93-579 This information is requested pursuant to authority vested in the National Highway Traffic Safety Act and subsequent amendments. You are under no obligation to respond to this questionnaire. Your response may be used to assist the NHTSA in determining whether a manufacturer should take appropriate action to correct a safety defect. If the NHTSA proceeds with administrative enforcement or litigation against a manufacturer, your response, or a statistical summary thereof, may be used in support of the agency's action.

U.S. Department
of TransportationNational Highway
Traffic Safety
Administration

DOT Auto Safety Hotline

Vehicle Owner's Questionnaire (VOQ)

NATIONWIDE 1-888-DASH-2-DOT

1-888-327-4236

www.nhtsa.dot.gov/hotline

FOR AGENCY USE ONLY 241

Date Received

07-AUG-2000

DEFECTS INV

cc or

rt dt

off hr

up tr

ce

information

867084

Work Number

Home Number

OWNER INFORMATION (Type or Print)

Do you authorize NHTSA to release a copy of report to the manufacturer of your vehicle?
In the absence of a signature, NHTSA WILL NOT provide your name and address to the vehicle manufacturer.☒ YES☐ NO

Signature of Owner

Date 8-22-2000

VEHICLE INFORMATION

Vehicle Ident. No. (located on windshield on driver's side)	Vehicle Make	Vehicle Model	Vehicle Year	Current Odometer Reading
4M2ZU86P3YUJ06293	FIRESTONE	ATX	1990 2000	5832

Purchase Date

Dealer's Name

Steven Lincoln Motors

Engine Size

(CID/GCC/L)

5.0

☐ Turbo☐ Diesel☐ Gas☒ Fuel Injection☒ New ☐ Used

City

Des Moines

State

IA

Zip Code

50322

No Cylinders

8

Transmission Type

☐ Manual☒ Automatic

Antilock Brakes

☒ Yes☐ No

Restraint System

☒ 3-Point Belt☐ Motorbelt☒ Driverside Airbag☐ 2-Point Belt☒ Passengerside Airbag

Cruise Control

☐ Yes☒ No

Drive Train

☐ Front☐ Rear☒ 4-Wheel

Vehicle Type

☐ Car☐ Van☐ Minivan☐ Other☒ Sport Ut☐ Truck☐ Motorcycle

Body Style

☐ 2-Door☐ 4-Door☐ Stationwagon☐ Pick Up Truck☒ Other

FAILED COMPONENT(S)/PART(S) INFORMATION

Component 02740600	Part Name(s) TIRES:TREAD	Location ☐ Left ☒ Right ☐ Front ☒ Rear	Failed Part(s) ☒ Original ☐ Replacement
-----------------------	-----------------------------	--	--

No of Failures

1

Date(s) of Failure(s)

15-FEB-2000

Mileage at Failure(s)

2200

Vehicle Speed at Failure(s)

40 MPH

Failed Part(s)

Available?

☒ Yes ☐ No

NHTSA Previously

Contacted?

☐ Yes ☒ No

APPLICATION INCIDENT INFORMATION

(Please describe in detail the incident(s), failure(s), crash(es), and injury(ies) on the back of this form)

Crash ☐ Yes ☒ No	Fire ☐ Yes ☒ No	Number of Persons Injured 0	Number of Fatalities 0	Estimated Property Damage 100.00	Reported to Police ☐ Yes ☒ No
--	---	--------------------------------	---------------------------	-------------------------------------	---

NARRATIVE DESCRIPTION OF FAILURE(S), INCIDENT(S), INJURY(IES)

VEHICLE EXPERIENCED A RIGHT REAR BLOWOUT (TIRE SIZE P235/75R15/DOT # UNAVAILABLE) WHILE TRAVELING AT 45 MPH IN A 2000 MERCURY MOUNTAINEER, TIRE WAS THE ORIGINAL EQUIPMENT, NO INJURIES WERE REPORTED. REPLACEMENT WAS MADE AT DEALER, AND TIRE NOT AVAILABLE FOR ANALYSIS. PLEASE PROVIDE ANY FURTHER DETAILS. *AK

At My Expense

CONTINUE ON BACK IF NEEDED

The Privacy Act of 1974-Public Law 93-579 This information is requested pursuant to authority vested in the National Highway Traffic Safety Act and subsequent amendments. You are under no obligation to respond this questionnaire. Your response may be used to assist the NHTSA in determining whether a manufacturer should take appropriate action to correct a safety defect. If the NHTSA proceeds with administrative enforcement or litigation against a manufacturer, your response, or a statistical summary thereof, may be used in support of the agency's action.

Fold to show Return Address (no stamp needed) Fasten with tape or staple and mail

INFORMATION ON TIRE FAILURE(S) (IF APPLICABLE)

TIRE IDENTIFICATION NO. *

D O T

MANUFACTURER/TIRE NAME

Firestone Wilderness AT

SIZE

P235-25R15

* The identification number consists of 7 to 10 letters and numerals following the letters DOT. It is usually located near the rim flange on the side opposite the whitewall or on either side of a blackwall tire.

NARRATIVE DESCRIPTION (CONTINUED)

Tire Was Destroyed in Feb 2000 DOT VD

U.S. G.P.O. 1992 - 625-887/82000

U.S. Department
of Transportation
National Highway
Traffic Safety
Administration

400 Seventh St., S.W.
Washington, D.C. 20590

Official Business
Penalty for Private Use \$300

BUSINESS REPLY MAIL

FIRST CLASS PERMIT NO. 73173 WASHINGTON, D.C.

POSTAGE WILL BE PAID BY NATL HWY TRAFFIC SAFETY ADMIN.

U.S. Department of Transportation
National Highway Traffic Safety Administration
Information Management Staff NSA-10.01
400 7th Street, SW
Washington, DC 20590

NO POSTAGE
NECESSARY
IF MAILED
IN THE
UNITED STATES