

U.S. Department
of TransportationNational Highway
Traffic Safety
Administration

DOT Auto Safety Hotline

Vehicle Owner's Questionnaire (VOQ)

NATIONWIDE 1-888-DASH-2-DOT

1-888-327-4236

www.nhtsa.dot.gov/hotline

FOR AGENCY USE ONLY

118

Date Received

10-AUG-2000

 Od_or _____
 Rt_dt _____
 Od_rt _____
 Up_ltr _____

Reference No.

867375

Do you authorize NHTSA to provide a copy of report to the manufacturer of your vehicle? ☐ YES ☐ NO
 In the absence of an authorization, NHTSA WILL NOT provide your name and address to the vehicle manufacturer.

Signature of Owner _____ Date ____/____/____

VEHICLE INFORMATION

Vehicle Ident. No. (VIN.) (located at front of vehicle or driver's side)	Vehicle Make	Vehicle Model	Vehicle Year	Current Odometer Reading
	FIRESTONE	WILDERNESS	1900	

Purchase Date	Dealer's Name _____	Engine Size (CID/CCL) _____	☐ Turbo ☐ Diesel ☐ Gas ☐ Fuel Injection
☐ New ☒ Used	City _____ State _____ Zip Code _____	No. Cylinders _____	

Transmission Type ☐ Manual ☐ Automatic	Antilock Brakes ☐ Yes ☒ No	Restraint System ☐ 3-Point Belt ☐ Driverside Airbag ☐ Passengerside Airbag ☐ Motorbelt ☐ 2-Point Belt	Cruise Control ☐ Yes ☒ No	Drive Train ☐ Front ☐ Rear ☐ 4-Wheel	Vehicle Type ☐ Car ☐ Van ☐ Minivan ☐ Other _____ ☐ Sport Vlt ☐ Truck ☐ Motorcycle	Body Style ☐ 2-Door ☐ 4-Door ☐ Stationwagon ☐ Pick Up Truck ☐ Other _____
--	---	---	--	--	---	---

FAILED COMPONENT(S)/PART(S) INFORMATION

Component 02740000	Part Name(s) TIRES: TREAD	Location ☐ Left ☐ Front ☐ Right ☐ Rear	Failed Part(s) ☐ Original ☐ Replacement
No. of Failures	Date(s) of Failure(s) _____ Mileage at Failure(s) _____ Vehicle Speed at Failure(s) _____	Failed Part(s) Available? ☐ Yes ☐ No	NHTSA Previously Contacted? ☐ Yes ☐ No

APPLICATION INCIDENT INFORMATION

(Please describe in detail the incident(s), failure(s), crash(es), and injury(ies) on the back of this form)

Crash ☐ Yes ☒ No	Fire ☐ Yes ☒ No	Number of Persons Injured	Number of Fatalities	Estimated Property Damage	Reported to Police ☐ Yes ☒ No
--	---	---------------------------	----------------------	---------------------------	---

NARRATIVE DESCRIPTION OF FAILURE(S), INCIDENT(S), INJURY(IES)

PE00020 TIRE TREAD SEPARATION: THE TIRES ARE DRY ROTTEN. THE TIRES ARE CRACKING WHEN THE TREAD MEETS THE SIDEWALL. FIRESTONE WILDERNESS AT, P265R7515, DOT W29Y1PK415. TIRES WERE LOOKED BY FIRESTONE DEALERSHIP. THE TIRES WILL BE REPLACED AT PRORATION. PLEASE LIST THE DOT #.

CONTINUE ON BACK IF NEEDED

The Privacy Act of 1974-Public Law 93-579 This information is requested pursuant to authority vested in the National Highway Traffic Safety Act and subsequent amendments. You are under no obligation to respond to this questionnaire. Your response may be used to assist the NHTSA in determining whether a manufacturer should take appropriate action to correct a safety defect. If the NHTSA proceeds with administrative enforcement or litigation against a manufacturer, your response, or a statistical summary thereof, may be used in support of the agency's action.

 U.S. Department of Transportation National Highway Traffic Safety Administration		DOT Auto Safety Hotline Vehicle Owner's Questionnaire (VOQ) NATIONWIDE 1-888-DASH-2-DOT 1-888-327-4236 www.nhtsa.dot.gov/hotline		FOR AGENCY USE ONLY 118 Date Received 10 SEP -7 AM 11:30 10-AUG-2000 OFFICE DEFECTS INVESTIGATION	
OWNER INFORMATION (Type or Print) [Redacted] 626011		Reference No. 867375		Work Number Home Number	
Do you authorize NHTSA to provide a copy of report to the manufacturer of your vehicle? In the absence of an authorization, NHTSA WILL NOT provide your name and address to the vehicle manufacturer. Signature of [Redacted] ☒ YES ☐ NO Date 8/25/00					
VEHICLE INFORMATION					
Vehicle Ident. No. (VIN) (Located at bottom of windshield on driver's side) 1FTEX14H9TKA3B469		Vehicle Make FIRESTONE		Vehicle Model WILDERNESS	
Vehicle Year 1996		Current Odometer Reading 47653			
Purchase Date 2/20/97 ☐ New ☒ Used		Dealer's Name Firestone Tire & Service Center 4895 RAND RD Phone 847-520-9510 City LAKE ZURICH State ILL Zip Code		Engine Size (CID/CC/L) 351 No Cylinders 7 ☐ Turbo ☐ Diesel ☒ Gas ☒ Fuel Injection	
Transmission Type ☐ Manual ☒ Automatic		Antilock Brakes ☐ Yes ☒ No		Restraint System ☐ 3-Point Belt ☐ Motorbelt ☒ Driverside Airbag ☐ 2-Point Belt ☐ Passengerside Airbag	
Cruise Control ☒ Yes ☒ No		Drive Train ☐ Front ☐ Rear ☒ 4-Wheel		Vehicle Type ☐ Car ☐ Sport Utl ☐ Truck ☐ Motorcycle ☐ Van ☐ Minivan ☐ Other	
Body Style ☒ 2-Door ☐ 4-Door ☐ Stationwagon ☒ Pick Up Truck ☒ Other					
FAILED COMPONENT(S)/PART(S) INFORMATION					
Component 02740008		Part Name(s) TIRES:TREAD		Location ☒ Left ☒ Right ☒ Front ☒ Rear	
Failed Part(s) ☒ Original ☐ Replacement					
No of Failures 1		Date(s) of Failure(s) Mileage at Failure(s) Vehicle Speed at Failure(s)		Failed Part(s) Available? ☒ Yes ☐ No	
NHTSA Previously Contacted? ☒ Yes ☐ No					
APPLICATION INCIDENT INFORMATION (Please describe in detail the incident(s), failure(s), crash(es), and injury(ies) on the back of this form)					
Crash ☐ Yes ☒ No		Fire ☐ Yes ☒ No		Number of Persons Injured	
Number of Fatalities		Estimated Property Damage		Reported to Police ☐ Yes ☒ No	
NARRATIVE DESCRIPTION OF FAILURE(S), INCIDENT(S), INJURY(IES)					
PE00020; TIRE TREAD SEPARATION: TIRES ARE DRY ROTTEN, AND ARE CRACKING WHERE TREAD MEETS THE SIDEWALL. FIRESTONE WILDERNESS AT, SIZE P265R7515, AND DOT W29Y1PK415. TIRES WERE LOOKED BY FIRESTONE DEALERSHIP. THE TIRES WILL BE REPLACED AT PRORATION. PLEASE LIST THE DOT #. *AK (ST 340J TO 8L LEFT REAR) (ST 340J TO 9R RIGHT REAR) (ST 340J TO 9L RIGHT FRONT) (ST 340J TO 2R LEFT FRONT)					
CONTINUE ON BACK IF NEEDED					
The Privacy Act of 1974-Public Law 93-579 This information is requested pursuant to authority vested in the National Highway Traffic Safety Act and subsequent amendments. You are under no obligation to respond this questionnaire. Your response may be used to assist the NHTSA in determining whether a manufacturer should take appropriate action to correct a safety defect. If the NHTSA proceeds with administrative enforcement or litigation against a manufacturer, your response, or a statistical summary thereof, may be used in support of the agency's action.					

Fold to show Return Address (no stamp needed) Fasten with tape or staple and mail

INFORMATION ON TIRE FAILURE(S) (IF APPLICABLE)

TIRE IDENTIFICATION NO.*

D O T W 2 9 Y 1 P K 4 V 5

MANUFACTURER/TIRE NAME

SIZE

P 265 R 75 15

* The identification number consists of 7 to 10 letters and numerals following the letters DOT. It is usually located near the rim flange on the side opposite the whitewall or on either side of a blackwall tire.

NARRATIVE DESCRIPTION (CONTINUED)

TIRES ARE DRY ROTTING BETWEEN CAR AND SIDEWALLS
VERY NOTICABLE -

ALL TIRES DOT NO. ARE THE SAME, DOT W29Y1PK4V5

★ U.S. G.P.O.: 1992 - 627-887 / 80295

U.S. Department
of Transportation

National Highway
Traffic Safety
Administration

400 Seventh St., S.W.
Washington, D.C. 20590

Official Business
Penalty for Private Use \$300



NO POSTAGE
NECESSARY
IF MAILED
IN THE
UNITED STATES

BUSINESS REPLY MAIL

FIRST CLASS PERMIT NO. 73173 WASHINGTON, D.C.

POSTAGE WILL BE PAID BY NATL HWY TRAFFIC SAFETY ADMIN.

U.S. Department of Transportation
National Highway Traffic Safety Administration
Information Management Staff NSA-10.01
400 7th Street, SW
Washington, DC 20590

