

U.S. Department
of TransportationNational Highway
Traffic Safety
Administration

DOT Auto Safety Hotline

Vehicle Owner's Questionnaire (VOQ)

NATIONWIDE 1-888-DASH-2-DOT

1-888-327-4236

www.nhtsa.dot.gov/hotline

FOR AGENCY USE ONLY

137

Date Received

10-AUG-2000

Od_or _____

rt_dt _____

od_rt _____

up_ltr _____

Reference No.

867453

Do you authorize NHTSA to provide a copy of report to the manufacturer of your vehicle? ☐ YES ☐ NO
 In the absence of an authorization, NHTSA WILL NOT provide your name and address to the vehicle manufacturer.

Signature of Owner _____ Date ____/____/____

VEHICLE INFORMATION

Vehicle Ident. No. (VIN.) (located at front of vehicle or driver's side)	Vehicle Make	Vehicle Model	Vehicle Year	Current Odometer Reading
1FMDU32X9SZB91865	FORD TRUCK	EXPLORER	1995	

Purchase Date	Dealer's Name _____	Engine Size (CID/CCL) _____	☐ Turbo ☐ Diesel ☐ Gas ☐ Fuel Injection
☐ New ☒ Used	City _____ State _____ Zip Code _____	No. Cylinders _____	

Transmission Type ☐ Manual ☐ Automatic	Antilock Brakes ☐ Yes ☒ No	Restraint System ☐ 3-Point Belt ☒ Driverside Airbag ☐ Passengerside Airbag ☐ Motorbelt ☒ 2-Point Belt	Cruise Control ☐ Yes ☒ No	Drive Train ☐ Front ☐ Rear ☐ 4-Wheel	Vehicle Type ☐ Car ☐ Van ☐ Minivan ☐ Other	Body Style ☐ Sport Vlt ☐ Truck ☐ Motorcycle ☐ 2-Door ☐ 4-Door ☐ Station wagon ☐ Pick Up Truck ☒ Other
--	---	---	--	--	--	--

FAILED COMPONENT(S)/PART(S) INFORMATION

Component 02740000	Part Name(s) TIRES: TREAD	Location ☐ Left ☐ Front ☐ Right ☐ Rear	Failed Part(s) ☐ Original ☐ Replacement
-----------------------	------------------------------	--	---

No. of Failures 70	Dates of Failure(s) 24-GCP-1995 Mileage at Failure(s) 00000 Vehicle Speed at Failure(s) _____	Failed Part(s) Available? Yes No	NHTSA Previously Contacted? Yes No
-----------------------	---	---	---

APPLICATION INCIDENT INFORMATION

(Please describe in detail the incident(s), Failure(s), Crash(es), and injury(ies) on the back of this form)

Crash ☒ Yes ☐ No	Fire ☐ Yes ☒ No	Number of Persons Injured 0	Number of Fatalities 0	Estimated Property Damage	Reported to Police ☐ Yes ☒ No
--	---	--------------------------------	---------------------------	---------------------------	---

NARRATIVE DESCRIPTION OF FAILURE(S), INCIDENT(S), INJURY(IES)

WHILE DRIVING ABOUT 70 MPH LEFT REAR TIRE BLEWOUT, CAUSING VEHICLE TO ROLLOVER. .
 FIRESTONE WILDERNESS TIRES, SIZE P225/70R15. *AK

CONTINUE ON BACK IF NEEDED

The Privacy Act of 1974-Public Law 93-579 This information is requested pursuant to authority vested in the National Highway Traffic Safety Act and subsequent amendments. You are under no obligation to respond to this questionnaire. Your response may be used to assist the NHTSA in determining whether a manufacturer should take appropriate action to correct a safety defect. If the NHTSA proceeds with administrative enforcement or litigation against a manufacturer, your response, or a statistical summary thereof, may be used in support of the agency's action.

 DOT Auto Safety Hotline Vehicle Owner's Questionnaire (VOQ) U.S. Department of Transportation National Highway Traffic Safety Administration NATIONWIDE 1-888-DASH-2-DOT 1-888-327-4236 www.nhtsa.dot.gov/hotline		FOR AGENCY USE ONLY 197 Date Received SEP -7 PM 12:17 10-AUG-2000 OFFICE DEFECTS INVESTIGATION	
OWNER INFORMATION (Type or Print) 626124		Reference No. 867453	
Do you authorize NHTSA to provide a copy of report to the manufacturer of your vehicle? In the absence of an authorization, NHTSA WILL NOT provide your name and address to the vehicle manufacturer.		☒ YES ☐ NO	
Signature of Owner		Date <u>8/28/00</u>	
VEHICLE INFORMATION			
Vehicle Ident. No. (VIN.) (Located at bottom of windshield on driver's side) 1FMDU32X9SZB91865	Vehicle Make FORD TRUCK	Vehicle Model EXPLORER	Vehicle Year 1995
Purchase Date ☐ New ☒ Used		Dealer's Name _____ City _____ State _____ Zip Code _____	
Engine Size (CID/CCA) _____ No Cylinders _____		☐ Turbo ☐ Diesel ☐ Gas ☐ Fuel Injection	
Transmission Type ☐ Manual ☒ Automatic	Antilock Brakes ☒ Yes ☐ No	Restraint System ☐ 3-Point Belt ☒ Driverside Airbag ☐ Motorbelt ☒ 2-Point Belt ☐ Passengerside Airbag	Cruise Control ☒ Yes ☐ No
Drive Train ☐ Front ☐ Rear ☐ 4-Wheel	Vehicle Type ☐ Car ☐ Van ☐ Minivan ☐ Other	☒ Sport Utl ☐ Truck ☐ Motorcycle	Body Style ☐ 2-Door ☐ 4-Door ☐ Stationwagon ☐ Pick Up Truck ☒ Other
FAILED COMPONENT(S)/PART(S) INFORMATION			
Component 02740000	Part Name(s) TIRES:TREAD	Location ☒ Left ☐ Right ☐ Front ☒ Rear	Failed Part(s) ☒ Original ☐ Replacement
No of Failures 70 (?)	Date(s) of Failure(s) <u>24-SEP-1995 1999</u> Mileage at Failure(s) <u>88000</u> Vehicle Speed at Failure(s) <u>70 mph</u>	Failed Part(s) Available? ☐ Yes ☐ No	NHTSA Previously Contacted? ☐ Yes ☒ No
APPLICATION INCIDENT INFORMATION			
(Please describe in detail the incident(s), Failure(s), Crash(es), and Injury(ies) on the back of this form)			
Crash ☒ Yes ☐ No	Fire ☐ Yes ☒ No	Number of Persons Injured 2	Number of Fatalities 0
Estimated Property Damage The vehicle was a total loss		Reported to Police ☒ Yes ☐ No	
NARRATIVE DESCRIPTION OF FAILURE(S), INCIDENT(S), INJURY(IES)			
WHILE DRIVING ABOUT 70 MPH LEFT REAR TIRE BLEWOUT, CAUSING VEHICLE TO ROLLOVER. . FIRESTONE WILDERNESS TIRES, SIZE P225/70R15. *AK (see over)			
CONTINUE ON BACK IF NEEDED			
The Privacy Act of 1974-Public Law 93-579 This information is requested pursuant to authority vested in the National Highway Traffic Safety Act and subsequent amendments. You are under no obligation to respond this questionnaire. Your response may be used to assist the NHTSA in determining whether a manufacturer should take appropriate action to correct a safety defect. If the NHTSA proceeds with administrative enforcement or litigation against a manufacturer, your response, or a statistical summary thereof, may be used in support of the agency's action.			

Fold to show Return Address (no stamp needed) Fasten with tape or staple and mail

INFORMATION ON TIRE FAILURE(S) (IF APPLICABLE)

TIRE IDENTIFICATION NO.*

D O T

MANUFACTURER/TIRE NAME

SIZE

* The identification number consists of 7 to 10 letters and numerals following the letters DOT. It is usually located near the rim flange on the side opposite the whitewall or on either side of a blackwall tire.

NARRATIVE DESCRIPTION (CONTINUED)


I have made corrections on the front of this form.

The narrative description is accurate. The tires were Firestone P225/70R15 but I don't know if they were Wilderness tires

U.S. Department
of Transportation
National Highway
Traffic Safety
Administration

400 Seventh St., S.W.
Washington, D.C. 20590

Official Business
Penalty for Private Use \$300



☆ U.S. G.P.O. 1992-629-887/80096

NO POSTAGE
NECESSARY
IF MAILED
IN THE
UNITED STATES

BUSINESS REPLY MAIL

FIRST CLASS PERMIT NO. 73173 WASHINGTON, D.C.

POSTAGE WILL BE PAID BY NATL HWY TRAFFIC SAFETY ADMIN.

U.S. Department of Transportation
National Highway Traffic Safety Administration
Information Management Staff NSA-10.01
400 7th Street, SW
Washington, DC 20590

