

U.S. Department
of TransportationNational Highway
Traffic Safety
Administration

DOT Auto Safety Hotline

Vehicle Owner's Questionnaire (VOQ)

NATIONWIDE 1-888-DASH-2-DOT

1-888-327-4236

www.nhtsa.dot.gov/hotline

FOR AGENCY USE ONLY

130

Date Received

11-AUG-2000

Od_or

rt_dt

od_rt

up_ltr

Reference No.

867596

Do you authorize NHTSA to provide a copy of report to the manufacturer of your vehicle? ☐ YES ☐ NO
 In the absence of an authorization, NHTSA WILL NOT provide your name and address to the vehicle manufacturer.

Signature of Owner _____ Date ____/____/____

VEHICLE INFORMATION

Vehicle Ident. No. (VIN.) (located between of windshield or driver's side)	Vehicle Make	Vehicle Model	Vehicle Year	Current Odometer Reading
	CONTINENTAL	CONTINENTAL	1900	

Purchase Date	Dealer's Name _____	Engine Size (CID/CCL) _____	☐ Turbo ☐ Diesel ☐ Gas ☐ Fuel Injection
☐ New ☒ Used	City _____ State _____ Zip Code _____	No. Cylinders _____	

Transmission Type ☐ Manual ☐ Automatic	Antilock Brakes ☐ Yes ☒ No	Restraint System ☐ 3-Point Belt ☐ Driver's Side Airbag ☐ Passenger's Side Airbag ☐ Motorcyclist ☐ 2-Point Belt	Cruise Control ☐ Yes ☒ No	Drive Train ☐ Front ☐ Rear ☐ 4-Wheel	Vehicle Type ☐ Car ☐ Van ☐ Minivan ☐ Other ☐ Sport Utl ☐ Truck ☐ Motorcycle	Body Style ☐ 2-Door ☐ 4-Door ☐ Station Wagon ☐ Pick Up Truck ☒ Other
--	---	--	--	--	---	---

FAILED COMPONENT(S)/PART(S) INFORMATION

Component 02740000	Part Name(s) TIRES: TREAD	Location ☐ Left ☐ Front ☐ Right ☐ Rear	Failed Part(s) ☐ Original ☐ Replacement
No. of Failures	Dates of Failure(s) _____ Mileage at Failure(s) _____ Vehicle Speed at Failure(s) _____	Failed Part(s) Available? Yes No	NHTSA Previously Contacted? Yes No

APPLICATION INCIDENT INFORMATION

(Please describe in detail the incident(s), failure(s), crash(es), and injury(ies) on the back of this form)

Crash ☐ Yes ☒ No	Fire ☐ Yes ☒ No	Number of Persons Injured	Number of Fatalities	Estimated Property Damage	Reported to Police ☐ Yes ☒ No
--	---	---------------------------	----------------------	---------------------------	---

NARRATIVE DESCRIPTION OF FAILURE(S), INCIDENT(S), INJURY(IES)

MODEL TIRE LTE3000 P17570R14 ; TREAD SHREADED OFF A TIRE WHILE DRIVING AT 55 MPH,
CAUSING DAMAGE TO WHEELWELL/TORE OFF MUD SLAP, AND TURN LIGHT HOUSING. TIRE ONLY
HAD 28,000 MILES, AND STAYED INFLATED. *AK

CONTINUED ON BACK IF NEEDED

The Privacy Act of 1974-Public Law 93-579 This information is requested pursuant to authority vested in the National Highway Traffic Safety Act and subsequent amendments. You are under no obligation to respond to this questionnaire. Your response may be used to assist the NHTSA in determining whether a manufacturer should take appropriate action to correct a safety defect. If the NHTSA proceeds with administrative enforcement or litigation against a manufacturer, your response, or a statistical summary thereof, may be used in support of the agency's action.



U.S. Department
of Transportation
National Highway
Traffic Safety
Administration

Vehicle Owner's Questionnaire (VOQ)
NATIONWIDE 1-888-DASH-2-DOT
1-888-327-4236
www.nhtsa.dot.gov/hotline

OWNER INFORMATION (Type or Print)

66346

Work Num
Home Num

Reference No.

867596

DATE RECEIVED
SEP - 7 AM 11:36
OFFICE
11-AUG-2000
INVESTIGATION

FOR AGENCY USE ONLY 160

Do you authorize NHTSA to provide a copy of report to the manufacturer of your vehicle?
☒ YES ☐ NO
Signature of Owner
Date 8/29/2000

VEHICLE INFORMATION

Vehicle Identification No. (VIN)	Vehicle Make	Vehicle Model	Vehicle Year	Current Odometer Reading
1FAPP999LT176636	FORD	ESCORT	1990	(1)3
Purchase Date	Dealer's Name	City	State	Zip Code
1990	KISTLER FORD	TOLEDO	OH	
Used ☒ New ☐	Engine Size (CID/CC/L)	Engine Type	Body Style	Transmission Type
	Turbo ☐ Diesel ☐ Gas ☒ Fuel Injection ☐	Car ☒ Van ☐ Minivan ☐ Motorcycle ☐ Other ☐	2-Door ☐ 4-Door ☐ Station Wagon ☐ Pick Up Truck ☐ Other ☐	Automatic ☒ Manual ☐
Antilock Brakes	Restraint System	Crash Control	Drive Train	Vehicle Type
Yes ☐ No ☒	3-Point Belt ☐ Driver Side Airbag ☒ 2-Point Belt ☐ Passenger Side Airbag ☐	Yes ☐ No ☒	Front ☒ Rear ☐ 4-Wheel ☐	Car ☒ Van ☐ Minivan ☐ Motorcycle ☐ Other ☐
Location	Failed Part(s)	Failed Part(s)	Failed Part(s)	Failed Part(s)
Left ☐ Right ☒	Original ☐ Replacement ☒	Front ☒ Rear ☐	Original ☐ Replacement ☒	Front ☒ Rear ☐

FAILED COMPONENT(S)/PART(S) INFORMATION

Component	Part Name(s)	Location	Failed Part(s)	Failed Part(s)	NHTSA Previously Contacted?	No of Failures
02740006	TIRES-TREAD	Left ☐ Right ☒	Original ☐ Replacement ☒	Front ☒ Rear ☐	Yes ☐ No ☒	1
Date(s) of Failure(s)	Mileage at Failure(s)	Vehicle Speed at Failure(s)	Available?	Failed Part(s)	NHTSA Previously Contacted?	
6/29/2000	130371	55	Yes ☐ No ☒	Front ☒ Rear ☐	Yes ☐ No ☒	

APPLICATION INCIDENT INFORMATION

Crash	Fire	Number of Persons Injured	Number of Fatalities	Estimated Property Damage	Reported to Police
Yes ☐ No ☒	Yes ☐ No ☒			Car Damage (Other Vehicle)	Yes ☐ No ☒

NARRATIVE DESCRIPTION OF FAILURE(S), INCIDENT(S), INJURY(IES)

MODEL TIRE LTE3000 P17570R14; TREAD SHREDED OFF A TIRE WHILE DRIVING AT 55 MPH, CAUSING DAMAGE TO WHEELWELL/TIRE OFF MUD SLAP, AND TURN LIGHT HOUSING. TIRE ONLY HAD 28,000 MILES, AND STAYED INFLATED. *AK
TIRE STEEL BELT REMAINED INTACT, AS DID INNER TUBE.
DRIVING CONDITIONS: ~90F, SUNNY, FULL VISIBILITY, ROADWAY CLEAR & CLEAN OF DEBRIS, NO WARNING PRIOR TO FAILURE.

The Privacy Act of 1974 (Public Law 93-579) This information is requested pursuant to authority vested in the National Highway Traffic Safety Act and subsequent amendments. You are under no obligation to respond to this questionnaire. Your response may be used to assist the NHTSA in determining whether a manufacturer should take appropriate action to correct a safety defect. If the NHTSA proceeds with administrative enforcement or litigation against a manufacturer, your response, or a statistical summary thereof, may be used in support of the agency's action.

CONTINUE ON BACK IF NEEDED

Fold to show Return Address (no stamp needed) Fasten with tape or staple and mail

INFORMATION ON TIRE FAILURE(S) (IF APPLICABLE)

TIRE IDENTIFICATION NO.*

D O T A C F P 3 C C 4 4 7

MANUFACTURER/TIRE NAME

CONTINENTAL LTE 3000

SIZE

175/70R14

* The identification number consists of 7 to 10 letters and numerals following the letters DOT. It is usually located near the rim flange on the side opposite the whitewall or on either side of a blackwall tire.

NARRATIVE DESCRIPTION (CONTINUED)


U.S. G.P.O. 1982-823-887 / 60396

U.S. Department
of Transportation

National Highway
Traffic Safety
Administration

400 Seventh St., S.W.
Washington, D.C. 20590

Official Business
Penalty for Private Use \$300



BUSINESS REPLY MAIL

FIRST CLASS PERMIT NO. 73173 WASHINGTON, D.C.

POSTAGE WILL BE PAID BY NATL HWY TRAFFIC SAFETY ADMIN.

U.S. Department of Transportation
National Highway Traffic Safety Administration
Information Management Staff NSA-10.01
400 7th Street, SW
Washington, DC 20590

