Form Approved: O.M.B. No. 2127-0008

U.S. Department of Transportation
National Highway Traffic Safety Administration

DOT Auto Safety Hotline

Vehicle Owner's Questionnaire (VOQ)

NATIONWIDE 1-888-DASH-2-DOT
1-888-327-4236
www.nhtsa.dot.gov/hotline

FOR AGENCY USE ONLY 255	
Date Received: 23-AUG-2000	Od_or ____ ____ rt_dt ____ ____ od_rt ____ ____ up_ltr ____ ____
	Reference No. 868445

[redacted]

Do you authorize NHTSA to provide a copy of report to the manufacturer of your vehicle? ☐ YES ☐ NO
In the absence of an authorization, NHTSA WILL NOT provide your name and address to the vehicle manufacturer.

Signature of Owner _____ Date____/____/____

VEHICLE INFORMATION

Vehicle Ident. No. (VIN.) (Located at bottom of windshield on driver's side)	Vehicle Make	Vehicle Model	Vehicle Year	Current Odometer Reading
	GENERAL	GENERAL	1900	

Purchase Date	Dealer's Name	Engine Size (CID/CC/L	☐ Turbo ☐ Diesel ☐ Gas ☐ Fuel Injection
☐ New ☒ Used	City_____ State_____ Zip Code_____	No Cylinders _____	

Transmission Type	Antilock Brakes	Restraint System	Cruise Control	Drive Train	Vehicle Type	Body Style
☐ Manual ☐ Automatic	☐ Yes ☒ No	☐ 3-Point Belt ☐ Motorbelt ☐ Driverside Airbag ☐ 2-Point Belt ☐ Passengerside Airbag	☐ Yes ☒ No	☐ Front ☐ Rear ☐ 4-Wheel	☐ Car ☐ Sport Utl ☐ Van ☐ Truck ☐ Minivan ☐ Motorcycle ☐ Other_____	☐ 2-Door ☐ 4-Door ☐ Stationwagon ☐ Pick Up Truck ☐ Other_____ ☒

FAILED COMPONENT(S)/PART(S) INFORMATION

Component	Part Name(s)	Location	Failed Part(s)
02700000	TIRES	☐ Left ☐ Right ☐ Front ☐ Rear	☐ Original ☐ Replacement

No of Failures		Failed Part(s) Available?	NHTSA Previously Contacted?
	Date(s) of Failure(s)_____ Mileage at Failure(s)_____ Vehicle Speed at Failure(s)_____	| |Yes | |No	| | Yes | |No

APPLICATION INCIDENT INFORMATION

(Please describe in detail the incident(s), Failure(s), Crash(es), and injury(ies) on the back of this form)

Crash	Fire	Number of Persons Injured	Number of Fatalities	Estimated Property Damage	Reported to Police
☐ Yes ☒ No	☐ Yes ☒ No				☐ Yes ☒ No

NARRATIVE DESCRIPTION OF FAILURE(S), INCIDENT(S), INJURY(IES)

FIRESTONE TIRES ON TOYOTA, CAMRY 1999. FRONT PASSENGER'S SIDE TIRE BLEWOUT. TIRE SIZE, 20565R15. GENERAL WAS CONTACTED.*AK

CONTINUE ON BACK IF NEEDED

The Privacy Act of 1974-Public Law 93-579 This information is requested pursuant to authority vested in the National Highway Traffic Safety Act and subsequent amendments. You are under no obligation to respond this questionnaire. Your response may be used to assist the NHTSA in determining whether a manufacturer should take appropriate action to correct a safety defect. If the NHTSA proceeds with administrative enforcement or litigation against a manufacturer, your response, or a statistical summary thereof, may be used in support of the agency's action.

Form Approved: O.M.B. No. 2127-0008

U.S. Department of Transportation
National Highway Traffic Safety Administration

DOT Auto Safety Hotline

Vehicle Owner's Questionnaire (VOQ)

NATIONWIDE 1-888-DASH-2-DOT
1-888-327-4236
www.nhtsa.dot.gov/hotline

00 DEC -5 PM 3:36
OFFICE OF DEFECTS INVESTIGATION

FOR AGENCY USE ONLY 255	
Date Received: 23-AUG-2000	Od_dr ____ ____ rt_dt ____ ____ od_rt ____ ____ up_ltr ____ ____
	Reference No. 868445

OWNER INFORMATION (Type or Print)

[redacted] 629677

Work Number: [redacted]
Home Number: [redacted]

Do you authorize NHTSA to provide a copy of report to the manufacturer of your vehicle? ☒ YES ☐ NO
In the absence of an [redacted] your name and address to the vehicle manufacturer.
Signature of Owner [redacted] Date 9/26/00

VEHICLE INFORMATION

Vehicle Ident. No. (VIN) (Located at bottom of windshield on driver's side)	Vehicle Make	Vehicle Model	Vehicle Year	Current Odometer Reading
JT2BF22K1X0193957	TOYOTA GENERAL	CAMRY GENERAL	~~1900~~ 1999	174

Purchase Date	Dealer's Name	Engine Size (CID/CC/L)	
5/9/99	Frontier Toyota		☐ Turbo ☐ Diesel ☐ Gas ☒ Fuel Injection
☒ New ☒ Used	City Valencia State CA Zip Code 91355	No Cylinders 6	

NEW

Transmission Type	Antilock Brakes	Restraint System	Cruise Control	Drive Train	Vehicle Type	Body Style
Automatic ☐ Manual ☒ Automatic	Yes ☒ Yes ☒ No Dont know	☐ 3-Point Belt ☐ Motorbelt ☐ Driverside Airbag ☐ 2-Point Belt ☒ Passengerside Airbag	☒ Yes No Dont know	☐ Front ☐ Rear ☐ 4-Wheel	☒ Car ☐ Sport Utl ☐ Van ☐ Truck ☐ Minivan ☐ Motorcycle ☐ Other	☐ 2-Door ☒ 4-Door ☐ Stationwagon ☐ Pick Up Truck ☒ Other Dunno

FAILED COMPONENT(S)/PART(S) INFORMATION

Component	Part Name(s)	Location	Failed Part(s)
02700000	TIRES Continental General P205/65R-15	☒ Left ☒ Right ☒ Front ☐ Rear	☒ Original ☐ Replacement

No of Failures	Date(s) of Failure(s) / Mileage at Failure(s) / Vehicle Speed at Failure(s)	Failed Part(s) Available?	NHTSA Previously Contacted?
1	11300 60 miles/hr	☐ Yes ☒ No	☒ Yes ☐ No

APPLICATION INCIDENT INFORMATION

(Please describe in detail the Incident(s), Failure(s), Crash(es), and injury(ies) on the back of this form)

Crash	Fire	Number of Persons Injured	Number of Fatalities	Estimated Property Damage	Reported to Police
☐ Yes ☒ No	Tire came off ☒ Yes ☐ No Fire	—	—	Tire only	☒ Yes Highway Patrol

NARRATIVE DESCRIPTION OF FAILURE(S), INCIDENT(S), INJURY(IES)

FIRESTONE TIRES ON TOYOTA, CAMRY 1999. FRONT PASSENGER'S SIDE TIRE BLEWOUT. TIRE SIZE, 20565R15. GENERAL WAS CONTACTED.*AK

Continental General Tire. The tire started bouncing. The blowout was near the rim. Continental General was informed. The failed tire was given to the Tire Co. Your Rep. has made mistakes all over the form.

CONTINUE ON BACK IF NEEDED

The Privacy Act of 1974-Public Law 93-579 This information is requested pursuant to authority vested in the National Highway Traffic Safety Act and subsequent amendments. You are under no obligation to respond this questionnaire. Your response may be used to assist the NHTSA in determining whether a manufacturer should take appropriate action to correct a safety defect. If the NHTSA proceeds with administrative enforcement or litigation against a manufacturer, your response, or a statistical summary thereof, may be used in support of the agency's action.

Fold to show Return Address (no stamp needed) Fasten with tape or staple and mail

INFORMATION ON TIRE FAILURE(S) (IF APPLICABLE)

TIRE IDENTIFICATION NO.*

D	O	T	A	C	U	R	2	V	1	4	6	8	

MANUFACTURER/TIRE NAME: General HP400 A/S

SIZE: 205/65-R15

* The identification number consists of 7 to 10 letters and numerals following the letters DOT. It is usually located near the rim flange on the side opposite the whitewall or on either side of a blackwall tire.

NARRATIVE DESCRIPTION (CONTINUED)

I have tried to correct them -

☆ U.S. G.P.O.: 1992 – 629-687/60086

U.S. Department of Transportation

National Highway Traffic Safety Administration

400 Seventh St., S.W.
Washington, D.C. 20590

Official Business
Penalty for Private Use $300

MOJAVE CA 935
PM
27 NOV
2000

NO POSTAGE NECESSARY IF MAILED IN THE UNITED STATES

U.S. Postal Service

BUSINESS REPLY MAIL

FIRST CLASS PERMIT NO. 73173 WASHINGTON, D.C.

POSTAGE WILL BE PAID BY NATL HWY TRAFFIC SAFETY ADMIN.

U.S. Department of Transportation
National Highway Traffic Safety Administration
Information Management Staff NSA-10.01
400 7th Street, SW
Washington, DC 20590