

U.S. Department
of TransportationNational Highway
Traffic Safety
Administration

DOT Auto Safety Hotline

Vehicle Owner's Questionnaire (VOQ)**NATIONWIDE 1-888-DASH-2-DOT****1-888-327-4236****www.nhtsa.dot.gov/hotline****FOR AGENCY USE ONLY 241**

Date Received

29-AUG-2000
 Od_or _____
 rt_dt _____
 od_rt _____
 up_ltr _____

Reference No.

869095

OWNER INFORMATION (Type or Print)

JEANNE	DEPUE	632071
28973 BAY WATER DRIVER		
MENIFEE	CA	925848783

Work Number

Home Number **909/301-6148**



U.S. Department
of Transportation
National Highway
Traffic Safety
Administration

DOT Auto Safety Hotline

Vehicle Owner's Questionnaire (VOQ)

NATIONWIDE 1-888-DASH-2-DOT

1-888-327-4236

www.nhtsa.dot.gov/hotline

FOR AGENCY USE ONLY 241

Date Received

00 SEP 28

29-AUG-2000

DEFECTS INVESTIGATION

Od or

1999: 25

od rt

yp hr

Reference No.

869095

Work Number

Home

OWNER INFORMATION (Type or Print)

632071

Do you authorize NHTSA to provide a copy of report to the manufacturer of your vehicle?
In the absence of an authorization, NHTSA WILL NOT provide your name and address to the vehicle manufacturer.

☒ YES ☐ NO

Signature of Owner

Date 9/18/02

VEHICLE INFORMATION

Vehicle Ident. No. (VIN) (Located at bottom of windshield on driver's side) 1HMLPD185C-1048564	Vehicle Make HONDA BRIDGESTONE	Vehicle Model CRV BRIDGESTONE	Vehicle Year 1998-1997	Current Odometer Reading 40,000
Purchase Date 8/97	Dealer's Name FULLERTON HONDA		Engine Size (CID/CC/L) 4	☐ Turbo ☐ Diesel ☒ Gas Fuel Injection
☒ New ☐ Used	City FULLERTON State CA Zip Code		No Cylinders 4	
Transmission Type ☐ Manual ☒ Automatic	Antilock Brakes ☒ Yes ☐ No	Restraint System ☒ 3-Point Belt ☐ Motorbelt ☒ Driverside Airbag ☐ 2-Point Belt ☐ Passengerside Airbag	Cruise Control ☒ Yes ☐ No	Drive Train ☐ Front ☐ Rear ☒ 4-Wheel
Vehicle Type ☐ Car ☐ Van ☐ Minivan ☐ Other		Sport Utility ☒ Truck ☐ Motorcycle		Body Style ☐ 2-Door ☐ 4-Door ☐ Stationwagon ☐ Pick Up ☒ Truck

FAILED COMPONENT(S)/PART(S) INFORMATION

Component 02/10000	Part Name(s) TIRES: TREAD SEPARATION	Location ☒ Left ☐ Right ☐ Front ☒ Rear	Failed Part(s) ☒ Original ☐ Replacement
No of Failures	Date(s) of Failure(s) 28-DEC-1998 Mileage at Failure(s) 16220 Vehicle Speed at Failure(s) 70 MPH	Failed Part(s) ☐ Yes ☐ No	NHTSA Previously ☐ Yes ☐ No

APPLICATION INCIDENT INFORMATION

(Please describe in detail the incident(s), Failure(s), Crash(es), and injury(ies) on the back of this form)

Crash ☐ Yes ☒ No	Fire ☐ Yes ☒ No	Number of Persons Injured 0	Number of Fatalities 0	Estimated Property Damage	Reported to Police ☐ Yes ☒ No
--	---	--------------------------------	---------------------------	---------------------------	---

NARRATIVE DESCRIPTION OF FAILURE(S), INCIDENT(S), INJURY(IES)

LEFT REAR TIRE EXPERIENCED A BLOWOUT/TREAD SEPARATION WHILE TRAVELING AT HIGHWAY SPEED OF 70 MPH. DRIVER & 3 PASSENGERS IN A 1997 HONDA, CRV, ORIGINAL EQUIPMENT, P205/70R15, DOT# UNAVAILABLE. NO INJURY REPORTED. PLEASE PROVIDE ANY FURTHER DETAILS. *AK

CONTINUE ON BACK IF NEEDED

The Privacy Act of 1974 (Public Law 93-579) This information is requested pursuant to authority vested in the National Highway Traffic Safety Act and subsequent amendments. You are under no obligation to respond to this questionnaire. Your response may be used to assist the NHTSA in determining whether a manufacturer should take appropriate action to correct a safety defect. If the NHTSA proceeds with administrative enforcement or litigation against a manufacturer, your response, or a statistical summary thereof, may be used in support of the agency's action.

POSTAGE WILL BE PAID BY MAIL HWY TRAFFIC SAFETY ADMIN.

BUSINESS REPLY MAIL
FIRST CLASS PERMIT NO. 73173 WASHINGTON, D.C.

U.S. Department of Transportation
National Highway Traffic Safety Administration
Information Management Staff NSA-10.01
400 7th Street, SW
Washington, DC 20590

U.S. Department
of Transportation
National Highway
Traffic Safety
Administration
400 Seventh St., S.W.
Washington, D.C. 20580
Official Business
Penalty for Private Use \$300

NO POSTAGE
NECESSARY
IF MAILED
IN THE
UNITED STATES



U.S. B.P.O. 1002-000-0001/0000

HAUSNT FELT SAFE SO I PURCHASED FOUR NEW TIRES, RECENTLY.
I S-14. HAVE ONE BRIDGESTONE FOR A SPARE. AFTER THE BLAST OUT EXHAUSTANCE I
THIS IS TO BRING LIGHT TOWARD OTHER BRIDGESTONE TIRES - THE
RECALL SEEMS TO BE LIMITED.

TIRE - 1205/20 R15 BRIDGESTONE DUELER HT 65

* The identification number consists of 7 to 10 letters and numerals following the letters DOT. It is usually located near the rim flange on the side opposite the whitewall or on either side of a blackwall tire.	
NARRATIVE DESCRIPTION (CONTINUED)	
INFORMATION ON TIRE FAILURE(S) (IF APPLICABLE)	
THE IDENTIFICATION NO.	
DOT E M Y T C A F 2 7 7	
MANUFACTURER/TIRE NAME	
BRIDGESTONE - BRIDGESTONE	
SIZE	