

U.S. Department
of TransportationNational Highway
Traffic Safety
Administration

DOT Auto Safety Hotline

Vehicle Owner's Questionnaire (VOQ)

NATIONWIDE 1-888-DASH-2-DOT

1-888-327-4236

www.nhtsa.dot.gov/hotline

FOR AGENCY USE ONLY

335

Date Received

08-SEP-2000

Od_or

rt_dt

od_rt

up_ltr

Reference No.

869712

Do you authorize NHTSA to provide a copy of report to the manufacturer of your vehicle? ☐ YES ☐ NO
 In the absence of an authorization, NHTSA WILL NOT provide your name and address to the vehicle manufacturer.

Signature of Owner _____ Date ____/____/____

VEHICLE INFORMATION

Vehicle Ident. No. (VIN.) (located between front fenders)	Vehicle Make	Vehicle Model	Vehicle Year	Current Odometer Reading
1FMDV3ZX1SZB03150	FIRESTONE	P23575R15	1900	

Purchase Date	Dealer's Name _____	Engine Size (CID/CCL) _____	☐ Turbo ☐ Diesel ☐ Gas ☐ Fuel Injection
☐ New ☒ Used	City _____ State _____ Zip Code _____	No. Cylinders _____	

Transmission Type ☐ Manual ☐ Automatic	Antilock Brakes ☒ Yes ☐ No	Restraint System ☐ 3-Point Belt ☐ Driverside Airbag ☐ Passengerside Airbag ☐ Motorbelt ☐ 2-Point Belt	Cruise Control ☐ Yes ☒ No	Drive Train ☐ Front ☐ Rear ☐ 4-Wheel	Vehicle Type ☐ Car ☐ Van ☐ Minivan ☐ Other ☐ Sport Utl ☐ Truck ☐ Motorcycle	Body Style ☐ 2-Door ☐ 4-Door ☐ Stationwagon ☐ Pick Up Truck ☐ Other
--	---	---	--	--	---	---

FAILED COMPONENT(S)/PART(S) INFORMATION

Component 02700000	Part Name(s) TIRES	Location ☐ Left ☐ Front ☐ Right ☐ Rear	Failed Part(s) ☐ Original ☐ Replacement
No. of Failures 0	Dates of Failure(s) 30-AUG-2000 Mileage at Failure(s) 79000 Vehicle Speed at Failure(s) 2	Failed Part(s) Available? Yes No	NHTSA Previously Contacted? Yes No

APPLICATION INCIDENT INFORMATION

(Please describe in detail the incident(s), failure(s), crash(es), and injury(ies) on the back of this form)

Crash ☐ Yes ☒ No	Fire ☐ Yes ☒ No	Number of Persons Injured 0	Number of Fatalities 0	Estimated Property Damage	Reported to Police ☐ Yes ☒ No
--	---	--------------------------------	---------------------------	---------------------------	---

NARRATIVE DESCRIPTION OF FAILURE(S), INCIDENT(S), INJURY(IES)

NOT THE ORIGINAL TIRES ON FORD EXPLORER 1995, CONSUMER STATES FRONT DRIVERS SIDE, AND REAR PASSENGER SIDE TIRES BOTH HAVE SLOW LEAKS, CONSUMER IS CONCERNED THAT THEY MAY FLAT OR BLOW OUT.

CONTINUE ON BACK IF NEEDED

The Privacy Act of 1974-Public Law 93-579 This information is requested pursuant to authority vested in the National Highway Traffic Safety Act and subsequent amendments. You are under no obligation to respond to this questionnaire. Your response may be used to assist the NHTSA in determining whether a manufacturer should take appropriate action to correct a safety defect. If the NHTSA proceeds with administrative enforcement or litigation against a manufacturer, your response, or a statistical summary thereof, may be used in support of the agency's action.

 DOT Auto Safety Hotline Vehicle Owner's Questionnaire (VOQ) U.S. Department of Transportation National Highway Traffic Safety Administration NATIONWIDE 1-888-DASH-2-DOT 1-888-327-4236 www.nhtsa.dot.gov/hotline		FOR AGENCY USE ONLY 335 Date Received 00 OCT -3 PM 2:03 06 SEP 2000 DEFECTS INVESTIGATION	
OWNER INFORMATION (Type or Print) 634834		Reference No. 869712 Work Number Home Num	
Do you authorize NHTSA to provide a copy of report to the manufacturer of your vehicle? In the absence of an authorization, NHTSA WILL NOT provide your name and address to the vehicle manufacturer. Signature of Owner Date <u>9/22/00</u>			
VEHICLE INFORMATION			
Vehicle Ident. No. (VIN) (Located at bottom of windshield on driver's side) 1FMDV3ZX1S2B03150		Vehicle Make FIRESTONE	Vehicle Model FIRESTONE
Vehicle Year 1900		Current Odometer Reading	
Purchase Date 1/96 ☐ New ☒ Used	Dealer's Name FORD		Engine Size (CID/CC/L) No Cylinders
City SANTA BARBARA State CA Zip Code		☐ Turbo Diesel ☒ Gas Fuel Injection	
Transmission Type ☐ Manual ☒ Automatic	Antilock Brakes ☒ Yes ☐ No	Restraint System ☒ 3-Point Belt ☐ Motorbelt ☒ Driverside Airbag ☐ 2-Point Belt ☐ Passengerside Airbag	Cruise Control ☐ Yes ☒ No
Drive Train ☐ Front ☒ Rear ☐ 4-Wheel	Vehicle Type ☐ Car ☐ Van ☐ Minivan ☐ Other ☒ Sport Ult. Truck ☐ Motorcycle		Body Style ☐ 2-Door ☐ 4-Door ☐ Stationwagon ☐ Pick Up ☒ Truck
FAILED COMPONENT(S)/PART(S) INFORMATION			
Component 02700000	Part Name(s) TIRES	Location ☐ Left ☐ Right ☐ Front ☐ Rear	Failed Part(s) ☐ Original ☐ Replacement
No of Failures 0	Date(s) of Failure(s) 30-AUG-2000 Mileage at Failure(s) 79000 Vehicle Speed at Failure(s) 0		Failed Part(s) ☐ Yes ☐ No NHTSA Previously ☐ Yes ☐ No
APPLICATION INCIDENT INFORMATION			
(Please describe in detail the incident(s), failure(s), crash(ies), and injury(ies) on the back of this form)			
Crash ☐ Yes ☒ No	Fire ☐ Yes ☒ No	Number of Persons Injured 0	Number of Fatalities 0
Estimated Property Damage		Reported to Police ☐ Yes ☒ No	
NARRATIVE DESCRIPTION OF FAILURE(S), INCIDENT(S), INJURY(IES)			
NOT THE ORIGINAL TIRES ON FORD EXPLORER 1995. FRONT DRIVER'S SIDE AND REAR PASSENGER'S SIDE TIRES HAVE SLOW LEAKS, CONSUMER IS CONCERNED THAT THEY MAY BECOME FLAT OR BLOWOUT. *AK FIRESTONE RECALLED ATX TIRES ON VEHICLE. 2 TIRES HAVE SLOW LEAKS, FIRESTONE UNABLE TO FIX IMMED. HAVE BEEN UNSTALLED 2 1/2 MONTHS, ON A LIST TO CHANGE - CONCERN FOR SAFETY & LIFE BECAUSE OF TIRES.			
CONTINUE ON BACK IF NEEDED			
The Privacy Act of 1974-Public Law 93-579 This information is requested pursuant to authority vested in the National Highway Traffic Safety Act and subsequent amendments. You are under no obligation to respond to this questionnaire. Your response may be used to assist the NHTSA in determining whether a manufacturer should take appropriate action to correct a safety defect. If the NHTSA proceeds with administrative enforcement or litigation against a manufacturer, your response or a statistical summary thereof, may be used in support of the agency's action.			

Fold to show Return Address (no stamp needed) Fasten with tape or staple and mail

INFORMATION ON TIRE FAILURE(S) (IF APPLICABLE)

TIRE IDENTIFICATION NO.*

D O T

MANUFACTURER/TIRE NAME

FIRESTONE ATX

SIZE

P235 x 75R15

* The identification number consists of 7 to 10 letters and numerals following the letters DOT. It is usually located near the rim flange on the side opposite the whitewall or on either side of a blackwall tire.

NARRATIVE DESCRIPTION (CONTINUED)

10111001111111111111

☆ U.S.G.P.O. 1982 - 623-887 / 80388

U.S. Department
of Transportation
National Highway
Traffic Safety
Administration

400 Seventh St., S.W.
Washington, D.C. 20590

Official Business
Penalty for Private Use \$300



NO POSTAGE
NECESSARY
IF MAILED
IN THE
UNITED STATES

BUSINESS REPLY MAIL

FIRST CLASS PERMIT NO. 73173 WASHINGTON, D.C.

POSTAGE WILL BE PAID BY NATL HWY TRAFFIC SAFETY ADMIN.

U.S. Department of Transportation
National Highway Traffic Safety Administration
Information Management Staff NSA-10.01
400 7th Street, SW
Washington, DC 20590