

U.S. Department
of TransportationNational Highway
Traffic Safety
Administration

DOT Auto Safety Hotline

Vehicle Owner's Questionnaire (VOQ)

NATIONWIDE 1-888-DASH-2-DOT

1-888-327-4236

www.nhtsa.dot.gov/hotline

FOR AGENCY USE ONLY 156

Date Received

20-SEP-2000

 Od_or _____
 Rt_dt _____
 od_rt _____
 up_ltr _____

Reference No.

871106

Work Number NA

Home Number 3027317103

OWNER INFORMATION (Type or Print)

 SEYMOUR SANDERS 640599
 16 HAVERTOWN ROAD
 NEWARK DE 19713
Do you authorize NHTSA to provide a copy of report to the manufacturer of your vehicle? ☐ YES ☐ NO

In the absence of an authorization, NHTSA WILL NOT provide your name and address to the vehicle manufacturer.

Signature of Owner _____ Date ____/____/____

VEHICLE INFORMATION

Vehicle Ident. No. (VIN) (Listed at front of windshield or driver's door)	Vehicle Make	Vehicle Model	Vehicle Year	Current Odometer Reading
1FTCR14U255A57096	FORD TRUCK	RANGER	1996	

Purchase Date	Dealer's Name _____	Engine Size (CID/CC/L) _____	☐ Turbo ☐ Diesel ☐ Gas ☐ Fuel Injection
☐ New ☒ Used	City _____ State _____ Zip Code _____	No Cylinders _____	

Transmission Type ☐ Manual ☐ Automatic	Antilock Brakes ☐ Yes ☒ No	Restraint System ☐ 3-Point Belt ☐ Motorbell ☐ Driverside Airbag ☐ 2-Point Belt ☐ Passengerside Airbag	Cruise Control ☐ Yes ☒ No	Drive Train ☐ Front ☐ Rear ☐ 4-Wheel	Vehicle Type ☐ Car ☐ Sport Ult ☐ Van ☐ Truck ☐ Minivan ☐ Motorcycle ☐ Other _____	Body Style ☐ 2-Door ☐ 4-Door ☐ Stationwagon ☐ Pick Up Truck ☐ Other _____
--	---	---	--	--	--	---

FAILED COMPONENT(S)/PART(S) INFORMATION

Component 02600000	Part Name(s) WHEELS	Location ☐ Left ☐ Right ☐ Front ☐ Rear	Failed Part(s) ☐ Original ☐ Replacement
No of Failures	Date(s) of Failure(s) 10-SEP-2000 Mileage at Failure(s) 50 Vehicle Speed at Failure(s) _____	Failed Part(s) Available? ☐ Yes ☐ No	NHTSA Previously Contacted? ☐ Yes ☐ No

APPLICATION INCIDENT INFORMATION

(Please describe in detail the incident(s), Failure(s), Crash(es), and injury(ies) on the back of this form)

Crash ☐ Yes ☒ No	Fire ☐ Yes ☒ No	Number of Persons Injured	Number of Fatalities	Estimated Property Damage	Reported to Police ☐ Yes ☒ No
--	---	---------------------------	----------------------	---------------------------	---

NARRATIVE DESCRIPTION OF FAILURE(S), INCIDENT(S), INJURY(IES)

DRIVER FRONT ALLOY WHEEL CRACKED IN HALF, WHICH ALMOST CAUSE A CRASH. PLEASE PROVIDE FURTHER INFORMATION.*AK

CONTINUED ON BACK (SEE INSTRUCTIONS)


The Privacy Act of 1974-Public Law 93-579 This information is requested pursuant to authority vested in the National Highway Traffic Safety Act and subsequent amendments. You are under no obligation to respond to this questionnaire. Your response may be used to assist the NHTSA in determining whether a manufacturer should take corrective action to prevent a similar defect. If the NHTSA proceeds with administrative enforcement or litigation, the information you provide may be used in the proceedings.

U.S. Department of Transportation
National Highway Traffic Safety Administration
Information Management Staff NSA-10.01
400 7th Street, SW
Washington, DC 20590

POSTAGE WILL BE PAID BY NATIONAL HIGHWAY TRAFFIC SAFETY ADMIN.

BUSINESS REPLY MAIL
FIRST CLASS PERMIT NO. 73173 WASHINGTON, D.C.

U.S. Department
of Transportation
National Highway
Traffic Safety
Administration
400 Seventh St., S.W.
Washington, D.C. 20590
Official Business
Penalty for Private Use \$300



U.S. G.P.O. 1992-625-807/8000

WHEN THE VEHICLE WAS STOPPED ON THE SHOULDER,
A ROADSIDE SERVICE WAS CALLED. THE WHEEL WAS
CLEANLY CUT IN HALF LIKE A SLICED BAGEL.
INTERESTED PARTIES WITH A TECHNICAL BACKGROUND
OPINIONED THAT IT WAS A DEFECTIVE WHEEL CASTING
AFTER EXAMINING THE FAILED WHEEL.

NARRATIVE DESCRIPTION (CONTINUED)									
* The identification number consists of 7 to 10 letters and numerals following the letters DOT. It is usually located near the rim flange on the side opposite the whitewall or on either side of a blackwall tire.									
THE IDENTIFICATION NO.*		MANUFACTURER/TIRE NAME		SIZE					
INFORMATION ON TIRE FAILURE(S) (IF APPLICABLE)									

Fold to show Return Address (no stamp needed) (seal with tape or staple and mail)