

U.S. Department
of TransportationNational Highway
Traffic Safety
Administration

DOT Auto Safety Hotline

Vehicle Owner's Questionnaire (VOQ)

NATIONWIDE 1-888-DASH-2-DOT

1-888-327-4236

www.nhtsa.dot.gov/hotline

FOR AGENCY USE ONLY 137

Date Received

25-SEP-2000

 Od_or _____
 Rt_dt _____
 od_rt _____
 up_ltr _____

Reference No.

871446

 Do you authorize NHTSA to provide a copy of report to the manufacturer of your vehicle? ☐ YES ☐ NO
 In the absence of an authorization, NHTSA WILL NOT provide your name and address to the vehicle manufacturer.

Signature of Owner _____ Date ____/____/____

VEHICLE INFORMATION

Vehicle Ident. No. (VIN) (located at front of windshield on drivers side) 1G8ZF5590PZ251529	Vehicle Make SATURN	Vehicle Model SL	Vehicle Year 1993	Current Odometer Reading
--	-------------------------------	----------------------------	-----------------------------	--------------------------

Purchase Date	Dealer's Name _____	Engine Size (CID/CC/L) _____	☐ Turbo ☐ Diesel ☐ Gas ☐ Fuel Injection
☐ New ☒ Used	City _____ State _____ Zip Code _____	No Cylinders _____	

Transmission Type ☐ Manual ☐ Automatic	Antilock Brakes ☐ Yes ☒ No	Restraint System ☐ 3-Point Belt ☐ Driverside Airbag ☐ Passengerside Airbag ☐ Motorbell ☒ 2-Point Belt	Cruise Control ☐ Yes ☒ No	Drive Train ☐ Front ☐ Rear ☐ 4-Wheel	Vehicle Type ☐ Car ☐ Van ☐ Minivan ☐ Other _____ ☐ Sport Ult ☐ Truck ☐ Motorcycle	Body Style ☐ 2-Door ☐ 4-Door ☐ Stationwagon ☐ Pick Up Truck ☐ Other _____
--	---	--	--	--	---	---

FAILED COMPONENT(S)/PART(S) INFORMATION

Component 02740000	Part Name(s) TIRES: TREAD	Location ☐ Left ☐ Right ☐ Front ☐ Rear	Failed Part(s) ☐ Original ☐ Replacement
No of Failures 0	Date(s) of Failure(s) 07-SEP-2000 Mileage at Failure(s) 130000 Vehicle Speed at Failure(s) 70	Failed Part(s) Available? ☐ Yes ☐ No	NHTSA Previously Contacted? ☐ Yes ☐ No

APPLICATION INCIDENT INFORMATION

(Please describe in detail the incident(s), Failure(s), Crash(es), and injury(ies) on the back of this form)

Crash ☐ Yes ☒ No	Fire ☐ Yes ☒ No	Number of Persons Injured 0	Number of Fatalities 0	Estimated Property Damage	Reported to Police ☐ Yes ☒ No
--	---	---------------------------------------	----------------------------------	---------------------------	---

NARRATIVE DESCRIPTION OF FAILURE(S), INCIDENT(S), INJURY(IES)

PE00-020; WHILE DRIVING ABOUT 70 MPH WHEN RIGHT REAR TIRE HAD A TREAD SEPARATION. TIRE DID NOT WENT FLAT. FIRESTONE, P175/70R14. *AK

CONTINUED ON BACK (SEE)

The Privacy Act of 1974-Public Law 93-579 This information is requested pursuant to authority vested in the National Highway Traffic Safety Act and subsequent amendments. You are under no obligation to respond to this questionnaire. Your response may be used to assist the NHTSA in determining whether a manufacturer should take appropriate action to correct a safety defect. If the NHTSA proceeds with administrative enforcement or litigation against a manufacturer, your response, or a statistical summary thereof, may be used in support of the agency's action.

 DOT Auto Safety Hotline Vehicle Owner's Questionnaire (VOQ) NATIONWIDE 1-888-DASH-2-DOT 1-888-327-4236 www.nhtsa.dot.gov/hotline				FOR AGENCY USE ONLY 187 Date Received 09-SEP-2000 12:00:52 26-SEP-2000 SAFETY INVESTIGATION	
OWNER INFORMATION (Type or Print) 641628				Reference No. 871446	
Do you authorize NHTSA to provide a copy of report to the manufacturer of your vehicle? In the absence of an authorization, NHTSA WILL NOT provide your name and address to the vehicle manufacturer.				☒ YES ☐ NO	
Signature of Owner _____ Date 09/13/00				Work Number _____ Home Number _____	
VEHICLE INFORMATION					
Vehicle Ident. No. (VIN) (Located at bottom of windshield or driver's side) 1G8ZF5690PZ251529		Vehicle Make SATURN	Vehicle Model SL	Vehicle Year 1993	Current Odometer Reading
Purchase Date 1993	Dealer's Name Saturn		Engine Size (CID/CC) _____ No Cylinders _____		☐ Turbo ☐ Diesel ☐ Gas ☐ Fuel Injection
☒ New ☒ Used	City Tempe State AZ Zip Code				
Transmission Type ☒ Manual ☐ Automatic	Antilock Brakes ☐ Yes ☒ No	Restraint System ☐ 3-Point Belt ☐ Driverside Airbag ☐ Passengerside Airbag ☐ Motorbelt ☒ 2-Point Belt	Cruise Control ☐ Yes ☒ No	Drive Train ☐ Front ☐ Rear ☐ 4-Wheel	Vehicle Type ☒ Car ☐ Van ☐ Minivan ☐ Other
			Body Style ☐ 2-Door ☐ 4-Door ☒ Stationwagon ☐ Pick Up Truck ☐ Other		
FAILED COMPONENT(S)/PART(S) INFORMATION					
Component 02740000	Part Name(s) TIRES:TREAD		Location ☐ Left ☐ Front ☒ Right ☒ Rear		Failed Part(s) ☐ Original ☒ Replacement
No of Failures 0	Date(s) of Failure(s) 07-SEP-2000 Mileage at Failure(s) 100000 Vehicle Speed at Failure(s) 70		Failed Part(s) Available? ☐ Yes ☐ No at Sears		NHTSA Previously Contacted? ☐ Yes ☐ No
APPLICATION INCIDENT INFORMATION					
(Please describe in detail the incident(s), Failure(s), Crash(es), and injury(ies) on the back of this form)					
Crash ☐ Yes ☒ No	Fire ☐ Yes ☒ No	Number of Persons Injured 0	Number of Fatalities 0	Estimated Property Damage	Reported to Police ☐ Yes ☒ No
NARRATIVE DESCRIPTION OF FAILURE(S), INCIDENT(S), INJURY(IES)					
PE00-020;WHILE DRIVING ABOUT 70 MPH WHEN RIGHT REAR TIRE HAD A TREAD SEPARATION.TIRE DID NOT WENT FLAT. FIRESTONE, P175/70R14 *AK See other side					
CONTINUE ON BACK IF NEEDED					
The Privacy Act of 1974-Public Law 93-579 This information is requested pursuant to authority vested in the National Highway Traffic Safety Act and subsequent amendments. You are under no obligation to respond this questionnaire. Your response may be used to assist the NHTSA in determining whether a manufacturer should take appropriate action to correct a safety defect. If the NHTSA proceeds with administrative enforcement or litigation against a manufacturer, your response, or a statistical summary thereof, may be used in support of the agency's action.					

Fold to show Return Address (no stamp needed) Fasten with tape or staple and mail

INFORMATION ON TIRE FAILURE(S) (IF APPLICABLE)

TIRE IDENTIFICATION NO.*

D O T

MANUFACTURER/TIRE NAME

SIZE

* The identification number consists of 7 to 10 letters and numerals following the letters DOT. It is usually located near the rim flange on the side opposite the whitewall or on either side of a blackwall tire.

NARRATIVE DESCRIPTION (CONTINUED)

Driving EB on I-94 at approximately 3:30 PM the road separated from my right rear tire. The roads were dry - no adverse weather conditions. The only thing that remained on the rim were the walls of the tire. I brought the tire to Sears in Jackson, MI (517) 796-4228 where I bought a new one. Sears kept the tire. The repair # is F108706 and reference # IN4420898. The information was created by and invoiced by 308775.

★ U.S. G.P.O.: 1992 - 623-857 / 60306

U.S. Department
of Transportation
**National Highway
Traffic Safety
Administration**

400 Seventh St., S.W.
Washington, D.C. 20590

Official Business
Penalty for Private Use \$300

BUSINESS REPLY MAIL

FIRST CLASS PERMIT NO. 73173 WASHINGTON, D.C.

POSTAGE WILL BE PAID BY NATL HWY TRAFFIC SAFETY ADMIN

U.S. Department of Transportation
National Highway Traffic Safety Administration
Information Management Staff NSA-10.01
400 7th Street, SW
Washington, DC 20590

