

U.S. Department
of TransportationNational Highway
Traffic Safety
Administration

DOT Auto Safety Hotline

Vehicle Owner's Questionnaire (VOQ)

NATIONWIDE 1-888-DASH-2-DOT

1-888-327-4236

www.nhtsa.dot.gov/hotline

FOR AGENCY USE ONLY

130

Date Received

23-SEP-2000

Od_or

rt_dt

od_rt

up_ltr

Reference No.

871729

Do you authorize NHTSA to provide a copy of report to the manufacturer of your vehicle? ☐ YES ☐ NO
 In the absence of an authorization, NHTSA WILL NOT provide your name and address to the vehicle manufacturer.

Signature of Owner _____ Date ____/____/____

VEHICLE INFORMATION

Vehicle Ident. No. (VIN.) (located at front of windshield or driver's side)	Vehicle Make	Vehicle Model	Vehicle Year	Current Odometer Reading
	FIRESTONE	WILDERNESS AT	1900	

Purchase Date	Dealer's Name _____	Engine Size (CID/CCL) _____	☐ Turbo ☐ Diesel ☐ Gas ☐ Fuel Injection
☐ New ☒ Used	City _____ State _____ Zip Code _____	No. Cylinders _____	

Transmission Type ☐ Manual ☐ Automatic	Antilock Brakes ☐ Yes ☒ No	Restraint System ☐ 3-Point Belt ☐ Driver's Side Airbag ☐ Passenger's Side Airbag ☐ Motorbelt ☐ 2-Point Belt	Cruise Control ☐ Yes ☒ No	Drive Train ☐ Front ☐ Rear ☐ 4-Wheel	Vehicle Type ☐ Car ☐ Van ☐ Minivan ☐ Other ☐ Sport Utl ☐ Truck ☐ Motorcycle	Body Style ☐ 2-Door ☐ 4-Door ☐ Station Wagon ☐ Pick Up Truck ☐ Other
--	---	---	--	--	---	--

FAILED COMPONENT(S)/PART(S) INFORMATION

Component 02700000	Part Name(s) TIRES	Location ☐ Left ☐ Front ☐ Right ☐ Rear	Failed Part(s) ☐ Original ☐ Replacement
No. of Failures	Date(s) of Failure(s) _____ Mileage at Failure(s) _____ Vehicle Speed at Failure(s) _____	Failed Part(s) Available? Yes No	NHTSA Previously Contacted? Yes No

APPLICATION INCIDENT INFORMATION

(Please describe in detail the incident(s), failure(s), crash(es), and injury(ies) on the back of this form)

Crash ☐ Yes ☒ No	Fire ☐ Yes ☒ No	Number of Persons Injured	Number of Fatalities	Estimated Property Damage	Reported to Police ☐ Yes ☒ No
--	---	---------------------------	----------------------	---------------------------	---

NARRATIVE DESCRIPTION OF FAILURE(S), INCIDENT(S), INJURY(IES)

PE00-020 P25570R16 ORIGINAL EQUIPMENT ON FORD EXPLORER 1996 WITH 60,000 , ON ALL 4 TIRES THE TREAD IS PULLING AWAY FROM THE TIRE. ESPECIALLY ON THE DRIVER REAR TIRE CONSUMER CAN ACTUALLY SEE THE STEEL BELT.PLEASE PROVIDE FURTHER INFORMATION.

CONTINUE ON BACK IF NEEDED

The Privacy Act of 1974-Public Law 93-579 This information is requested pursuant to authority vested in the National Highway Traffic Safety Act and subsequent amendments. You are under no obligation to respond to this questionnaire. Your response may be used to assist the NHTSA in determining whether a manufacturer should take appropriate action to correct a safety defect. If the NHTSA proceeds with administrative enforcement or litigation against a manufacturer, your response, or a statistical summary thereof, may be used in support of the agency's action.

 DOT Auto Safety Hotline Vehicle Owner's Questionnaire (VOQ) U.S. Department of Transportation National Highway Traffic Safety Administration NATIONWIDE 1-888-DASH-2-DOT 1-888-327-4236 www.nhtsa.dot.gov/hotline		FOR AGENCY USE ONLY 160 Date Received <u>28-SEP-2000</u> OFFICE OF DEFECTS INVESTIGATION 871729	
OWNER INFORMATION (Type or Print) 642909		Work Number Home Number	
Do you authorize NHTSA to provide a copy of report to the manufacturer of your vehicle? ☒ YES ☐ NO In the absence of an authorization, NHTSA WILL NOT provide your name and address to the vehicle manufacturer. Signature of Owner Date <u>10/24/2000</u>			
VEHICLE INFORMATION			
Vehicle Ident. No. (VIN) (Located at bottom of windshield on driver's side)		Vehicle Make FIRESTONE	Vehicle Model WILDERNESS AT
		Vehicle Year 1900 1996	Current Odometer Reading
Purchase Date ☐ New ☒ Used	Dealer's Name <u>NARRIS FORD</u> City <u>BALTIMORE</u> State <u>MD</u> Zip Code <u>21222</u>		Engine Size (CID/CC/L) <u>4.0</u> No. Cylinders <u>6</u> ☐ Turbo Diesel Gas ☒ Fuel Injection
Transmission Type ☐ Manual ☒ Automatic	Antilock Brakes ☒ Yes ☐ No	Restraint System ☒ 3-Point Belt ☐ Motorbelt ☐ Driverside Airbag ☐ 2-Point Belt ☐ Passengerside Airbag	Cruise Control ☒ Yes ☐ No
		Drive Train ☐ Front ☐ Rear ☒ 4-Wheel	Vehicle Type ☐ Car ☒ Sport Utility Vehicle ☐ Van ☐ Truck ☐ Minivan ☐ Motorcycle ☐ Other
		Body Style ☒ 2-Door ☐ 4-Door ☐ Stationwagon ☐ Pick Up Truck ☐ Other	
FAILED COMPONENT(S)/PART(S) INFORMATION			
Component 02740000	Part Name(s) TIRES:TREAD	Location ☒ Left ☒ Right ☒ Front ☒ Rear	Failed Part(s) ☒ Original ☐ Replacement
No. of Failures	Date(s) of Failure(s) Mileage at Failure(s) Vehicle Speed at Failure(s)	Failed Part(s) Available? ☒ Yes ☐ No	NHTSA Previously Contacted? ☐ Yes ☒ No
APPLICATION INCIDENT INFORMATION (Please describe in detail the incident(s), failure(s), crash(es), and injury(ies) on the back of this form)			
Crash ☐ Yes ☒ No	Fire ☐ Yes ☒ No	Number of Persons Injured	Number of Fatalities
		Estimated Property Damage	Reported to Police ☐ Yes ☒ No
NARRATIVE DESCRIPTION OF FAILURE(S), INCIDENT(S), INJURY(IES)			
PE00-020; P25570R16, ORIGINAL EQUIPMENT ON FORD EXPLORER, 1996 WITH 60,000. ON ALL 4 TIRES TREAD WAS PULLING AWAY FROM TIRE, ESPECIALLY ON DRIVER'S REAR TIRE CONSUMER CAN ACTUALLY SEE STEEL BELT. PLEASE PROVIDE FURTHER INFORMATION.*AK			
CONTINUE ON BACK IF NEEDED			
The Privacy Act of 1974-Public Law 93-579 This information is requested pursuant to authority vested in the National Highway Traffic Safety Act and subsequent amendments. You are under no obligation to respond to this questionnaire. Your response may be used to assist the NHTSA in determining whether a manufacturer should take appropriate action to correct a safety defect. If the NHTSA proceeds with administrative enforcement or litigation against a manufacturer, your response, or a statistical summary thereof, may be used in support of the agency's action.			

Fold to show Return Address (no stamp needed) Fasten with tape or staple and mail

INFORMATION ON TIRE FAILURE(S) (IF APPLICABLE)

TIRE IDENTIFICATION NO.*

DOT

MANUFACTURER/TIRE NAME

FIREFSTONE

SIZE

P25570/RK

* The identification number consists of 7 to 10 letters and numerals following the letters DOT. It is usually located near the rim flange on the side opposite the whitewall or on either side of a blackwall tire.

NARRATIVE DESCRIPTION (CONTINUED)

☆ U.S. G.P.O. 1979-623-997/60086

U.S. Department
of Transportation

National Highway
Traffic Safety
Administration

400 Seventh St., S.W.
Washington, D.C. 20590

Official Business
Penalty for Private Use \$300

BUSINESS REPLY MAIL

FIRST CLASS PERMIT NO 73173 WASHINGTON, D.C.

POSTAGE WILL BE PAID BY NATL HWY TRAFFIC SAFETY ADMIN.

U.S. Department of Transportation
National Highway Traffic Safety Administration
Information Management Staff NSA-10.01
400 7th Street, SW
Washington, DC 20590

NO POSTAGE
NECESSARY
IF MAILED
IN THE
UNITED STATES

