

U.S. Department
of TransportationNational Highway
Traffic Safety
Administration

DOT Auto Safety Hotline

Vehicle Owner's Questionnaire (VOQ)

NATIONWIDE 1-888-DASH-2-DOT

1-888-327-4236

www.nhtsa.dot.gov/hotline

FOR AGENCY USE ONLY 156

Date Received

02-OCT-2000

 Od_or _____
 Rt_dt _____
 od_rt _____
 up_ltr _____

Reference No.

871980

 Do you authorize NHTSA to provide a copy of report to the manufacturer of your vehicle? ☐ YES ☐ NO
 In the absence of an authorization, NHTSA WILL NOT provide your name and address to the vehicle manufacturer.

Signature of Owner _____ Date ____/____/____

VEHICLE INFORMATION

Vehicle Ident. No. (VIN) (located at front of windshield on drivers side) 1FDKE30S6ZHA18083	Vehicle Make FIRESTONE	Vehicle Model STEEL TEX	Vehicle Year 1900	Current Odometer Reading
--	----------------------------------	-----------------------------------	-----------------------------	--------------------------

Purchase Date	Dealer's Name _____	Engine Size (CID/CC/L) _____	☐ Turbo ☐ Diesel ☐ Gas ☐ Fuel Injection
☒ New ☐ Used	City _____ State _____ Zip Code _____	No Cylinders _____	

Transmission Type ☐ Manual ☐ Automatic	Antilock Brakes ☐ Yes ☒ No	Restraint System ☐ 3-Point Belt ☐ Motorbell ☐ Driverside Airbag ☐ 2-Point Belt ☐ Passengerside Airbag	Cruise Control ☐ Yes ☒ No	Drive Train ☐ Front ☐ Rear ☐ 4-Wheel	Vehicle Type ☐ Car ☐ Sport Ult ☐ Van ☐ Truck ☐ Minivan ☐ Motorcycle ☐ Other _____	Body Style ☐ 2-Door ☐ 4-Door ☐ Stationwagon ☐ Pick Up Truck ☒ Other _____
--	---	---	--	--	--	--

FAILED COMPONENT(S)/PART(S) INFORMATION

Component 02700000	Part Name(s) TIRES	Location ☐ Left ☐ Right ☐ Front ☐ Rear	Failed Part(s) ☐ Original ☐ Replacement
No of Failures	Date(s) of Failure(s) 29-MAR-2000 Mileage at Failure(s) 31 Vehicle Speed at Failure(s) _____	Failed Part(s) Available? ☐ Yes ☐ No	NHTSA Previously Contacted? ☐ Yes ☐ No

APPLICATION INCIDENT INFORMATION

(Please describe in detail the incident(s), Failure(s), Crash(es), and injury(ies) on the back of this form)

Crash ☐ Yes ☒ No	Fire ☐ Yes ☒ No	Number of Persons Injured	Number of Fatalities	Estimated Property Damage	Reported to Police ☐ Yes ☒ No
--	---	---------------------------	----------------------	---------------------------	---

NARRATIVE DESCRIPTION OF FAILURE(S), INCIDENT(S), INJURY(IES)

PE00020, ORIGINAL EQUIPMENT 1997, FLEETWOOD, MONTERO ON A FORD CHASSIS 350, TIRE SIZE LT22575R16, DOT VNILXB306. PASSENGER REAR INSIDE TIRE DISINTEGRATED WHILE DRIVING WHICH MAY HAVE CAUSED A CRASH. PLEASE PROVIDE FURTHER INFORMATION.*AK

CONTINUED ON BACK (REVERSE)

The Privacy Act of 1974-Public Law 93-579 This information is requested pursuant to authority vested in the National Highway Traffic Safety Act and subsequent amendments. You are under no obligation to respond to this questionnaire. Your response may be used to assist the NHTSA in determining whether a manufacturer should take appropriate action to correct a safety defect. If the NHTSA proceeds with administrative enforcement or litigation against a manufacturer, your response, or a statistical summary thereof, may be used in support of the agency's action.

U.S. Department
of TransportationNational Highway
Traffic Safety
Administration

DOT Auto Safety Hotline

Vehicle Owner's Questionnaire (VOQ)

NATIONWIDE 1-888-DASH-2-DOT

1-888-327-4236

www.nhtsa.dot.gov/hotline

FOR AGENCY USE ONLY 156

Date Received

02-OCT-2000

 Od_or _____
 rt_dt _____
 od_rt _____
 up_ltr _____

Reference No.

871980

Do you authorize NHTSA to provide a copy of report to the manufacturer of your vehicle? ☐ YES ☐ NO
 In the absence of an authorization, NHTSA WILL NOT provide your name and address to the vehicle manufacturer.

Signature of Owner _____ Date ____/____/____

VEHICLE INFORMATION

Vehicle Ident. No. (VIN) (located at front of windshield on drivers side) 1FDKE30S6ZHA18083	Vehicle Make FIRESTONE	Vehicle Model STEEL TEX	Vehicle Year 1900	Current Odometer Reading
--	----------------------------------	-----------------------------------	-----------------------------	--------------------------

Purchase Date	Dealer's Name _____	Engine Size (CID/CC/L) _____	☐ Turbo ☐ Diesel ☐ Gas ☐ Fuel Injection
☒ New ☐ Used	City _____ State _____ Zip Code _____	No Cylinders _____	

Transmission Type ☐ Manual ☐ Automatic	Antilock Brakes ☐ Yes ☒ No	Restraint System ☐ 3-Point Belt ☐ Motorbell ☐ Driverside Airbag ☐ 2-Point Belt ☐ Passengerside Airbag	Cruise Control ☐ Yes ☒ No	Drive Train ☐ Front ☐ Rear ☐ 4-Wheel	Vehicle Type ☐ Car ☐ Sport Ult ☐ Van ☐ Truck ☐ Minivan ☐ Motorcycle ☐ Other _____	Body Style ☐ 2-Door ☐ 4-Door ☐ Stationwagon ☐ Pick Up Truck ☒ Other _____
--	---	---	--	--	--	--

FAILED COMPONENT(S)/PART(S) INFORMATION

Component 02700000	Part Name(s) TIRES	Location ☐ Left ☐ Right ☐ Front ☐ Rear	Failed Part(s) ☐ Original ☐ Replacement
No of Failures	Date(s) of Failure(s) 29-MAR-2000 Mileage at Failure(s) 31 Vehicle Speed at Failure(s) _____	Failed Part(s) Available? ☐ Yes ☐ No	NHTSA Previously Contacted? ☐ Yes ☐ No

APPLICATION INCIDENT INFORMATION

(Please describe in detail the incident(s), Failure(s), Crash(es), and injury(ies) on the back of this form)

Crash ☐ Yes ☒ No	Fire ☐ Yes ☒ No	Number of Persons Injured	Number of Fatalities	Estimated Property Damage	Reported to Police ☐ Yes ☒ No
--	---	---------------------------	----------------------	---------------------------	---

NARRATIVE DESCRIPTION OF FAILURE(S), INCIDENT(S), INJURY(IES)

PE00020, ORIGINAL EQUIPMENT 1997, FLEETWOOD, MONTERO ON A FORD CHASSIS 350, TIRE SIZE LT22575R16, DOT VNILXB306. PASSENGER REAR INSIDE TIRE DISINTEGRATED WHILE DRIVING WHICH MAY HAVE CAUSED A CRASH. PLEASE PROVIDE FURTHER INFORMATION.*AK

CONTINUED ON BACK

The Privacy Act of 1974-Public Law 93-579 This information is requested pursuant to authority vested in the National Highway Traffic Safety Act and subsequent amendments. You are under no obligation to respond to this questionnaire. Your response may be used to assist the NHTSA in determining whether a manufacturer should take appropriate action to correct a safety defect. If the NHTSA proceeds with administrative enforcement or litigation against a manufacturer, your response, or a statistical summary thereof, may be used in support of the agency's action.

 DOT Auto Safety Hotline Vehicle Owner's Questionnaire (VOQ) NATIONWIDE 1-888-DASH-2-DOT 1-888-327-4236 www.nhtsa.dot.gov/hotline		FOR AGENCY USE ONLY 156	
		Date Received <u>02-OCT-2000</u> Office Investigation Reference No. <u>871980</u> Work Number _____ Home Number _____	
OWNER INFORMATION (Type or Print)			
		643498	
Do you authorize NHTSA to provide a copy of report to the manufacturer of your vehicle? ☐ YES ☐ NO In the absence of a signature, your name and address to the vehicle manufacturer. Signature of Owner _____ Date <u>1/1/00</u>			
VEHICLE INFORMATION			
Vehicle Ident. No. (VIN) (Located at bottom of windshield on driver's side) 1FDKE30S6ZHA18083		Vehicle Make FIRESTONE	Vehicle Model STEEL TEX
		Vehicle Year 1900	Current Odometer Reading
Purchase Date	Dealer's Name <u>MIKE THOMPSON</u>		Engine Size (CID/CC/L) <u>6.8L</u>
☒ New ☐ Used	City <u>FOUNTAIN</u> State <u>CA</u> Zip Code <u>92708</u>		No Cylinders <u>10</u>
Transmission Type	Antilock Brakes	Restraint System	Cruise Control
☐ Manual ☒ Automatic	☒ Yes ☐ No	☒ 3-Point Belt ☐ Driveside Airbag ☐ Passengerside Airbag	☒ Yes ☐ No
		☐ Motorbelt ☐ 2-Point Belt	☐ Front ☐ Rear ☐ 4-Wheel
			Vehicle Type
			☐ Car ☐ Van ☐ Minivan ☒ Other <u>MOTOR HOME</u>
			Sport UT Truck Motorcycle Pick Up Truck Other
FAILED COMPONENT(S)/PART(S) INFORMATION			
Component 02700000	Part Name(s) TIRES	Location ☒ Left ☐ Right ☐ Front ☒ Rear	Failed Part(s) ☒ Original ☐ Replacement
No of Failures 1	Date(s) of Failure(s) <u>29-MAR-2000</u> Mileage at Failure(s) <u>31,040</u> Vehicle Speed at Failure(s) _____		Failed Part(s) Available? ☐ Yes ☒ No
NHTSA Previously Contacted? ☐ Yes ☒ No			
APPLICATION INCIDENT INFORMATION			
(Please describe in detail the incident(s), Failure(s), Crash(es), and injury(ies) on the back of this form)			
Crash	Fire	Number of Persons Injured	Number of Fatalities
☐ Yes ☒ No	☐ Yes ☒ No	<u>N/A</u>	<u>N/A</u>
Estimated Property Damage		Reported to Police	
		☐ Yes ☒ No	
NARRATIVE DESCRIPTION OF FAILURE(S), INCIDENT(S), INJURY(IES)			
PE00020, ORIGINAL EQUIPMENT 1997, FLEETWOOD, MONTERO ON A FORD CHASSIS 360, TIRE SIZE LT22575R16, DOT VN1LXB306. PASSENGER REAR INSIDE TIRE DISINTEGRATED WHILE DRIVING WHICH MAY HAVE CAUSED A CRASH. PLEASE PROVIDE FURTHER INFORMATION.*AK <u>THIS WAS ON A 1997 MONTERO 24' CLASS 'C' MOTOR HOME</u> <u>OVER</u>			
CONTINUE ON BACK IF NEEDED			
The Privacy Act of 1974-Public Law 93-579 This information is requested pursuant to authority vested in the National Highway Traffic Safety Act and subsequent amendments. You are under no obligation to respond this questionnaire. Your response may be used to assist the NHTSA in determining whether a manufacturer should take appropriate action to correct a safety defect. If the NHTSA proceeds with administrative enforcement or litigation against a manufacturer, your response, or a statistical summary thereof, may be used in support of the agency's action.			

Fold to show Return Address (no stamp needed) Fasten with tape or staple and mail

INFORMATION ON TIRE FAILURE(S) (IF APPLICABLE)

TIRE IDENTIFICATION NO.*

D O T V W T 6 1 X 8 3 0 6

MANUFACTURER/TIRE NAME

FIRESTONE

SIZE

15 725/75 R16 AS

* The identification number consists of 7 to 10 letters and numerals following the letters DOT. It is usually located near the rim flange on the side opposite the whitewall or on either side of a blackwall tire.

NARRATIVE DESCRIPTION (CONTINUED)

STEEL TOY RADIAL R4S TIRE

We were traveling on RT 20 in Texas when this tire began to leak. Speed was approx 65 miles an hour. We were delayed for approx 2 hours. After the spare was put on we went to the closest tire shop and bought a new tire.

U.S. Department
of Transportation

National Highway
Traffic Safety
Administration

400 Seventh St., S.W.
Washington, D.C. 20590

Official Business
Penalty for Private Use \$300

BUSINESS REPLY MAIL

FIRST CLASS PERMIT NO. 73173 WASHINGTON, D.C.

POSTAGE WILL BE PAID BY NATL HWY TRAFFIC SAFETY ADMIN.

U.S. Department of Transportation
National Highway Traffic Safety Administration
Information Management Staff NSA-10.01
400 7th Street, SW
Washington, DC 20590

NO POSTAGE
NECESSARY
IF MAILED
IN THE
UNITED STATES