

U.S. Department
of TransportationNational Highway
Traffic Safety
Administration

DOT Auto Safety Hotline

Vehicle Owner's Questionnaire (VOQ)

NATIONWIDE 1-888-DASH-2-DOT

1-888-327-4236

www.nhtsa.dot.gov/hotline

FOR AGENCY USE ONLY 125

Date Received

02-OCT-2000

 Od_or _____
 rt_dt _____
 od_rt _____
 up_ltr _____

Reference No.

872027

Do you authorize NHTSA to provide a copy of report to the manufacturer of your vehicle? ☐ YES ☐ NO
 In the absence of an authorization, NHTSA WILL NOT provide your name and address to the vehicle manufacturer.

Signature of Owner _____ Date ____/____/____

VEHICLE INFORMATION

Vehicle Ident. No. (VIN) _____ (located at front of windshield on driver's side)	Vehicle Make FIRESTONE	Vehicle Model STEEL TEX	Vehicle Year 1900	Current Odometer Reading
--	----------------------------------	-----------------------------------	-----------------------------	--------------------------

Purchase Date	Dealer's Name _____	Engine Size (CID/CC/L) _____	☐ Turbo ☐ Diesel ☐ Gas ☐ Fuel Injection
☐ New ☒ Used	City _____ State _____ Zip Code _____	No Cylinders _____	

Transmission Type ☐ Manual ☐ Automatic	Antilock Brakes ☐ Yes ☒ No	Restraint System ☐ 3-Point Belt ☐ Motorbell ☐ Driverside Airbag ☐ 2-Point Belt ☐ Passengerside Airbag	Cruise Control ☐ Yes ☒ No	Drive Train ☐ Front ☐ Rear ☐ 4-Wheel	Vehicle Type ☐ Car ☐ Sport Ult ☐ Van ☐ Truck ☐ Minivan ☐ Motorcycle ☐ Other _____	Body Style ☐ 2-Door ☐ 4-Door ☐ Stationwagon ☐ Pick Up Truck ☒ Other _____
--	---	---	--	--	--	--

FAILED COMPONENT(S)/PART(S) INFORMATION

Component 02740000	Part Name(s) TIRES: TREAD	Location ☐ Left ☐ Right ☐ Front ☐ Rear	Failed Part(s) ☐ Original ☐ Replacement
No of Failures	Date(s) of Failure(s) _____ Mileage at Failure(s) _____ Vehicle Speed at Failure(s) _____	Failed Part(s) Available? ☐ Yes ☐ No	NHTSA Previously Contacted? ☐ Yes ☐ No

APPLICATION INCIDENT INFORMATION

(Please describe in detail the incident(s), Failure(s), Crash(es), and injury(ies) on the back of this form)

Crash ☐ Yes ☒ No	Fire ☐ Yes ☒ No	Number of Persons Injured	Number of Fatalities	Estimated Property Damage	Reported to Police ☐ Yes ☒ No
--	---	---------------------------	----------------------	---------------------------	---

NARRATIVE DESCRIPTION OF FAILURE(S), INCIDENT(S), INJURY(IES)

PE00020- STEEL TEX R4S, REPLACEMENT TIRES ON A FORD F350 1989. WHILE DRIVING 55 MPH ON THE HIGHWAY TREAD SEPARATED ON THE DUAL INNER TIRE. PLEASE GIVE ANY FURTHER DETAILS. *AK

CONTINUED ON BACK (REVERSE)

The Privacy Act of 1974-Public Law 93-579 This information is requested pursuant to authority vested in the National Highway Traffic Safety Act and subsequent amendments. You are under no obligation to respond to this questionnaire. Your response may be used to assist the NHTSA in determining whether a manufacturer should take appropriate action to correct a safety defect. If the NHTSA proceeds with administrative enforcement or litigation against a manufacturer, your response, or a statistical summary thereof, may be used in support of the agency's action.

U.S. Department
of TransportationNational Highway
Traffic Safety
Administration

DOT Auto Safety Hotline

Vehicle Owner's Questionnaire (VOQ)

NATIONWIDE 1-888-DASH-2-DOT

1-888-327-4236

www.nhtsa.dot.gov/hotline

FOR AGENCY USE ONLY 125

Date Received

02-OCT-2000

 Od_or _____
 rt_dt _____
 od_rt _____
 up_ltr _____

Reference No.

872027

Do you authorize NHTSA to provide a copy of report to the manufacturer of your vehicle? ☐ YES ☐ NO
 In the absence of an authorization, NHTSA WILL NOT provide your name and address to the vehicle manufacturer.

Signature of Owner _____ Date ____/____/____

VEHICLE INFORMATION

Vehicle Ident. No. (VIN) _____ (located at front of windshield on driver's side)		Vehicle Make FIRESTONE	Vehicle Model STEEL TEX	Vehicle Year 1900	Current Odometer Reading
Purchase Date	Dealer's Name _____		Engine Size (CID/CC/L) _____	☐ Turbo ☐ Diesel ☐ Gas ☐ Fuel Injection	
☐ New ☒ Used	City _____ State _____ Zip Code _____		No Cylinders _____		
Transmission Type ☐ Manual ☐ Automatic	Antilock Brakes ☐ Yes ☒ No	Restraint System ☐ 3-Point Belt ☐ Motorbell ☐ Driverside Airbag ☐ 2-Point Belt ☐ Passengerside Airbag	Cruise Control ☐ Yes ☒ No	Drive Train ☐ Front ☐ Rear ☐ 4-Wheel	Vehicle Type ☐ Car ☐ Sport Ult ☐ Van ☐ Truck ☐ Minivan ☐ Motorcycle ☐ Other _____ Body Style ☐ 2-Door ☐ 4-Door ☐ Stationwagon ☐ Pick Up Truck ☒ Other _____

FAILED COMPONENT(S)/PART(S) INFORMATION

Component 02740000	Part Name(s) TIRES: TREAD	Location ☐ Left ☐ Right ☐ Front ☐ Rear	Failed Part(s) ☐ Original ☐ Replacement
No of Failures	Date(s) of Failure(s) _____ Mileage at Failure(s) _____ Vehicle Speed at Failure(s) _____	Failed Part(s) Available? ☐ Yes ☐ No	NHTSA Previously Contacted? ☐ Yes ☐ No

APPLICATION INCIDENT INFORMATION

(Please describe in detail the incident(s), Failure(s), Crash(es), and injury(ies) on the back of this form)

Crash ☐ Yes ☒ No	Fire ☐ Yes ☒ No	Number of Persons Injured	Number of Fatalities	Estimated Property Damage	Reported to Police ☐ Yes ☒ No
--	---	---------------------------	----------------------	---------------------------	---

NARRATIVE DESCRIPTION OF FAILURE(S), INCIDENT(S), INJURY(IES)

PE00020- STEEL TEX R4S, REPLACEMENT TIRES ON A FORD F350 1989. WHILE DRIVING 55 MPH ON THE HIGHWAY TREAD SEPARATED ON THE DUAL INNER TIRE. PLEASE GIVE ANY FURTHER DETAILS. *AK

CONTINUED ON BACK (REVERSE)

The Privacy Act of 1974-Public Law 93-579 This information is requested pursuant to authority vested in the National Highway Traffic Safety Act and subsequent amendments. You are under no obligation to respond to this questionnaire. Your response may be used to assist the NHTSA in determining whether a manufacturer should take appropriate action to correct a safety defect. If the NHTSA proceeds with administrative enforcement or litigation against a manufacturer, your response, or a statistical summary thereof, may be used in support of the agency's action.

U.S. Department
of TransportationNational Highway
Traffic Safety
Administration

DOT Auto Safety Hotline

Vehicle Owner's Questionnaire (VOQ)

NATIONWIDE 1-888-DASH-2-DOT

1-888-327-4236

www.nhtsa.dot.gov/hotline

FOR AGENCY USE ONLY

125

Date Received

02-OCT-2000

OFFICE
DEFECTS INVESTIGATION

Old or

re dt

old rt

up tr

Investigation No.

872027

OWNER INFORMATION (Type or Print)

643555

Work Number

Home Number

Do you authorize NHTSA to provide a copy of report to the manufacturer of your vehicle?
In the absence of an authorization, NHTSA WILL NOT provide your name and address to the vehicle manufacturer.☐ YES☐ NO

Signature of Owner

Date

VEHICLE INFORMATION

Vehicle Ident. No. (VIN.) (Located at bottom of windshield on driver's side)	Vehicle Make FIRESTONE	Vehicle Model STEEL TEX	Vehicle Year 1900	Current Odometer Reading
--	----------------------------------	-----------------------------------	-----------------------------	--------------------------

Purchase Date	Dealer's Name	Engine Size (CID/CC/L)	☐ Turbo ☐ Diesel ☐ Gas ☐ Fuel Injection
☐ New ☒ Used	City State Zip Code	No Cylinders	

Transmission Type ☐ Manual ☐ Automatic	Antilock Brakes ☐ Yes ☒ No	Restraint System ☐ 3-Point Belt ☐ Driverside Airbag ☐ Passengerside Airbag ☐ Motorbelt ☐ 2-Point Belt	Cruise Control ☐ Yes ☒ No	Drive Train ☐ Front ☐ Rear ☐ 4-Wheel	Vehicle Type ☐ Car ☐ Van ☐ Minivan ☐ Other	Body Style ☐ Sport Utl ☐ Truck ☐ Motorcycle ☐ 2-Door ☐ 4-Door ☐ Stationwagon ☐ Pick Up Truck ☒ Other
--	---	---	--	--	--	---

FAILED COMPONENT(S)/PART(S) INFORMATION

Component 02740090	Part Name(s) TIRES: TREAD	Location ☐ Left ☐ Front ☐ Right ☐ Rear	Failed Part(s) ☐ Original ☐ Replacement
No of Failures	Date(s) of Failure(s) Mileage at Failure(s) Vehicle Speed at Failure(s)	Failed Part(s) Available? ☐ Yes ☐ No	NHTSA Previously Contacted? ☐ Yes ☐ No

APPLICATION INCIDENT INFORMATION

(Please describe in detail the incident(s), failure(s), crash(es), and injury(ies) on the back of this form)

Crash ☐ Yes ☒ No	Fire ☐ Yes ☒ No	Number of Persons Injured	Number of Fatalities	Estimated Property Damage	Reported to Police ☐ Yes ☒ No
--	---	---------------------------	----------------------	---------------------------	---

NARRATIVE DESCRIPTION OF FAILURE(S), INCIDENT(S), INJURY(IES)

PE00020- STEEL TEX R4S, REPLACEMENT TIRES ON A FORD F350 1989. WHILE DRIVING 55 MPH ON THE HIGHWAY TREAD SEPARATED ON THE DUAL INNER TIRE. PLEASE GIVE ANY FURTHER DETAILS.*AK

CONTINUE ON BACK IF NEEDED

The Privacy Act of 1974-Public Law 93-579 This information is requested pursuant to authority vested in the National Highway Traffic Safety Act and subsequent amendments. You are under no obligation to respond to this questionnaire. Your response may be used to assist the NHTSA in determining whether a manufacturer should take appropriate action to correct a safety defect. If the NHTSA proceeds with administrative enforcement or litigation against a manufacturer, your response, or a statistical summary thereof, may be used in support of the agency's action.

Fold to show Return Address (no stamp needed) Fasten with tape or staple and mail

INFORMATION ON TIRE FAILURE(S) (IF APPLICABLE)

TIRE IDENTIFICATION NO.*

DOT VNOR1WT 434

MANUFACTURER/TIRE NAME

FIRESTONE STEELTEX RADIAL R4S

SIZE

LT225/85R16MPS

* The identification number consists of 7 to 10 letters and numerals following the letters DOT. It is usually located near the rim flange on the side opposite the whitewall or on either side of a blackwall tire.

NARRATIVE DESCRIPTION (CONTINUED)

☆ U.S.G.P.O.: 1992-423-897 / 00006

U.S. Department
of Transportation
National Highway
Traffic Safety
Administration

400 Seventh St., S.W.
Washington, D.C. 20590

Off - 10/23/92
Private Use #300



NO POSTAGE
NECESSARY
IF MAILED
IN THE
UNITED STATES

BUSINESS REPLY MAIL

FIRST CLASS PERMIT NO. 73173 WASHINGTON, D.C.

POSTAGE WILL BE PAID BY NATL HWY TRAFFIC SAFETY ADMIN.

U.S. Department of Transportation
National Highway Traffic Safety Administration
Information Management Staff NSA-10.01
400 7th Street, SW
Washington, DC 20590

