

U.S. Department
of TransportationNational Highway
Traffic Safety
Administration

DOT Auto Safety Hotline

Vehicle Owner's Questionnaire (VOQ)

NATIONWIDE 1-888-DASH-2-DOT

1-888-327-4236

www.nhtsa.dot.gov/hotline

FOR AGENCY USE ONLY 241

Date Received

09-OCT-2000

 Od_or _____
 Rt_dt _____
 od_rt _____
 up_ltr _____

Reference No.

872554

 Do you authorize NHTSA to provide a copy of report to the manufacturer of your vehicle? ☐ YES ☐ NO
 In the absence of an authorization, NHTSA WILL NOT provide your name and address to the vehicle manufacturer.

Signature of Owner _____ Date ____/____/____

VEHICLE INFORMATION

Vehicle Ident. No. (VIN) (Listed at front of windshield or driver's door)	Vehicle Make	Vehicle Model	Vehicle Year	Current Odometer Reading
1GKDT13WXW2564495	GMC	JIMMY	1998	

Purchase Date	Dealer's Name _____	Engine Size (CID/CC/L) _____	☐ Turbo ☐ Diesel ☐ Gas ☐ Fuel Injection
☒ New ☐ Used	City _____ State _____ Zip Code _____	No. Cylinders _____	

Transmission Type ☐ Manual ☐ Automatic	Antilock Brakes ☒ Yes ☐ No	Restraint System ☒ 3-Point Belt ☐ Motorbell ☐ Driverside Airbag ☐ 2-Point Belt ☐ Passengerside Airbag	Cruise Control ☐ Yes ☒ No	Drive Train ☐ Front ☐ Rear ☐ 4-Wheel	Vehicle Type ☐ Car ☐ Sport Ult ☐ Van ☐ Truck ☐ Minivan ☐ Motorcycle ☐ Other _____	Body Style ☐ 2-Door ☐ 4-Door ☐ Stationwagon ☐ Pick Up Truck ☒ Other _____
--	---	--	--	--	--	--

FAILED COMPONENT(S)/PART(S) INFORMATION

Component 12111000	Part Name(s) INTERIOR SYSTEMS: PASSENGER RESTRAINTS: AIR BAG: FRONT	Location ☐ Left ☐ Right ☐ Front ☐ Rear	Failed Part(s) ☐ Original ☐ Replacement
No. of Failures	Date(s) of Failure(s) 29-SEP-2000 Mileage at Failure(s) 34000 Vehicle Speed at Failure(s) _____	Failed Part(s) Available? ☐ Yes ☐ No	NHTSA Previously Contacted? ☐ Yes ☐ No

APPLICATION INCIDENT INFORMATION

(Please describe in detail the incident(s), Failure(s), Crash(es), and injury(ies) on the back of this form)

Crash ☒ Yes ☐ No	Fire ☐ Yes ☒ No	Number of Persons Injured	Number of Fatalities	Estimated Property Damage	Reported to Police ☐ Yes ☒ No
--	---	---------------------------	----------------------	---------------------------	---

NARRATIVE DESCRIPTION OF FAILURE(S), INCIDENT(S), INJURY(IES)

VEHICLE INVOLVED IN A FRONTAL COLLISION, IT T-BONED A 1988 DODGE, DAKOTA AT APPROXIMATELY 50 MPH. UPON IMPACT, BOTH AIR BAGS DID NOT DEPLOY. DEALER NOTIFIED. PLEASE FEEL FREE TO PROVIDE ANY FURTHER DETAILS. *AK

CONTINUED ON BACK (REVERSE)

The Privacy Act of 1974-Public Law 93-579 This information is requested pursuant to authority vested in the National Highway Traffic Safety Act and subsequent amendments. You are under no obligation to respond to this questionnaire. Your response may be used to assist the NHTSA in determining whether a manufacturer should take appropriate action to correct a safety defect. If the NHTSA proceeds with administrative enforcement or litigation against a manufacturer, your response, or a statistical summary thereof, may be used in support of the agency's action.

U.S. Department
of TransportationNational Highway
Traffic Safety
Administration

DOT Auto Safety Hotline

Vehicle Owner's Questionnaire (VOQ)

NATIONWIDE 1-888-DASH-2-DOT

1-888-327-4236

www.nhtsa.dot.gov/hotline

FOR AGENCY USE ONLY 241

Date Received

09 OCT 20 09 OCT 2000

OFFICE
DEFECTS INVESTIGATION
 Od or
rt dt
od rt
up tr

Reference No.

872554

OWNER INFORMATION (Type or Print)

644818

Work Number

Home

Do you authorize NHTSA to provide a copy of report to the manufacturer of your vehicle?
in the absence of an address to the vehicle manufacturer.☒ YES ☐ NO

Signature of Owner

Date 10/16/00

VEHICLE INFORMATION

Vehicle Ident. No. (VIN) (Located at bottom of
windshield on driver's side)

1GKDT13WXW2564496

Vehicle Make

GMC

Vehicle Model

JIMMY

Vehicle Year

1998

Current Odometer Reading

Approx 34,000

Purchase Date

6/26/00

Dealer's Name DAP AUTO SALES

Engine Size
(CID/CC/L)

4.3L

☐ Turbo
☐ Diesel
☒ Gas
☐ Fuel Injection
☐ New ☒ Used

City POWERSKY State KY Zip Code 42367

No Cylinders

6

Transmission Type

☐ Manual☒ Automatic

Antilock Brakes

☒ Yes☐ No

Restraint System

☒ 3-Point Belt☐ Motorbelt☒ Driverside Airbag☐ 2-Point Belt☒ Passengerside Airbag

Cruise Control

☐ Yes☒ No

Drive Train

☐ Front☐ Rear☒ 4-Wheel

Vehicle Type

☐ Car☐ Van☐ Minivan☐ Other☒ Sport Ult☐ Truck☐ Motorcycle

Body Style

☐ 2-Door☐ 4-Door☐ Stationwagon☐ Pick Up Truck☒ Other

FAILED COMPONENT(S)/PART(S) INFORMATION

Component

12111000

Part Name(s)

INTERIOR SYSTEMS: PASSENGER RESTRAINTS: AIR BAG: FRONT

Location

☐ Left☒ Front☐ Right☐ Rear

Failed Part(s)

☒ Original☐ Replacement

No of Failures

2

Date(s) of Failure(s)

29-SEP-2000

Mileage at Failure(s)

34000

Vehicle Speed at Failure(s)

Approx 50 mph

Failed Part(s)
Available?☒ Yes ☐ NoNHTSA Previously
Contacted?☐ Yes ☒ No

APPLICATION INCIDENT INFORMATION

(Please describe in detail the incident(s), Failure(s), Crash(es), and Injury(ies) on the back of this form)

Crash

☒ Yes ☐ No

Fire

☒ Yes ☐ No

Number of Persons Injured

1

Number of Fatalities

0

Estimated Property Damage

\$10,000

Reported to Police

☐ Yes ☒ No

NARRATIVE DESCRIPTION OF FAILURE(S), INCIDENT(S), INJURY(IES)

VEHICLE INVOLVED IN A FRONTAL COLLISION, IT T-BONED A 1988 DODGE, DAKOTA AT APPROXIMATELY 50 MPH. UPON IMPACT, BOTH AIR BAGS DID NOT DEPLOY. DEALER NOTIFIED. PLEASE FEEL FREE TO PROVIDE ANY FURTHER DETAILS. *AK

AFTER COLLISION THERE WAS AN ENGINE FIRE.

CONTINUE ON BACK IF NEEDED

The Privacy Act of 1974-Public Law 93-579 This information is requested pursuant to authority vested in the National Highway Traffic Safety Act and subsequent amendments. You are under no obligation to respond this questionnaire. Your response may be used to assist the NHTSA in determining whether a manufacturer should take appropriate action to correct a safety defect. If the NHTSA proceeds with administrative enforcement or litigation against a manufacturer, your response, or a statistical summary thereof, may be used in support of the agency's action.

Fold to show Return Address (no stamp needed) Fasten with tape or staple and mail

INFORMATION ON TIRE FAILURE(S) (IF APPLICABLE)

TIRE IDENTIFICATION NO.*

DOT

MANUFACTURER/TIRE NAME

MICHELIN SELECT

SIZE

P235/75R16

* The identification number consists of 7 to 10 letters and numerals following the letters DOT. It is usually located near the rim flange on the side opposite the whitewall or on either side of a blackwall tire.

NARRATIVE DESCRIPTION (CONTINUED)

DO NOT KNOW DOT NUMBER ON TIRES

PURCHASED NEW ON 8-8-00 AT WAL-MART

STORE # 0294 CENTRAL CITY, KY

205-304-3301

★ U.S.G.P.O. 1002-625-987 / 400M

U.S. Department
of Transportation

National Highway
Traffic Safety
Administration

400 Seventh St., S.W.
Washington, D.C. 20590

Official Business
Penalty for Private Use \$300



NO POSTAGE
NECESSARY
IF MAILED
IN THE
UNITED STATES

BUSINESS REPLY MAIL

FIRST CLASS PERMIT NO. 73173 WASHINGTON, D.C.

POSTAGE WILL BE PAID BY NATL HWY TRAFFIC SAFETY ADMIN.

U.S. Department of Transportation
National Highway Traffic Safety Administration
Information Management Staff NSA-10.01
400 7th Street, SW
Washington, DC 20590