

U.S. Department
of TransportationNational Highway
Traffic Safety
Administration

DOT Auto Safety Hotline

Vehicle Owner's Questionnaire (VOQ)

NATIONWIDE 1-888-DASH-2-DOT

1-888-327-4236

www.nhtsa.dot.gov/hotline

FOR AGENCY USE ONLY 137

Data Received

27-OCT-2000

 Od_or _____
 Rt_dt _____
 od_rt _____
 up_ltr _____

Reference No.

874049

 Do you authorize NHTSA to provide a copy of report to the manufacturer of your vehicle? ☐ YES ☐ NO
 In the absence of an authorization, NHTSA WILL NOT provide your name and address to the vehicle manufacturer.

Signature of Owner _____ Date ____/____/____

VEHICLE INFORMATION

Vehicle Ident. No. (VIN) _____ (located at front of windshield on drivers side)	Vehicle Make	Vehicle Model	Vehicle Year	Current Odometer Reading
1FDJS34G1THA36210	GOODYEAR	WRANGLER	1900	

Purchase Date	Dealer's Name _____	Engine Size (CID/CC/L) _____	☐ Turbo ☐ Diesel ☐ Gas ☐ Fuel Injection
☐ New ☒ Used	City _____ State _____ Zip Code _____	No Cylinders _____	

Transmission Type ☐ Manual ☐ Automatic	Antilock Brakes ☐ Yes ☒ No	Restraint System ☐ 3-Point Belt ☒ Driverside Airbag ☐ Passengerside Airbag ☐ Motorbell ☒ 2-Point Belt	Cruise Control ☐ Yes ☒ No	Drive Train ☐ Front ☐ Rear ☐ 4-Wheel	Vehicle Type ☐ Car ☐ Van ☐ Minivan ☐ Other _____ ☐ Sport Ult ☐ Truck ☐ Motorcycle	Body Style ☐ 2-Door ☐ 4-Door ☐ Stationwagon ☐ Pick Up Truck ☒ Other _____
--	---	---	--	--	---	--

FAILED COMPONENT(S)/PART(S) INFORMATION

Component 02700000	Part Name(s) TIRES	Location ☐ Left ☐ Right ☐ Front ☐ Rear	Failed Part(s) ☐ Original ☐ Replacement
No of Failures 0	Date(s) of Failure(s) 17-JUL-2000 Mileage at Failure(s) 24000 Vehicle Speed at Failure(s) 2	Failed Part(s) Available? ☐ Yes ☐ No	NHTSA Previously Contacted? ☐ Yes ☐ No

APPLICATION INCIDENT INFORMATION

(Please describe in detail the incident(s), Failure(s), Crash(es), and injury(ies) on the back of this form)

Crash ☐ Yes ☒ No	Fire ☐ Yes ☒ No	Number of Persons Injured 0	Number of Fatalities 0	Estimated Property Damage	Reported to Police ☐ Yes ☒ No
--	---	--------------------------------	---------------------------	---------------------------	---

NARRATIVE DESCRIPTION OF FAILURE(S), INCIDENT(S), INJURY(IES)

WHILE DRIVING ABOUT 75 MPH RIGHT REAR TIRE BLEWOUT EARLY THAT DAY. THEN, ANOTHER BLOWOUT IN THE EVENING, BUT CONSUMER KEPT CONTROL OF VEHICLE. FORDTRUCK, ECONOLINE, 1996 HTLT 245/75 R16, DOT MD11 520 B425 272885-GRF-66.*AK


CONTINUED ON BACK (SEE)


The Privacy Act of 1974-Public Law 93-579 This information is requested pursuant to authority vested in the National Highway Traffic Safety Act and subsequent amendments. You are under no obligation to respond to this questionnaire. Your response may be used to assist the NHTSA in determining whether a manufacturer should take appropriate action to correct a safety defect. If the NHTSA proceeds with administrative enforcement or litigation against a manufacturer, your response, or a statistical summary thereof, may be used in support of the agency's action.


 U.S. Department of Transportation National Highway Traffic Safety Administration		DOT Auto Safety Hotline Vehicle Owner's Questionnaire (VOQ) NATIONWIDE 1-888-DASH-2-DOT 1-888-327-4236 www.nhtsa.dot.gov/hotline		FOR AGENCY USE ONLY 197 Date Received: 27-OCT-2000 Office: DEFECTS INVESTIGATION Reference No.: 874049 Work Number: _____ Home Number: _____	
OWNER INFORMATION (Type or Print) [Redacted] 651575				Do you authorize NHTSA to provide a copy of report to the manufacturer of your vehicle? In the absence of [Redacted] provide your name and address to the vehicle manufacturer. Signature of Owner: [Redacted] Date: 11/7/2001	
VEHICLE INFORMATION Vehicle Identification Number (VIN): 1FDJG34G4THA36210 Vehicle Make: GOODYEAR Vehicle Model: WRANGLER Vehicle Year: 1996 Current Odometer (Reading): 25,755					
Purchase Date: JUNE 1999 ☐ New ☒ Used		Dealer's Name: SPORTSMOBILE TEXAS City: AUSTIN State: TX Zip Code: _____		Engine Size (CID/CC/L): 7.5L ☐ Turbo ☐ Diesel ☒ Gas ☐ Fuel Injection No Cylinders: 8	
Transmission Type: ☐ Manual ☐ Automatic		Antilock Brakes: ☐ Yes ☒ No		Restraint System: ☐ 3-Point Belt ☐ Motorbelt ☒ Driverside Airbag ☒ 2-Point Belt ☐ Passengerside Airbag	
Cruise Control: ☐ Yes ☒ No		Drive Train: ☐ Front ☐ Rear ☐ 4-Wheel		Vehicle Type: ☐ Car ☐ Sport Ut ☐ Van ☐ Truck ☐ Minivan ☐ Motorcycle ☐ Other	
Body Style: ☐ 2-Door ☐ 4-Door ☐ Stationwagon ☐ Pick Up Truck ☒ Other		FAILED COMPONENT(S)/PART(S) INFORMATION			
Component: 02700000		Part Name(s): TIRES		Location: ☒ Left ☒ Right ☐ Front ☐ Rear	
Failed Part(s): ☒ Original ☐ Replacement		No of Failures: 0		Date(s) of Failure(s): AT JUL 2000 19 JUNE 2000 Mileage at Failure(s): 24000 Vehicle Speed at Failure(s): 0	
Failed Part(s) Available? ☒ Yes ☐ No		NHTSA Previously Contacted? ☐ Yes ☒ No			
APPLICATION INCIDENT INFORMATION (Please describe in detail the incident(s), Failure(s), Crash(es), and injury(ies) on the back of this form)					
Crash: ☐ Yes ☒ No		Fire: ☐ Yes ☒ No		Number of Persons Injured: 0	
Number of Fatalities: 0		Estimated Property Damage: \$3604. TOUVAH # 834 NEW TIRES		Reported to Police: ☐ Yes ☒ No	
NARRATIVE DESCRIPTION OF FAILURE(S), INCIDENT(S), INJURY(IES) WHILE DRIVING ABOUT 75 MPH RIGHT REAR TIRE BLEWOUT EARLY THAT DAY. THEN, ANOTHER BLOWOUT IN THE EVENING, BUT CONSUMER KEPT CONTROL OF VEHICLE. FORDTRUCK, ECONOLINE, 1996 HTLT 245/75 R16, DOT MD11 520 B425 272885-GRF-86.*AK					
CONTINUE ON BACK IF NEEDED					
The Privacy Act of 1974, Public Law 93-579. This information is requested pursuant to authority vested in the National Highway Traffic Safety Act and subsequent amendments. You are under no obligation to respond to this questionnaire. Your response may be used to assist the NHTSA in determining whether a manufacturer should take appropriate action to correct a safety defect. If the NHTSA proceeds with administrative enforcement or litigation against a manufacturer, your response, or a statistical summary thereof, may be used in support of the agency's action.					


**THE FOLLOWING PAGES ARE WITHHELD TO
PROTECT UNWARRANTED INVASION OF
PERSONAL PRIVACY PURSUANT TO
EXEMPTION 6 OF THE FREEDOM OF
INFORMATION ACT, 5 U.S.C. 552(b)(6)**

(Page 1 through Page 13)









117

1

3

services in the
perform the
in the future

Field to show Return Address (no stamp needed) Form with tape or crayon and mail

INFORMATION ON TIRE FAILURE(S) IF APPLICABLE

TIRE IDENTIFICATION NO.*

DOT M15 20W 426

MANUFACTURER/TIRE NAME

SIZE

30x4.5R16

* The identification number consists of 7 to 10 letters and numerals following the letters DOT. It is usually located near the rim flange on the side opposite the whitewall or on either side of a blackwall tire.

NARRATIVE DESCRIPTION (CONTINUED)



