Form Approved: O.M.B. No. 2127-0039

U.S. Department of Transportation
National Highway Traffic Safety Administration

Auto Safety Hotline

Vehicle Owner's Questionnaire

NATIONWIDE 1-800-424-9393
DC METRO AREA (202) 366-0123
INTERNET: http://www.nhtsa.dot.gov

FOR AGENCY USE ONLY 125

Date Received: 08-DEC-2000

Od_or ____ ____
rt_dt ____ ____
od_rt ____ ____
up_ltr ____ ____

Reference No.: 876232

[redacted]

Do you authorize NHTSA to provide a copy of report to the manufacturer of your vehicle? ☐ *YES* ☐ *NO*
In the absence of an authorization, NHTSA WILL NOT provide your name and address to the vehicle manufacturer.

Signature of Owner _____ Date____/____/____

VEHICLE INFORMATION

Vehicle Ident. No. (VIN.) (Located at bottom of windshield on driver's side)	Vehicle Make	Vehicle Model	Vehicle Year	Current Odometer Reading
	HYUNDAI	TIBURON	2000	

Purchase Date: ☐ New ☒ Used

Dealer's Name_____
City_____ State_____ Zip Code_____

Engine Size (CID/CC/L _____
No Cylinders _____

☐ Turbo ☐ Diesel ☐ Gas ☐ Fuel Injection

Transmission Type	Antilock Brakes	Restraint System	Cruise Control	Drive Train	Vehicle Type	Body Style
☐ Manual ☐ Automatic	☐ Yes ☒ No	☐ 3-Point Belt ☐ Driverside Airbag ☐ Passengerside Airbag ☐ Motorbelt ☐ 2-Point Belt	☐ Yes ☒ No	☐ Front ☐ Rear ☐ 4-Wheel	☐ Car ☐ Van ☐ Minivan ☐ Other_____ ☐ Sport Utl ☐ Truck ☐ Motorcycle	☐ 2-Door ☐ 4-Door ☐ Stationwagon ☐ Pick Up Truck ☐ Other_____

FAILED COMPONENT(S)/PART(S) INFORMATION

Component	Par. Name(s)	Location	Failed Part(s)
12240000	INTERIOR SYSTEMS:ACTIVE RESTRAINTS:BELT RETRACTORS	☐ Left ☐ Right ☐ Front ☐ Rear	☐ Original ☐ Replacement

No of Failures	Date(s) of Failure(s) Mileage at Failure(s) Vehicle Speed at Failure(s)	Failed Part(s) Available?	NHTSA Previously Contacted?
		☐ Yes ☐ No	☐ Yes ☐ No

APPLICATION INCIDENT INFORMATION

(Please describe in detail the incident(s), Failure(s), Crash(es), and injury(ies) on the back of this form)

Crash	Fire	Number of Persons Injured	Number of Fatalities	Estimated Property Damage	Reported to Police
☐ Yes ☒ No	☐ Yes ☒ No				☐ Yes ☒ No

NARRATIVE DESCRIPTION OF FAILURE(S), INCIDENT(S), INJURY(IES)

DRIVER'S AND PASSENGER'S SEAT BELTS BECAME TANGLED, AND WOULD NOT RELEASE FROM RETRACTING MECHANISM.PLEASE GIVE ANY FURTHER DETAILS.*AK

CONTINUED ON BACK IF NEEDED

The Privacy Act of 1974-Public Law 93-579 This information id requested pursuant to authority vested in the National Highway Traffic Safety Act and subsequent amendments. You are uncer no odligation respond to this questionnaire. Your response may be used to assist the NHTSA in determining whether a manufacturer should take appropriate action to correct a safety defect. If the NHTSA proceeds with administrative enforcement or litigation against a manufacturer, your response, or a statistical summary thereof, may be usec in support of the agency's action.

Form Approved: O.M.B. No. 2127-0006

U.S. Department of Transportation
National Highway Traffic Safety Administration

DOT Auto Safety Hotline

Vehicle Owner's Questionnaire (VOQ)

NATIONWIDE 1-888-DASH-2-DOT
1-888-327-4236
www.nhtsa.dot.gov/hotline

FOR AGENCY USE ONLY 125

Date Received: 08-DEC-2000

Odi_or
rt_dt
od_rt
up_ltr

Reference No. 876232

OWNER INFORMATION (Type or Print)

[redacted] 659855

Work Numbe [redacted]
Home Numbe

Do you authorize NHTSA to provide a copy of report to the manufacturer of your vehicle? ☒ YES ☐ NO
In the absence of an authorization, NHTSA WILL NOT provide your name and address to the vehicle manufacturer.

Signature of Ow [redacted] Date 1/1/01

VEHICLE INFORMATION

Vehicle Ident. No. (VIN.) (Located at bottom of windshield on driver's side)	Vehicle Make	Vehicle Model	Vehicle Year	Current Odometer Reading
	HYUNDAI	TIBURON	2000	

Purchase Date 9-16-00
☒ New ☐ Used

Dealer's Name _____
City _____ State _____ Zip Code _____

Engine Size (CID/CC/L _____
No Cylinders _____
☐ Turbo ☐ Diesel ☐ Gas ☐ Fuel Injection

Transmission Type	Antilock Brakes	Restraint System	Cruise Control	Drive Train	Vehicle Type	Body Style
☐ Manual ☒ Automatic	☒ Yes ☐ No	☐ 3-Point Belt ☐ Motorbelt ☒ Driverside Airbag ☐ 2-Point Belt ☒ Passengerside Airbag	☒ Yes ☐ No	☐ Front ☐ Rear ☐ 4-Wheel	☒ Car ☐ Sport Utl ☐ Van ☐ Truck ☐ Minivan ☐ Motorcycle ☐ Other _____	☒ 2-Door ☐ 4-Door ☐ Stationwagon ☐ Pick Up Truck ☐ Other _____

FAILED COMPONENT(S)/PART(S) INFORMATION

Component	Part Name(s)	Location	Failed Part(s)
12240000	INTERIOR SYSTEMS:ACTIVE RESTRAINTS:BELT RETRACTORS	☒ Left ☒ Right ☒ Front ☐ Rear	☒ Original ☐ Replacement

No of Failures	Date(s) of Failure(s) CONTINUOUS SINCE PURCHASE Mileage at Failure(s) _____ Vehicle Speed at Failure(s) _____	Failed Part(s) Available?	NHTSA Previously Contacted?
		☒ Yes ☐ No	☐ Yes ☒ No

APPLICATION INCIDENT INFORMATION

(Please describe in detail the incident(s), Failure(s), Crash(es), and injury(ies) on the back of this form)

Crash	Fire	Number of Persons Injured	Number of Fatalities	Estimated Property Damage	Reported to Police
☐ Yes ☒ No	☐ Yes ☒ No	—	—	—	☐ Yes ☒ No

NARRATIVE DESCRIPTION OF FAILURE(S), INCIDENT(S), INJURY(IES)

DRIVER'S AND PASSENGER'S SEAT BELTS BECAME TANGLED, AND WOULD NOT RELEASE FROM RETRACTING MECHANISM.PLEASE GIVE ANY FURTHER DETAILS.*AK

THIS IS A PROBLEM THAT OCCURS EVERY TIME BELTS ARE USED. IT IS EXTREMELY DIFFICULT TO GET THE BELTS OUT.

CONTINUE ON BACK IF NEEDED

The Privacy Act of 1974-Public Law 93-579 This information is requested pursuant to authority vested in the National Highway Traffic Safety Act and subsequent amendments. You are under no obligation to respond this questionnaire. Your response may be used to assist the NHTSA in determining whether a manufacturer should take appropriate action to correct a safety defect. If the NHTSA proceeds with administrative enforcement or litigation against a manufacturer, your response, or a statistical summary thereof, may be used in support of the agency's action.

Fold to show Return Address (no stamp needed) Fasten with tape or staple and mail

INFORMATION ON TIRE FAILURE(S) (IF APPLICABLE)

TIRE IDENTIFICATION NO.*	MANUFACTURER/TIRE NAME	SIZE
D O T		

* The identification number consists of 7 to 10 letters and numerals following the letters DOT. It is usually located near the rim flange on the side opposite the whitewall or on either side of a blackwall tire.

NARRATIVE DESCRIPTION (CONTINUED)

OF THEIR RETRACTING MECHANISM AND ONCE YOU DO GET THEM OUT AND HOOKED THEY DO NOT RETRACT TO A "SNUG" POSITION ACROSS CHEST.

THEY WILL NOT RESTRAIN THE DRIVER OR FRONT SEAT PASSENGER PROPERLY IN AN ACCIDENT.

* U.S. G.P.O.: 1992 – 623-497/60084

U.S. Department of Transportation

National Highway Traffic Safety Administration

400 Seventh St., S.W.
Washington, D.C. 20590

Official Business
Penalty for Private Use $300

NO POSTAGE NECESSARY IF MAILED IN THE UNITED STATES

BUSINESS REPLY MAIL

FIRST CLASS PERMIT NO. 73173 WASHINGTON, D.C.

POSTAGE WILL BE PAID BY NATL HWY TRAFFIC SAFETY ADMIN.

U.S. Department of Transportation
National Highway Traffic Safety Administration
Information Management Staff NSA-10.01
400 7th Street, SW
Washington, DC 20590