

U.S. Department
of TransportationNational Highway
Traffic Safety
Administration

DOT Auto Safety Hotline

Vehicle Owner's Questionnaire (VOQ)

NATIONWIDE 1-888-DASH-2-DOT

1-888-327-4236

www.nhtsa.dot.gov/hotline

FOR AGENCY USE ONLY 758

Date Received

20-DEC-2000

Od_or

rt_dt

od_rt

up_itr

Reference No.

876823

OWNER INFORMATION (Type or Print)

Work Number

Home Number

Do you authorize NHTSA to provide a copy of report to the manufacturer of your vehicle?

☐ YES☐ NO

In the absence of an authorization, NHTSA WILL NOT provide your name and address to the vehicle manufacturer.

Signature of Owner

Date / /

VEHICLE INFORMATION

Vehicle Ident. No. (VIN.) (Located at bottom of
windshield on driver's side)

1J46W58N81C554729

Vehicle Mak

JEEP

Vehicle Mode

CHEROKEE

Vehicle Year

2001

Current Odometer Reading

Purchase Date

Dealer's Name

Engine Siz

(CID/CC/L

☐ Turbo☐ Diesel☐ Gas☐ Fuel Inject☒ New ☐ Used

City State Zip Code

No Cylinders

Transmission Type

☐ Manual☒ Automatic

Antilock Brakes

☒ Yes☐ No

Restraint System

☐ 3-Point Belt☐ Motorbelt☐ Driverside Airbag☐ 2-Point Bel☐ Passengerside Airbag

Cruise Control

☐ Yes☒ No

Drive Train

☐ Front☐ Rear☐ 4-Wheel

Vehicle Type

☐ Car☐ Van☐ Minivan☐ Other☐ Sport Util☐ Truck☐ Motorcycle

Body Style

☐ 2-Door☐ 4-Door☐ Stationwagon☐ Pick Up☒ Truck

FAILED COMPONENT(S)/PART(S) INFORMATION

Component

12111000

Part Name(s)

INTERIOR SYSTEMS: PASSENGER RESTRAINTS: AIR BAG: FRONT

Location

☐ Left☐ Front☐ Right☐ Rear

Failed Part(s)

☐ Original☐ Replacement

No of Failures

Date(s) of Failure(s) 19-DEC-2000

Mileage at Failure(s) 2000

Vehicle Speed at Failure(s)

Failed

Part(s)

☐ Yes ☐ No

NHTSA

Previously

☐ Yes ☐ No

APPLICATION INCIDENT INFORMATION

(Please describe in detail the incident(s), failure(s), crash(es), and injury(ies) on the back of this form)

Crash

☒ Yes ☐ No

Fire

☐ Yes ☒ No

Number of Persons Injured

1

Number of Fatalities

Estimated Property Damag

Reported to Polic

☐ Yes ☒ No

NARRATIVE DESCRIPTION OF FAILURE(S), INCIDENT(S), INJURY(IES)

WHILE DRIVING 45-50 MPH VEHICLE INVOLVED IN FRONT COLLISION. NEITHER AIRBAG
DEPLOYED. CHRYSLER IS SENDING INVESTIGATORS. VEHICLE MOST LIKELY TOTALLED. *AK

CONTINUE ON BACK IF NEEDED

The Privacy Act of 1974-Public Law 93-579 This information is requested pursuant to authority vested in the National Highway Traffic Safety Act and subsequent amendments. You are under no obligation to respond to this questionnaire. Your response may be used to assist the NHTSA in determining whether a manufacturer should take appropriate action to correct a safety defect. If the NHTSA proceeds with administrative enforcement or litigation against a manufacturer, your response, or a statistical summary thereof, may be used in support of the agency's action.



U.S. Department
of Transportation
National Highway
Traffic Safety
Administration

DOT Auto Safety Hotline

Vehicle Owner's Questionnaire (VOQ)

NATIONWIDE 1-888-DASH-2-DOT

1-888-327-4236

www.nhtsa.dot.gov/hotline

FOR AGENCY USE ONLY 758

Date Received

21 DEC 11 PM
20-DEC-2000

DEFECTS INVESTIGATION

Od or
rt dt
od rt
up ltr

Reference No.

876823

OWNER INFORMATION (Type or Print)

662654

Work

Home

Do you authorize NHTSA to provide a copy of report to the manufacturer of your vehicle?
In the absence of _____, NHTSA will provide your name and address to the vehicle manufacturer.

Signature of Owner

Date 01/17/2001

VEHICLE INFORMATION

Vehicle Ident. No. (VIN.) (located at bottom of windshield on driver's side)		Vehicle Make	Vehicle Model	Vehicle Year	Current Odometer Reading
1J46W58N81C554729		JEEP	CHEROKEE	2001	2600
Purchase Date	Dealer's Name <u>CLIFFORDS JEEP</u>		Engine Size (CID/CC/L)	☐ Turbo ☐ Diesel ☐ Gas ☐ Fuel Injection	
☒ New ☐ Used	City <u>BUFFALO GROVE</u> State <u>IL</u> Zip Code <u>60089</u>		No Cylinders <u>8</u>		
Transmission Type	Antilock Brakes	Restraint System		Cruise Control	Drive Train
☐ Manual ☒ Automatic	☒ Yes ☐ No	☒ 3-Point Belt ☐ Motorbelt ☒ Driverside Airbag ☐ 2-Point Belt ☒ Passengerside Airbag		☒ Yes ☐ No	☐ Front ☐ Rear ☒ 4-Wheel
Vehicle Type		Body Style			
☐ Car ☐ Van ☐ Minivan ☐ Other		☒ Sport Lift ☐ Truck ☐ Motorcycle		☐ 2-Door ☒ 4-Door ☐ Stationwagon ☐ Pick Up Truck ☐ Other	

FAILED COMPONENT(S)/PART(S) INFORMATION

Component 72111040	Part Name(s) INTERIOR SYSTEMS: PASSENGER RESTRAINTS: AIR BAG: FRONT	Location ☐ Left ☐ Right ☒ Front ☐ Rear	Failed Part(s) ☒ Original ☐ Replacement
No. of Failures	Date(s) of Failure(s) <u>19-DEC-2000</u> Mileage at Failure(s) <u>2000</u> Vehicle Speed at Failure(s) <u>40-45</u>	Failed Part(s) Available? ☐ Yes ☐ No	NHTSA Previously Contacted? ☐ Yes ☒ No

APPLICATION INCIDENT INFORMATION

(Please describe in detail the incident(s), failure(s), crash(es), and injury(ies) on the back of this form)

Crash ☒ Yes ☐ No	Fire ☐ Yes ☒ No	Number of Persons Injured <u>1</u>	Number of Fatalities <u>0</u>	Estimated Property Damage <u>20,000</u>	Reported to Police ☒ Yes ☐ No
--	---	---------------------------------------	----------------------------------	--	---

NARRATIVE DESCRIPTION OF FAILURE(S), INCIDENT(S), INJURY(IES)

40-45
WHILE DRIVING 40-45 MPH VEHICLE INVOLVED IN FRONT COLLISION, NEITHER AIRBAG DEPLOYED. CHRYSLER IS SENDING INVESTIGATORS. VEHICLE MOST LIKELY TOTALLED. *AK

CONTINUE ON BACK IF NEEDED

The Privacy Act of 1974-Public Law 93-579 This information is requested pursuant to authority vested in the National Highway Traffic Safety Act and subsequent amendments. You are under no obligation to respond to this questionnaire. Your response may be used to assist the NHTSA in determining whether a manufacturer should take appropriate action to correct a safety defect. If the NHTSA proceeds with administrative enforcement or litigation against a manufacturer, your response or a statistical summary thereof, may be used in support of the agency's action.

Fold to show Return Address (no stamp needed) Fasten with tape or staple and mail

INFORMATION ON TIRE FAILURE(S) (IF APPLICABLE)

TIRE IDENTIFICATION NO.*

D O T

MANUFACTURER/TIRE NAME

SIZE

* The identification number consists of 7 to 10 letters and numerals following the letters DOT. It is usually located near the rim flange on the side opposite the whitewall or on either side of a blackwall tire.

NARRATIVE DESCRIPTION (CONTINUED)

BECAUSE OF AIR BAG'S FAILURE TO DEPLOY,
OCCUPANT SUFFERED SEVERE NECK BACK
TRAUMA ALONG WITH DUAL KNEE INJURIES

★ U.S. G.P.O.: 1992-023-827/80006

U.S. Department
of Transportation
National Highway
Traffic Safety
Administration

400 Seventh St., S.W.
Washington, D.C. 20590

Official Business
Penalty for Private Use \$300



NO POSTAGE
NECESSARY
IF MAILED
IN THE
UNITED STATES

BUSINESS REPLY MAIL

FIRST CLASS PERMIT NO. 73173 WASHINGTON, D.C.

POSTAGE WILL BE PAID BY NATL HWY TRAFFIC SAFETY ADMIN.

U.S. Department of Transportation
National Highway Traffic Safety Administration
Information Management Staff NSA-10.01
400 7th Street, SW
Washington, DC 20590

