

 DOT Auto Safety Hotline Vehicle Owner's Questionnaire (VOQ) U.S. Department of Transportation National Highway Traffic Safety Administration NATIONWIDE 1-888-DASH-2-DOT 1-888-327-4236 www.nhtsa.dot.gov/hotline		FOR AGENCY USE ONLY 197	
OWNER INFORMATION (Type or Print) 663526		Date Received 28-DEC-2000	Od_or _____ ri_dt _____ od_rt _____ up_itr _____
		Reference No. 877146	
Do you authorize NHTSA to provide a copy of report to the manufacturer of your vehicle? ☐ YES ☐ NO In the absence of an authorization, NHTSA WILL NOT provide your name and address to the vehicle manufacturer.		Work Number _____ Home Number _____	
Signature of Owner _____ Date ____/____/____			
VEHICLE INFORMATION			
Vehicle Ident. No. (VIN) (Located at bottom of windshield or driver's side) JH4DC4351YS000837	Vehicle Make ACURA	Vehicle Model INTEGRA	Vehicle Year 2000
Current Odometer Reading _____		Purchase Date ☒ New ☐ Used	
Dealer's Name _____ City _____ State _____ Zip Code _____		Engine Size (CID/CC/L) _____ No. Cylinders _____	
Turbo ☐ Diesel ☐ Gas ☐ Fuel Injection ☐		Transmission Type ☐ Manual ☒ Yes ☐ Automatic ☐ No	
Antilock Brakes ☒ Yes ☐ No		Restraint System ☐ 3-Point Belt ☐ Motorbelt ☐ Driverside Airbag ☐ 2-Point Belt ☐ Passengerside Airbag	
Cruise Control ☒ Yes ☐ No		Drive Train ☐ Front ☐ Rear ☐ 4-Wheel	
Vehicle Type ☐ Car ☐ Sport Util ☐ Van ☐ Truck ☐ Minivan ☐ Motorcycle ☐ Other _____		Body Style ☐ 2-Door ☐ 4-Door ☐ Stationwagon ☐ Pick Up ☐ Truck	
FAILED COMPONENT(S)/PART(S) INFORMATION			
Component 01100000	Part Name(s) STEERING:WHEEL AND COLUMN	Location ☐ Left ☐ Right ☐ Front ☐ Rear	Failed Part(s) ☐ Original ☐ Replacement
No of Failures _____	Date(s) of Failure(s) _____ Mileage at Failure(s) _____ Vehicle Speed at Failure(s) _____	Failed Part(s) ☐ Yes ☐ No	NHTSA Previously ☐ Yes ☐ No
APPLICATION INCIDENT INFORMATION (Please describe in detail the incident(s), failure(s), crash(es), and injury(ies) on the back of this form)			
Crash ☐ Yes ☒ No	Fire ☐ Yes ☒ No	Number of Persons Injured _____	Number of Fatalities _____
Estimated Property Damage _____		Reported to Police ☐ Yes ☒ No	
NARRATIVE DESCRIPTION OF FAILURE(S), INCIDENT(S), INJURY(IES)			
STEERING WHEEL OBSTRUCTS VIEW OF SPEEDOMETER BETWEEN SPEEDS OF 40 MPH TO 130 MPH. ABOUT 80% IS NOT VISIBLE IN EVERY POSITION OF STEERING WHEEL. PLEASE PROVIDE FURTHER INFORMATION. *AK			
CONTINUE ON BACK IF NEEDED			
The Privacy Act of 1974-Public Law 93-579 This information is requested pursuant to authority vested in the National Highway Traffic Safety Act and subsequent amendments. You are under no obligation to respond to this questionnaire. Your response may be used to assist the NHTSA in determining whether a manufacturer should take appropriate action to correct a safety defect. If the NHTSA proceeds with administrative enforcement or litigation against a manufacturer, your response, or a statistical summary thereof, may be used in support of the agency's action.			

U.S. Department
of TransportationNational Highway
Traffic Safety
Administration

DOT Auto Safety Hotline

Vehicle Owner's Questionnaire (VOQ)

NATIONWIDE 1-888-DASH-2-DOT

1-888-327-4236

www.nhtsa.dot.gov/hotline

FOR AGENCY USE ONLY 197

Date Received

01 JAN 26 AM 3:55
28-DEC-2000OFFICE
DEFECTS INVESTIGATIONOld or
re-
old
up
tr

Reference No.

877146

Work Number

Home

OWNER INFORMATION (Type or Print)

863526

Do you authorize NHTSA to provide a copy of report to the manufacturer of your vehicle?
in the absence of _____ and address to the vehicle manufacturer.☒ YES ☐ NO

Signature of Owner

Date 01/2/01

VEHICLE INFORMATION

Vehicle Ident. No. (VIN) (Located at bottom of windshield on driver's side)	Vehicle Make	Vehicle Model	Vehicle Year	Current Odometer Reading
JH4DC4351YS000837	ACURA	INTEGRA	2000	9000

Purchase Date

03-18-00

Dealer's Name ACURA OF BOARDMAN

Engine Size

1.8 L

(CID/CC/L)

☐ Turbo
☐ Diesel
☐ Gas
☒ Fuel Injection
☒ New ☐ Used

City Boardman State OH Zip Code 44512

No Cylinders

4

Transmission Type	Antilock Brakes	Restraint System	Cruise Control	Drive Train	Vehicle Type	Body Style
☒ Manual ☐ Automatic	☒ Yes ☐ No	☒ 3-Point Belt ☐ Motorbelt ☒ Driverside Airbag ☐ 2-Point Belt ☒ Passengerside Airbag	☒ Yes ☐ No	☒ Front ☐ Rear ☐ 4-Wheel	☒ Car ☐ Van ☐ Minivan ☐ Other	☒ Sport Utl ☐ Truck ☐ Motorcycle ☐ 2-Door ☐ 4-Door ☐ Stationwagon ☐ Pick Up Truck ☐ Other

FAILED COMPONENT(S)/PART(S) INFORMATION

Component 01100000	Part Name(s) STEERING WHEEL AND COLUMN	Location ☐ Left ☐ Right ☐ Front ☐ Rear	Failed Part(s) ☐ Original ☐ Replacement
No of Failures	Date(s) of Failure(s) Mileage at Failure(s) Vehicle Speed at Failure(s)	Failed Part(s) Available? ☐ Yes ☐ No	NHTSA Previously Contacted? ☐ Yes ☐ No

APPLICATION INCIDENT INFORMATION

(Please describe in detail the incident(s), failure(s), crash(es), and injury(ies) on the back of this form)

Crash ☐ Yes ☒ No	Fire ☐ Yes ☒ No	Number of Persons Injured	Number of Fatalities	Estimated Property Damage	Reported to Police ☐ Yes ☒ No
--	---	---------------------------	----------------------	---------------------------	---

NARRATIVE DESCRIPTION OF FAILURE(S), INCIDENT(S), INJURY(IES)

~~STEERING WHEEL OBSTRUCTS VIEW OF SPEEDOMETER BETWEEN SPEEDS OF 40 MPH TO 130 MPH. ABOUT 80% IS NOT VISIBLE IN EVERY POSITION OF STEERING WHEEL. PLEASE PROVIDE FURTHER INFORMATION. *AK~~

THE STEERING WHEEL OBSTRUCTS THE VIEW OF GREATER THAN HALF OF THE SPEEDOMETER, FOR MYSELF, WITH THE STEERING COLUMN ADJUSTED AS HIGH AS POSSIBLE AND WITH THE SEAT ADJUSTED

CONTINUE ON BACK IF NEEDED

The Privacy Act of 1974-Public Law 93-579 This information is requested pursuant to authority vested in the National Highway Traffic Safety Act and subsequent amendments. You are under no obligation to respond this questionnaire. Your response may be used to assist the NHTSA in determining whether a manufacturer should take appropriate action to correct a safety defect. If the NHTSA proceeds with administrative enforcement or litigation against a manufacturer, your response, or a statistical summary thereof, may be used in support of the agency's action.

Fold to show Return Address (no stamp needed) Fasten with tape or staple and mail

INFORMATION ON TIRE FAILURE(S) (IF APPLICABLE)

TIRE IDENTIFICATION NO.*

D O T

MANUFACTURER/TIRE NAME

SIZE

* The identification number consists of 7 to 10 letters and numerals following the letters DOT. It is usually located near the rim flange on the side opposite the whitewall or on either side of a blackwall tire.

NARRATIVE DESCRIPTION (CONTINUED)

AS LOW AS POSSIBLE. FOR SPEEDS BETWEEN
APPROXIMATELY 45-135 MPH (ON THE SPEEDOMETER)
I HAVE TO BEND AND TILT MY HEAD TO BE
ABLE TO SEE THE SPEEDOMETER. I AM APPROXIMATELY
5 FEET 11 INCHES TALL. (NOTE: JUST BECAUSE
OTHERS HAVE NOT REPORTED THIS PROBLEM DOES
MAY
NOT MEAN A PROBLEM DOES NOT EXIST.)

★ U.S.G.P.O. 1982-822-887 / 60086

U.S. Department
of Transportation

National Highway
Traffic Safety
Administration

400 Seventh St., S.W.
Washington, D.C. 20580

Official Business
Penalty for Private Use \$300



YOUNGSTOWN OH 445 DCR1



16 45

NO POSTAGE
NECESSARY
IF MAILED
IN THE
UNITED STATES

BUSINESS REPLY MAIL

FIRST CLASS PERMIT NO. 78173 WASHINGTON, D.C.

POSTAGE WILL BE PAID BY NATL HWY TRAFFIC SAFETY ADMIN.

U.S. Department of Transportation
National Highway Traffic Safety Administration
Information Management Staff NSA-10.01
400 7th Street, SW
Washington, DC 20590

