



U.S. Department
of Transportation

National Highway
Traffic Safety
Administration

Auto Safety Hotline

Vehicle Owner's Questionnaire

NATIONWIDE 1-800-424-9393
DC METRO AREA (202) 366-0123
INTERNET: <http://www.nhtsa.dot.gov>

FOR AGENCY USE ONLY

758

Date Received

19-JAN-2001

Od_or _____
rt_dt _____
pd_rt _____
ip_ltr _____

Reference No.

878583

Do you authorize NHTSA to provide a copy of report to the manufacturer of your vehicle? ☐ YES ☐ NO
In the absence of an authorization, NHTSA WILL NOT provide your name and address to the vehicle manufacturer.

Signature of Owner

Date ____/____/____

VEHICLE INFORMATION

Vehicle Ident. No. (VIN) (Located at bottom of windshield on driver's side)	Vehicle Make DUNLOP	Vehicle Model SP4000	Vehicle Year 1900	Current Odometer Reading
---	-------------------------------	--------------------------------	-----------------------------	--------------------------

Purchase Date ☐ New ☒ Used	Dealer's Name _____ City _____ State _____ Zip Code _____	Engine Size _____ (CID/CC/L) _____ No Cylinders _____	☐ Turbo ☐ Diesel ☐ Gas ☐ Fuel Injection
Transmission Type ☐ Manual ☐ Automatic	Antilock Brakes ☐ Yes ☒ No	Restraint System ☐ 3-Point Belt ☐ Motorbelt ☐ Driverside Airbag ☐ 2-Point Belt ☐ Passengerside Airbag	Cruise Control ☐ Yes ☒ No
Drive Train ☐ Front ☐ Rear ☐ 4-Wheel	Vehicle Type ☐ Car ☐ Sport Util ☐ Van ☐ Truck ☐ Minivan ☐ Motorcycle ☐ Other _____	Body Style ☐ 2-Door ☐ 4-Door ☐ Stationwagon ☐ Pick Up Truck ☒ Other _____	

FAILED COMPONENT(S)/PART(S) INFORMATION

Component 02750040	Part Name(s) TIRES:SIDEWALL	Location ☐ Left ☐ Right ☐ Front ☐ Rear	Failed Part(s) ☐ Original ☐ Replacement
No. of Failures	Date(s) of Failure(s) 12-JAN-2001 Mileage at Failure(s) Vehicle Speed at Failure(s)	Failed Part(s) Available? ☐ Yes ☐ No	NHTSA Previously Contacted? ☐ Yes ☐ No

APPLICATION INCIDENT INFORMATION

(Please describe in detail the incident(s), failure(s), crash(es), and injury(ies) on the back of this form.)

Crash ☐ Yes ☒ No	Fire ☐ Yes ☒ No	Number of Persons Injured	Number of Fatalities	Estimated Property Damage	Reported to Police ☐ Yes ☒ No
--	---	---------------------------	----------------------	---------------------------	---

NARRATIVE DESCRIPTION OF FAILURE(S), INCIDENT(S), INJURY(IES)

P205/70R15, DOT UNKNOWN, BLOWNOUT RIGHT/REAR REPLACEMENT TIRE ON A 1994, PLYMOUTH, GRAND VOYAGER. 7000 MILES ON TIRE, DEALER SAID THERE WAS NOTHING HE COULD DO. *AK

CONTINUE ON BACK IF NEEDED

The Privacy Act of 1974-Public Law 93-579 This information is requested pursuant to authority vested in the National Highway Traffic Safety Act and subsequent amendments. You are under no obligation to respond to this questionnaire. Your response may be used to assist the NHTSA in determining whether a manufacturer should take appropriate action to correct a safety defect. If the NHTSA proceeds with administrative enforcement or litigation against a manufacturer, your response, or a statistical summary thereof, may be used in support of the agency's action.

DOT Auto Safety Hotline Vehicle Owner's Questionnaire (VOQ) U.S. Department of Transportation National Highway Traffic Safety Administration NATIONWIDE 1-888-DASH-2-DOT 1-888-327-4236 www.nhtsa.dot.gov/hotline		FOR AGENCY USE ONLY 758 Date Received _____ 19 JAN 2001 DEFECT INVESTIGATION Reference No. 878583 Work Number _____ Home Number _____	
OWNER INFORMATION (Type or Print) 668184			
Do you authorize NHTSA to provide a copy of report to the manufacturer of your vehicle? ☐ YES ☐ NO In the absence of an authorization, NHTSA WILL NOT provide your name and address to the vehicle manufacturer.			
Signature of Owner _____		Date 1/19/01	
VEHICLE INFORMATION			
Vehicle Ident. No. (VIN) (Located at bottom of windshield on driver's side)	Vehicle Make	Vehicle Model	Vehicle Year
	DUNLOP	SP4000	1900
Purchase Date _____	Dealer's Name _____		Engine Size (CID/CC/L) _____
☐ New ☒ Used	City _____ State _____ Zip Code _____		No. Cylinders _____
Transmission Type	Antilock Brakes	Restraint System	Cruise Control
☐ Manual ☐ Automatic	☐ Yes ☒ No	☐ 3-Point Belt ☐ Driverside Airbag ☐ Passengerside Airbag ☐ Motorbelt ☐ 2-Point Belt	☐ Yes ☒ No
Drive Train	Vehicle Type	Body Style	
☐ Front ☐ Rear ☐ 4-Wheel	☐ Car ☐ Van ☐ Minivan ☐ Other	☐ Sport Util. ☐ Truck ☐ Motorcycle ☐ 2-Door ☐ 4-Door ☐ Stationwagon ☐ Pick Up Truck ☒ Other	
FAILED COMPONENT(S)/PART(S) INFORMATION			
Component 02730010	Part Name(s) TIRES:SIDEWALL	Location	Failed Part(s)
		☐ Left ☐ Right ☐ Front ☐ Rear	☐ Original ☐ Replacement
No. of Failures	Date(s) of Failure(s) 12-JAN-2001 Mileage at Failure(s) _____ Vehicle Speed at Failure(s) _____	Failed Part(s) Available? ☐ Yes ☒ No	NHTSA Previously Contacted? ☐ Yes ☐ No
APPLICATION INCIDENT INFORMATION (Please describe in detail the incident(s), failure(s), crash(es), and injury(ies) on the back of this form)			
Crash	Fire	Number of Persons Injured	Number of Fatalities
☐ Yes ☒ No	☐ Yes ☒ No		
Estimated Property Damage		Reported to Police	
		☐ Yes ☒ No	
NARRATIVE DESCRIPTION OF FAILURE(S), INCIDENT(S), INJURY(IES)			
P205/70R15, DOT UNKNOWN, BLOWNOUT RIGHT/REAR REPLACEMENT TIRE ON A 1994, PLYMOUTH, GRAND VOYAGER. 7000 MILES ON TIRE, DEALER SAID THERE WAS NOTHING HE COULD DO. *AK <i>Both the dealer & dealer's, whom I was sent to for a second opinion by Dunlop, said the blow out was "normal" for a tire improperly air pressure. The tire inspected two days before I have that record. When the tire blow, the whole side wall went out. The side wall was separated from the tire. This is the dealer's report.</i>			
The Privacy Act of 1974 (Public Law 93-579) This information is requested pursuant to authority vested in the National Highway Traffic Safety Act and subsequent amendments. You are under no obligation to respond to this questionnaire. Your response may be used to assist the NHTSA in determining whether a manufacturer should take appropriate action to correct a safety defect. If the NHTSA proceeds with administrative enforcement or litigation against a manufacturer, your response, or a statistical summary thereof, may be used in support of the agency's action.			

Fold to show Return Address (no stamp needed) Fasten with tape or staple and mail

INFORMATION ON TIRE FAILURE(S) (IF APPLICABLE)

TIRE IDENTIFICATION NO.*

D O T

MANUFACTURER/TIRE NAME

SIZE

* The identification number consists of 7 to 10 letters and numerals following the letters DOT. It is usually located near the rim flange on the side opposite the whitewall or on either side of a blackwall tire.

NARRATIVE DESCRIPTION (CONTINUED)

The part that disturbed me was that the blow-out was "normal." The whole sidewall was separated because the tire was "low."

★ U.S.G.P.O.: 1982-822-827/60286

U.S. Department
of Transportation
National Highway
Traffic Safety
Administration

400 Seventh St., S.W.
Washington, D.C. 20590

Official Business
Penalty for Private Use \$300

BUSINESS REPLY MAIL

FIRST CLASS PERMIT NO. 73173 WASHINGTON, D.C.

POSTAGE WILL BE PAID BY NATL HWY TRAFFIC SAFETY ADMIN.

U.S. Department of Transportation
National Highway Traffic Safety Administration
Information Management Staff NSA-10.01
400 7th Street, SW
Washington, DC 20590

NO POSTAGE
NECESSARY
IF MAILED
IN THE
UNITED STATES