



U.S. Department
of Transportation

National Highway
Traffic Safety
Administration

Auto Safety Hotline

Vehicle Owner's Questionnaire

NATIONWIDE 1-800-424-9393
DC METRO AREA (202) 366-0123
INTERNET: <http://www.nhtsa.dot.gov>

FOR AGENCY USE ONLY

119

Date Received

22-FEB-2001

Od_or _____
rt_dt _____
pd_rt _____
ip_ltr _____

Reference No.

881076

Do you authorize NHTSA to provide a copy of report to the manufacturer of your vehicle? ☐ YES ☐ NO
In the absence of an authorization, NHTSA WILL NOT provide your name and address to the vehicle manufacturer.

Signature of Owner _____ Date ____/____/____

VEHICLE INFORMATION

Vehicle Ident. No. (VIN) (Located at bottom of windshield on driver's side)	Vehicle Make	Vehicle Model	Vehicle Year	Current Odometer Reading
1GLCK24KX5E266499	CHEVROLET TRU	K25	1995	

Purchase Date ☒ New ☐ Used	Dealer's Name _____ City _____ State _____ Zip Code _____	Engine Size _____ (CID/CCL) _____ No Cylinders _____	☐ Turbo ☐ Diesel ☐ Gas ☐ Fuel Injection
--	--	--	--

Transmission Type ☐ Manual ☐ Automatic	Antilock Brakes ☐ Yes ☒ No	Restraint System ☐ 3-Point Belt ☐ Motorbelt ☐ Driverside Airbag ☐ 2-Point Belt ☐ Passengerside Airbag	Cruise Control ☐ Yes ☒ No	Drive Train ☐ Front ☐ Rear ☐ 4-Wheel	Vehicle Type ☐ Car ☐ Sport Util ☐ Van ☐ Truck ☐ Minivan ☐ Motorcycle ☐ Other _____	Body Style ☐ 2-Door ☐ 4-Door ☐ Stationwagon ☐ Pick Up Truck ☐ Other _____
--	---	---	--	--	---	---

FAILED COMPONENT(S)/PART(S) INFORMATION

Component 09302000 09305000	Part Name(s) LIGHTING:FUSE:HEAD LIGHTS LIGHTING:FUSE:TAIL LIGHTS	Location ☐ Left ☐ Right ☐ Front ☐ Rear	Failed Part(s) ☐ Original ☐ Replacement
No. of Failures	Date(s) of Failure(s) Mileage at Failure(s) Vehicle Speed at Failure(s)	Failed Part(s) Available? ☐ Yes ☐ No	NHTSA Previously Contacted? ☐ Yes ☐ No

APPLICATION INCIDENT INFORMATION

(Please describe in detail the incident(s), failure(s), crash(es), and injury(ies) on the back of this form.)

Crash ☐ Yes ☒ No	Fire ☐ Yes ☒ No	Number of Persons Injured	Number of Fatalities	Estimated Property Damage	Reported to Police ☐ Yes ☒ No
--	---	---------------------------	----------------------	---------------------------	---

NARRATIVE DESCRIPTION OF FAILURE(S), INCIDENT(S), INJURY(IES)

AN ELECTRICAL SHORT WITHIN HEAD LIGHT AND TAIL LIGHT BURNED OUT INSTALLATION, CAUSING INSUFFICIENT LIGHTING. CONSUMER HAS CONTACTED DEALER. PLEASE PROVIDE ANY FURTHER DETAILS. *AK

CONTINUE ON BACK IF NEEDED

The Privacy Act of 1974-Public Law 93-579 This information is requested pursuant to authority vested in the National Highway Traffic Safety Act and subsequent amendments. You are under no obligation to respond to this questionnaire. Your response may be used to assist the NHTSA in determining whether a manufacturer should take appropriate action to correct a safety defect. If the NHTSA proceeds with administrative enforcement or litigation against a manufacturer, your response, or a statistical summary thereof, may be used in support of the agency's action.

U.S. Department
of TransportationNational Highway
Traffic Safety
Administration

DOT Auto Safety Hotline

Vehicle Owner's Questionnaire (VOQ)

NATIONWIDE 1-888-DASH-2-DOT

1-888-327-4236

www.nhtsa.dot.gov/hotline

FOR AGENCY USE ONLY

119

Date Received

01 APR 11 AM 8:00

22-FEB-2001

OFFICE

AFFECTS PARTS

Old or

it di

od it

up it

Reference No.

681076

OWNER INFORMATION (Type or Print)

676903

Work Number 221 228 5805

Home Number

Do you authorize NHTSA to provide a copy of report to the manufacturer of your vehicle?

☒ YES☐ NO

In the absence of authorization, NHTSA WILL NOT provide your name and address to the vehicle manufacturer.

Signature of Owner

Date 2/6/01

VEHICLE INFORMATION

Vehicle Ident. No. (VIN) (Located at bottom of dashboard on driver's side)	Vehicle Make CHEVROLET TRU	Vehicle Model K25	Vehicle Year 1995	Current Odometer Reading 78368
--	-------------------------------	----------------------	----------------------	-----------------------------------

Purchase Date Nov 96	Dealer's Name Williams Chev	Engine Size (CID/CCAL) 350	☐ Turbo ☐ Diesel ☒ Gas ☒ Fuel Injection
☒ New ☐ Used	City TRAVONCE City State MD Zip Code 49684	No Cylinders 8	

Transmission Type ☐ Manual ☒ Automatic	Antilock Brakes ☒ Yes ☐ No	Restraint System ☒ 3-Point Belt ☐ Motorbelt ☐ Driverside Airbag ☐ 2-Point Belt ☐ Passengerside Airbag	Cruise Control ☒ Yes ☐ No	Drive Train ☐ Front ☐ Rear ☒ 4-Wheel	Vehicle Type ☐ Car ☐ Sport Util ☐ Van ☒ Truck ☐ Minivan ☐ Motorcycle ☐ Other	Body Style ☒ 2-Door ☐ 4-Door ☐ Stationwagon ☐ Pick Up Truck ☐ Other
---	---	--	--	---	--	--

FAILED COMPONENT(S)/PART(S) INFORMATION

Component 09302000 09303000	Part Name(s) LIGHTING:FUSE:HEAD LIGHTS LIGHTING:FUSE:TAIL LIGHTS	Location ☒ Left ☒ Right ☒ Front ☒ Rear	Failed Part(s) ☒ Original ☐ Replacement
No of Failures	Date(s) of Failure(s) NA Mileage at Failure(s) NA Vehicle Speed at Failure(s) 0-20 mph	Failed Part(s) Available? ☒ Yes ☐ No	NHTSA Previously Contacted? ☐ Yes ☒ No

APPLICATION INCIDENT INFORMATION

(Please describe in detail the incident(s), failure(s), crash(es), and injury(ies) on the back of this form)

Crash ☐ Yes ☒ No	Fire ☐ Yes ☒ No	Number of Persons Injured 0	Number of Fatalities 0	Estimated Property Damage 0	Reported to Police ☐ Yes ☒ No
--	---	--------------------------------	---------------------------	--------------------------------	---

NARRATIVE DESCRIPTION OF FAILURE(S), INCIDENT(S), INJURY(IES)

AN ELECTRICAL SHORT WITHIN HEAD LIGHT AND TAIL LIGHT BURNED OUT INSTALLATION, CAUSING INSUFFICIENT LIGHTING. CONSUMER HAS CONTACTED DEALER. PLEASE PROVIDE ANY FURTHER DETAILS. *AK

The wiring for the Tail Lights & Dash Lights is too small. When towing a trailer wiring is inadequate to handle extra lights. Wires @ Headlight switch are chafed from getting too hot. Wiring needs to be heavier & on Relays to support the Trailer Lights

CONTINUE ON BACK IF NEEDED

The Privacy Act of 1974-Public Law 93-579 This information is requested pursuant to authority vested in the National Highway Traffic Safety Act and subsequent amendments. You are under no obligation to respond to this questionnaire. Your response may be used to assist the NHTSA in determining whether a manufacturer should take appropriate action to correct a safety defect. If the NHTSA proceeds with administrative enforcement or litigation against a manufacturer, your response, or a statistical summary thereof, may be used in support of the agency's action.

Fold to show Return Address (no stamp needed) Fasten with tape or staple and mail

INFORMATION ON TIRE FAILURE(S) (IF APPLICABLE)

TIRE IDENTIFICATION NO.*

D O T

MANUFACTURER/TIRE NAME

SIZE

* The identification number consists of 7 to 10 letters and numerals following the letters DOT. It is usually located near the rim flange on the side opposite the whitewall or on either side of a blackwall tire.

NARRATIVE DESCRIPTION (CONTINUED)



I have 3 vehicles that this is happening to. I feel that if this is not corrected, it could cause an electrical fire under the dash. If you need more info on this matter please call me and I will explain in more detail.

U.S. GPO: 1982-488-877/10000

U.S. Department
of Transportation
National Highway
Traffic Safety
Administration

400 Seventh St., S.W.
Washington, D.C. 20590

Official Business
Penalty for Private Use \$300



NO POSTAGE
NECESSARY
IF MAILED
IN THE
UNITED STATES

BUSINESS REPLY MAIL

FIRST CLASS PERMIT NO. 73173 WASHINGTON, D.C.

POSTAGE WILL BE PAID BY NATL HWY TRAFFIC SAFETY ADMIN.

U.S. Department of Transportation
National Highway Traffic Safety Administration
Information Management Staff NSA-10.01
400 7th Street, SW
Washington, DC 20590

