



U.S. Department
of Transportation
**National Highway
Traffic Safety
Administration**

Auto Safety Hotline

Vehicle Owner's Questionnaire

NATIONWIDE 1-800-424-9393
DC METRO AREA (202) 366-0123
INTERNET: <http://www.nhtsa.dot.gov>

FOR AGENCY USE ONLY 436

Date Received

03-APR-2001

Od_or _____
rt_dt _____
od_rt _____
ip_lr _____

Reference No.

884908

Do you authorize NHTSA to provide a copy of report to the manufacturer of your vehicle? ☐ YES ☐ NO
In the absence of an authorization, NHTSA WILL NOT provide your name and address to the vehicle manufacturer.

Signature of Owner _____ Date ____/____/____

VEHICLE INFORMATION

Vehicle Ident. No. (VIN) (Location at bottom of windshield and driver's side)	Vehicle Make	Vehicle Model	Vehicle Year	Current Odometer Reading
NOT AVAILABLEE	FIRESTONE	STEELTEX R4S	1900	
Purchase Date ☐ New ☒ Used	Dealer's Name _____ City _____ State _____ Zip Code _____		Engine Size (CID/CC/L) _____ No Cylinders _____	☐ Turbo ☐ Diesel ☐ Gas ☐ Fuel Injection
Transmission Type ☐ Manual ☐ Automatic	Antilock Brakes ☐ Yes ☒ No	Restraint System ☐ 3-Point Belt ☐ Motorbelt ☐ Driverside Airbag ☐ 2-Point Bel ☐ Passengerside Airbag	Cruise Control ☐ Yes ☒ No	Drive Train ☐ Front ☐ Rear ☐ 4-Wheel
Vehicle Type ☐ Car ☐ Sport Util ☐ Van ☐ Truck ☐ Minivan ☐ Motorcycle ☐ Other _____		Body Style ☐ 2-Door ☐ 4-Door ☐ Stationwagon ☐ Pick Up Truck ☒ Other _____		

FAILED COMPONENT(S)/PART(S) INFORMATION

Component 02700000	Part Name(s) TIRES	Location ☐ Left ☐ Right ☐ Front ☐ Rear	Failed Part(s) ☐ Original ☐ Replacement
No of Failure	Date(s) of Failure(s) 02-APR-2001 200000 Mileage at Failure(s)	Failed Part(s) ☐ Yes ☐ No	NHTSA Previously ☐ Yes ☐ No

APPLICATION INCIDENT INFORMATION

(Please describe in detail the incident(s), Failure(s), Crash(es), and Injury(ies) on the back of this form)

Crash ☐ Yes ☒ No	Fire ☐ Yes ☒ No	Number of Persons Injured	Number of Fatalities	Estimated Property Damag	Reported to Police ☐ Yes ☒ No
--	---	---------------------------	----------------------	--------------------------	---

NARRATIVE DESCRIPTION OF FAILURE(S), INCIDENT(S), INJURY(IES)

CONSUMER WAS TRAVELING 55-60MPH WHEN REAR DRIVER'S TIRE POPPED OFF THE RIM. CONSUMER SWERVED ACROSS 3-4 LANES AND MANAGED TO GET TO SHOULDER OF ROAD. THERE WAS NO BLOW OUT, IT DEFLATED. TIRES ARE AFTERMARKET, NO MORE THAN 2 WEEKS OLD. CONSUMER WAS DRIVING A199, DODGE, RAM VAN. TIRE SIZE IS P235/75R1, DOT# & VIN # WILL BE ADDED. *AK

COPIES OF REPORTS - FREE -

The Privacy Act of 1974-Public Law 93-579 This information is requested pursuant to authority vested in the National Highway Traffic Safety Act and subsequent amendments. You are under no obligation to respond to this questionnaire. Your response may be used to assist the NHTSA in determining whether a manufacturer should take appropriate action to correct a safety defect. If the NHTSA proceeds with administrative enforcement or litigation against a manufacturer, your response, or a statistical summary thereof, may be used in support of the agency's action.

U.S. Department
of TransportationNational Highway
Traffic Safety
Administration

DOT Auto Safety Hotline

Vehicle Owner's Questionnaire (VOQ)

NATIONWIDE 1-888-DASH-2-DOT

1-888-327-4236

www.nhtsa.dot.gov/hotline

FOR AGENCY USE ONLY 436

Date Received

03-APR-2001

Od_m

rt_dt

od_rt

up_ltr

Reference No.

884908

Work Number

Home Number unknown

OWNER INFORMATION (Type or Print)

684117

Do you authorize NHTSA to provide a copy of report to the manufacturer of your vehicle?

☐ YES☐ NO

In the absence of an authorization, NHTSA WILL NOT provide your name and address to the vehicle manufacturer.

Signature of Owner

Date / /

VEHICLE INFORMATION

Vehicle Ident. No. (VIN) (located at bottom of windshield on driver's side)

NOT AVAILABLEE

Vehicle Make

FIRESTONE

Vehicle Model

STEEL TEX R4S

Vehicle Year

1900

Current Odometer Reading

Purchase Date

Dealer's Name

Engine Size

(CID/CC/L

☐ Turbo☐ Diesel☐ Gas☐ Fuel Injection☐ New ☒ Used

City State Zip Code

No Cylinders

Transmission Type

☐ Manual☐ Automatic

Antilock Brakes

☐ Yes☒ No

Restraint System

☐ 3-Point Belt☐ Motorbet☐ Driverside Airbag☐ 2-Point Belt☐ Passengerside Airbag

Cruise Control

☐ Yes☒ No

Drive Train

☐ Front☐ Rear☐ 4-Wheel

Vehicle Type

☐ Car☐ Van☐ Minivan☐ Other☐ Sport Ult☐ Truck☐ Motorcycle

Body Style

☐ 2-Door☐ 4-Door☐ Stationwagon☐ Pick up Truck☒ Other

FAILED COMPONENT(S)/PART(S) INFORMATION

Component

02700000

Part Name(s)

TIRES

Location

☐ Left☐ Front☐ Right☐ Rear

Failed Part(s)

☐ Original☐ Replacement

No of Failures

Date(s) of Failure(s) 02-APR-2001

Mileage at Failure(s) 200000

Vehicle Speed at Failure(s)

Failed Part(s)
Available?☐ Yes ☐ NoNHTSA Previously
Contacted?☐ Yes ☐ No

APPLICATION INCIDENT INFORMATION

(Please describe in detail the incident(s), Failure(s), Crash(es), and Injury(ies) on the back of this form)

Crash

☐ Yes ☒ No

Fire

☐ Yes ☒ No

Number of Persons Injured

Number of Fatalities

Estimated Property Damage

Reported to Police

☐ Yes ☒ No

NARRATIVE DESCRIPTION OF FAILURE(S), INCIDENT(S), INJURY(IES)

CONSUMER WAS TRAVELING 55-60MPH WHEN REAR DRIVER'S TIRE POPPED OFF THE RIM. CONSUMER SWERVED ACROSS 3-4 LANES AND MANAGED TO GET TO SHOULDER OF ROAD. THERE WAS NO BLOW OUT, IT DEFLATED. TIRES ARE AFTERMARKET, NO MORE THAN 2 WEEKS OLD. CONSUMER WAS DRIVING A199, DODGE, RAM VAN. TIRE SIZE IS P235/75R1, DOT# & VIN # WILL BE ADDED. *AK

CONTINUE ON BACK IF NEEDED

The Privacy Act of 1974 (Public Law 93-579) This information is requested pursuant to authority vested in the National Highway Traffic Safety Act and subsequent amendments. You are under no obligation to respond to this questionnaire. Your response may be used to assist the NHTSA in determining whether a manufacturer should take appropriate action to correct a safety defect. If the NHTSA proceeds with administrative enforcement or litigation against a manufacturer, your response or a statistical summary thereof, may be used in support of the agency's action.

Fold to show Return Address (no stamp needed) Fasten with tape or staple and mail

INFORMATION ON TIRE FAILURE(S) IF APPLICABLE

TIRE IDENTIFICATION NO.*

D O T

MANUFACTURER/TIRE NAME

SIZE

* The identification number consists of 7 to 10 letters and numerals following the letters DOT. It is usually located near the rim flange on the side opposite the whitewall or on either side of a blackwall tire.

NARRATIVE DESCRIPTION (CONTINUED)

LADIES & GENTLEMEN

IT APPEARS I ACTED IN HASTY
TAKING THE TRUCK DRIVER EXPLANATION
OF MY HYPOTHESIS

WHEN I WENT TO THE MOTOR
HAY DISCOVERED A NICE HOLE THAT
HAD PENETRATED THROUGH THE WATER
TANK?

THIS WAS A FALSE ALARM

★ U.S.G.P.D. 1992 - 623-897 / 6726

U.S. Department
of Transportation
National Highway
Traffic Safety
Administration

400 Seventh St., S.W.
Washington, D.C. 20590

Official Business
Penalty for Private Use \$300



NO POSTAGE
NECESSARY
IF MAILED
IN THE
UNITED STATES

BUSINESS REPLY MAIL

FIRST CLASS PERMIT NO. 73173 WASHINGTON, D.C.

POSTAGE WILL BE PAID BY NATL HWY TRAFFIC SAFETY ADMIN.

U.S. Department of Transportation
National Highway Traffic Safety Administration
Information Management Staff NSA-10.01
400 7th Street, SW
Washington, DC 20590

