



U.S. Department
of Transportation
**National Highway
Traffic Safety
Administration**

Auto Safety Hotline

Vehicle Owner's Questionnaire

NATIONWIDE 1-800-424-9393
DC METRO AREA (202) 366-0123
INTERNET: <http://www.nhtsa.dot.gov>

FOR AGENCY USE ONLY 758

Date Received

09-APR-2001

Od_or _____
rt_dt _____
pd_rt _____
rp_lr _____

Reference No.

885409

Do you authorize NHTSA to provide a copy of report to the manufacturer of your vehicle? ☐ YES ☐ NO
In the absence of an authorization, NHTSA WILL NOT provide your name and address to the vehicle manufacturer.

Signature of Owner _____ Date ____/____/____

VEHICLE INFORMATION

Vehicle Ident. No. (VIN) (Location at bottom of windshield and driver's side)		Vehicle Make FIRESTONE	Vehicle Model AFFINITY	Vehicle Year 1900	Current Odometer Reading
Purchase Date ☐ New ☒ Used	Dealer's Name _____ City _____ State _____ Zip Code _____		Engine Size (CID/CC/L) _____ No Cylinders _____	☐ Turbo ☐ Diesel ☐ Gas ☐ Fuel Injection	
Transmission Type ☐ Manual ☐ Automatic	Antilock Brakes ☐ Yes ☒ No	Restraint System ☐ 3-Point Belt ☐ Motorbelt ☐ Driverside Airbag ☐ 2-Point Bel ☐ Passengerside Airbag	Cruise Control ☐ Yes ☒ No	Drive Train ☐ Front ☐ Rear ☐ 4-Wheel	Vehicle Type ☐ Car ☐ Sport Utl ☐ Van ☐ Truck ☐ Minivan ☐ Motorcycle ☐ Other _____ Body Style ☐ 2-Door ☐ 4-Door ☐ Stationwagon ☐ Pick Up Truck ☐ Other _____

FAILED COMPONENT(S)/PART(S) INFORMATION

Component 02700000	Part Name(s) TIRES	Location ☐ Left ☐ Right ☐ Front ☐ Rear	Failed Part(s) ☐ Original ☐ Replacement
No of Failure	Date(s) of Failure(s) 06-APR-2001 Mileage at Failure(s) 22000	Failed Part(s) ☐ Yes ☐ No	NHTSA Previously ☐ Yes ☐ No

APPLICATION INCIDENT INFORMATION

(Please describe in detail the incident(s), Failure(s), Crash(es), and Injury(ies) on the back of this form)

Crash ☐ Yes ☒ No	Fire ☐ Yes ☒ No	Number of Persons Injured	Number of Fatalities	Estimated Property Damag	Reported to Police ☐ Yes ☒ No
--	---	---------------------------	----------------------	--------------------------	---

NARRATIVE DESCRIPTION OF FAILURE(S), INCIDENT(S), INJURY(IES)

P205/60R15, DOT UNKNOWN, ORIGINAL EQUIPMENT ON A 1999, NISSAN, ALTIMA SE WITH 22000 MILES, VEHICLE BUMPED CURB AND REAR RIGHT TIRE BLEWOUT.*AK

COPIES OF REPORTS - FREE -

The Privacy Act of 1974-Public Law 93-579 This information is requested pursuant to authority vested in the National Highway Traffic Safety Act and subsequent amendments. You are under no obligation to respond to this questionnaire. Your response may be used to assist the NHTSA in determining whether a manufacturer should take appropriate action to correct a safety defect. If the NHTSA proceeds with administrative enforcement or litigation against a manufacturer, your response, or a statistical summary thereof, may be used in support of the agency's action.

 DOT Auto Safety Hotline Vehicle Owner's Questionnaire (VOQ) U.S. Department of Transportation National Highway Traffic Safety Administration NATIONWIDE 1-888-DASH-2-DOT 1-888-327-4236 www.nhtsa.dot.gov/hotline		FOR AGENCY USE ONLY 758 Date Received <u>09-APR-2001</u> Reference No. 885409 Work Number _____ Home Number _____	
OWNER INFORMATION (Type or Print) VIN: <u>[REDACTED]</u> 685504 Do you authorize NHTSA to provide a copy of report to the manufacturer of your vehicle? ☒ YES ☐ NO In the absence of an owner's signature, we will NOT provide your name and address to the vehicle manufacturer. Signature of Owner <u>[REDACTED]</u> Date <u>4/17/01</u>			
VEHICLE INFORMATION			
Vehicle Ident. No. (VIN) (Located at bottom of windshield on driver's side) <u>[REDACTED]</u>		Vehicle Make NISSAN FIRESTONE	Vehicle Model ALTIMA AFFINITY
		Vehicle Year 1999 1999	Current Odometer Reading 22,547
Purchase Date ☒ New ☐ Used	Dealer's Name <u>PERFORMANCE NISSAN</u> City <u>Duarte</u> State <u>CA</u> Zip Code <u>91010</u>		Engine Size (CID/CC/L) <u>145.7cc/3</u> No. Cylinders <u>4</u> ☐ Turbo ☐ Diesel ☒ Gas ☒ Fuel Injection
Transmission Type ☒ Manual ☐ Automatic	Antilock Brakes ☐ Yes ☒ No	Restraint System ☒ 3-Point Belt ☐ Motorbell ☒ Driverside Airbag ☐ 2-Point Belt ☒ Passengerside Airbag	Cruise Control ☒ Yes ☐ No
		Drive Tran ☒ Front ☐ Rear ☐ 4-Wheel	Vehicle Type ☒ Car ☐ Sport Utl ☐ 2-Door ☐ Van ☐ Truck ☐ 4-Door ☐ Minivan ☐ Motorcycle ☐ Stationwagon ☐ Other ☐ Pick Up Truck ☐ Other
FAILED COMPONENT(S)/PART(S) INFORMATION			
Component 02700000	Part Name(s) TIRES FIRESTONE AFFINITY	Location ☐ Left ☒ Right ☐ Front ☒ Rear	Failed Part(s) ☒ Original ☐ Replacement
No of Failures 1	Date(s) of Failure(s) <u>06-APR-2001</u> Mileage at Failure(s) <u>22000</u> Vehicle Speed at Failure(s) <u>25 MPH</u>		Failed Part(s) Available? ☒ Yes ☐ No NHTSA Previously Contacted? ☐ Yes ☒ No
APPLICATION INCIDENT INFORMATION (Please describe in detail the incident(s), Failure(s), Crash(es) and injury(ies) on the back of this form)			
Crash ☐ Yes ☒ No	Fire ☐ Yes ☒ No	Number of Persons Injured 0	Number of Fatalities 0
		Estimated Property Damage \$600	Reported to Police ☐ Yes ☒ No
NARRATIVE DESCRIPTION OF FAILURE(S), INCIDENT(S), INJURY(IES)			
P205/60R15, DOT UNKNOWN, ORIGINAL EQUIPMENT ON A 1999, NISSAN, ALTIMA SE WITH 22000 MILES, VEHICLE BUMPED CURB AND REAR RIGHT TIRE BLEWOUT.*AK			
CONTINUE ON BACK IF NEEDED			
The Privacy Act of 1974-Public Law 93-579 This information is requested pursuant to authority vested in the National Highway Traffic Safety Act and subsequent amendments. You are under no obligation to respond to this questionnaire. Your response may be used to assist the NHTSA in determining whether a manufacturer should take appropriate action to correct a safety defect. If the NHTSA proceeds with administrative enforcement or litigation against a manufacturer, your response, or a statistical summary thereof, may be used in support of the agency's action.			

Fold to show Return Address (no stamp needed) Fasten with tape or staple and mail

INFORMATION ON TIRE FAILURE(S) (IF APPLICABLE)

TIRE IDENTIFICATION NO.*

DOT W1UNAAB438

MANUFACTURER/TIRE NAME

FIRESTONE

AFFINITY

SIZE

13x6.5J

* The identification number consists of 7 to 10 letters and numerals following the letters DOT. It is usually located near the rim flange on the side opposite the whitewall or on either side of a blackwall tire.

NARRATIVE DESCRIPTION (CONTINUED)

★ U.S. G.P.O.: 1992-623-987/90086

U.S. Department
of Transportation
National Highway
Traffic Safety
Administration

400 Seventh St., S.W.
Washington, D.C. 20590

Official Business
Penalty for Private Use \$300



NO POSTAGE
NECESSARY
IF MAILED
IN THE
UNITED STATES

BUSINESS REPLY MAIL

FIRST CLASS PERMIT NO. 73173 WASHINGTON, D.C.

POSTAGE WILL BE PAID BY NATL HWY TRAFFIC SAFETY ADMIN.

U.S. Department of Transportation
National Highway Traffic Safety Administration
Information Management Staff NSA-10.01
400 7th Street, SW
Washington, DC 20590

