



U.S. Department
of Transportation

National Highway
Traffic Safety
Administration

Auto Safety Hotline

Vehicle Owner's Questionnaire

NATIONWIDE 1-800-424-9393
DC METRO AREA (202) 366-0123
INTERNET: <http://www.nhtsa.dot.gov>

FOR AGENCY USE ONLY 758

Date Received

17-APR-2001

Od_or _____
rt_dt _____
pd_rt _____
rp_lr _____

Reference No.

886059

Do you authorize NHTSA to provide a copy of report to the manufacturer of your vehicle? ☐ YES ☐ NO
In the absence of an authorization, NHTSA WILL NOT provide your name and address to the vehicle manufacturer.

Signature of Owner _____ Date: ____/____/____

VEHICLE INFORMATION

Vehicle Ident. No. (VIN) _____ (Location at bottom of windshield and door hinge)		Vehicle Make GOODYEAR	Vehicle Model GOODYEAR	Vehicle Year 1900	Current Odometer Reading
Purchase Date ☐ New ☒ Used	Dealer's Name _____ City _____ State _____ Zip Code _____		Engine Size (CID/CC/L) _____ No Cylinders _____	☐ Turbo ☐ Diesel ☐ Gas ☐ Fuel Injection	
Transmission Type ☐ Manual ☐ Automatic	Antilock Brakes ☐ Yes ☒ No	Restraint System ☐ 3-Point Belt ☐ Motorbelt ☐ Driverside Airbag ☐ 2-Point Bel ☐ Passengerside Airbag	Cruise Control ☐ Yes ☒ No	Drive Train ☐ Front ☐ Rear ☐ 4-Wheel	Vehicle Type ☐ Car ☐ Sport Util ☐ Van ☐ Truck ☐ Minivan ☐ Motorcycle ☐ Other _____ Body Style ☐ 2-Door ☐ 4-Door ☐ Stationwagon ☐ Pick Up Truck ☒ Other _____

FAILED COMPONENT(S)/PART(S) INFORMATION

Component 02740000	Part Name(s) TIRES:TREAD	Location ☐ Left ☐ Right ☐ Front ☐ Rear	Failed Part(s) ☐ Original ☐ Replacement
No of Failure	Date(s) of Failure(s) 16-APR-2001 Mileage at Failure(s) _____	Failed Part(s) ☐ Yes ☐ No	NHTSA Previously ☐ Yes ☐ No

APPLICATION INCIDENT INFORMATION

(Please describe in detail the incident(s), Failure(s), Crash(es), and injury(ies) on the back of this form)

Crash ☐ Yes ☒ No	Fire ☐ Yes ☒ No	Number of Persons Injured	Number of Fatalities	Estimated Property Damag	Reported to Police ☐ Yes ☒ No
--	---	---------------------------	----------------------	--------------------------	---

NARRATIVE DESCRIPTION OF FAILURE(S), INCIDENT(S), INJURY(IES)

GOODYEAR, P235/85R16, DOT UNKNOWN, REPLACEMENT EQUIPMENT WITH LESS THAN 20000 MILES ON A 1997, NEWMAR, COUNTRY STAR TRAILER. WHILE DRIVING 55-60 MPH FRONT LEFT TIRE HAD A BLOWOUT, WHEN CONSUMER STOPPED TO CHANGE TIRE, HE NOTICED RIGHT FRONT TIRE SHOWED TREAD SEPARATION.*AK

GOVERNMENT USE ONLY

The Privacy Act of 1974-Public Law 93-579 This information is requested pursuant to authority vested in the National Highway Traffic Safety Act and subsequent amendments. You are under no obligation to respond to this questionnaire. Your response may be used to assist the NHTSA in determining whether a manufacturer should take appropriate action to correct a safety defect. If the NHTSA proceeds with administrative enforcement or litigation against a manufacturer, your response, or a statistical summary thereof, may be used in support of the agency's action.

DOT Auto Safety Hotline Vehicle Owner's Questionnaire (VOQ) NATIONWIDE 1-888-DASH-2-DOT 1-888-327-4236 www.nhtsa.dot.gov/hotline		FOR AGENCY USE ONLY 758	
		Date Received 17-APR-2001	Od_or _____ rL_dL _____ od_rt _____ up_ltr _____ Reference No. 886059
OWNER INFORMATION (Type or Print)		Work Number _____	
686588		Home N _____	
Do you authorize NHTSA to provide a copy of report to the manufacturer of your vehicle? ☐ YES ☒ NO In the absence of an authorization, NHTSA WILL NOT provide your name and address to the vehicle manufacturer.			
Signature of Owner _____		Date 5/5/01	
VEHICLE INFORMATION			
Vehicle Ident. No. (VIN) (Located at bottom of windshield on driver's side)	Vehicle Make GOODYEAR	Vehicle Model GOODYEAR	Vehicle Year 1900 Current Odometer Reading
Purchase Date ☐ New ☒ Used	Dealer's Name _____ City _____ State _____ Zip Code _____		Engine Size (CID/CC/L) _____ No Cylinders _____ ☐ Turbo ☐ Diesel ☐ Gas ☐ Fuel Injection
Transmission Type ☐ Manual ☐ Automatic	Antilock Brakes ☐ Yes ☒ No	Restraint System ☐ 3-Point Belt ☐ Drverside Airbag ☐ Passengerside Airbag ☐ Motorbell ☐ 2-Point Belt	Cruise Control ☐ Yes ☒ No
Drive Train ☐ Front ☐ Rear ☐ 4-Wheel		Vehicle Type ☐ Car ☐ Van ☐ Minivan ☐ Other	Body Style ☐ Sport UT ☐ Truck ☐ Motorcycle ☐ 2-Door ☐ 4-Door ☐ Stationwagon ☐ Pick Up Truck ☒ Other
FAILED COMPONENT(S)/PART(S) INFORMATION			
Component 02740000	Part Name(s) TIRES:TREAD	Location ☒ Left ☒ Front ☐ Right ☐ Rear	Failed Part(s) ☒ Original ☐ Replacement
No of Failures	Date(s) of Failure(s) 16-APR-2001 Mileage at Failure(s) _____ Vehicle Speed at Failure(s) _____	Failed Part(s) Available? ☐ Yes ☐ No	NHTSA Previously Contacted? ☐ Yes ☐ No
APPLICATION INCIDENT INFORMATION			
(Please describe in detail the incident(s), Failure(s), Crash(ies), and injury(ies) on the back of this form)			
Crash ☐ Yes ☒ No	Fire ☐ Yes ☒ No	Number of Persons Injured	Number of Fatalities
		Estimated Property Damage	Reported to Police ☐ Yes ☒ No
NARRATIVE DESCRIPTION OF FAILURE(S), INCIDENT(S), INJURY(IES)			
LT 11408451V42ORIGINAL GOODYEAR, T236/85R16, DOT UNKNOWN, REPLACEMENT EQUIPMENT WITH LESS THAN 20000 MILES ON A 1997, NEWMAR, COUNTRY STAR TRAILER. WHILE DRIVING 55-60 MPH FRONT LEFT TIRE HAD A BLOWOUT, WHEN CONSUMER STOPPED TO CHANGE TIRE, HE NOTICED RIGHT FRONT TIRE SHOWED TREAD SEPARATION.*AK BOTH TIRES HAD SAME DOT NUMBERS. TREAD SEPRATED FROM BOTH TIRES			

CONTINUE ON BACK IF NEEDED

The Privacy Act of 1974-Public Law 93-579 The information is requested pursuant to authority vested in the National Highway Traffic Safety Act and subsequent amendments. You are under no obligation to respond this questionnaire. Your response may be used to assist the NHTSA in determining whether a manufacturer should take appropriate action to correct a safety defect. If the NHTSA proceeds with administrative enforcement or litigation against a manufacturer, your response, or a statistical summary thereof, may be used in support of the agency's action.

Fold to show Return Address (no stamp needed) Fasten with tape or staple and mail

INFORMATION ON TIRE FAILURE(S) (IF APPLICABLE)

TIRE IDENTIFICATION NO.*

D O T M M C R M 5 H V 4 B 6

MANUFACTURER/TIRE NAME

GOODYEAR WORKHORSE

SIZE

LT 225/85R16

* The identification number consists of 7 to 10 letters and numerals following the letters DOT. It is usually located near the rim flange on the side opposite the whitewall or on either side of a blackwall tire.


NARRATIVE DESCRIPTION (CONTINUED)

★ U.S.G.P.O. 1982 - 623-887 / 80086

U.S. Department
of Transportation
**National Highway
Traffic Safety
Administration**

400 Seventh St., S.W.
Washington, D.C. 20580

Official Business
Penalty for Private Use \$300



NO POSTAGE
NECESSARY
IF MAILED
IN THE
UNITED STATES

BUSINESS REPLY MAIL

FIRST CLASS PERMIT NO. 73173 WASHINGTON, D.C.

POSTAGE WILL BE PAID BY NATL HWY TRAFFIC SAFETY ADMIN.

U.S. Department of Transportation
National Highway Traffic Safety Administration
Information Management Staff NSA-10.01
400 7th Street, SW
Washington, DC 20590