

U.S. Department
of TransportationNational Highway
Traffic Safety
Administration

Auto Safety Hotline

Vehicle Owner's Questionnaire

NATIONWIDE 1-800-424-9393
DC METRO AREA (202) 366-0123
INTERNET: <http://www.nhtsa.dot.gov>

FOR AGENCY USE ONLY 336

Date Received

05-JUN-2001

 Od_or _____
 rt_dt _____
 od_rt _____
 up_lr _____

Reference No.

889807

 Do you authorize NHTSA to provide a copy of report to the manufacturer of your vehicle? ☐ YES ☐ NO
 In the absence of an authorization, NHTSA WILL NOT provide your name and address to the vehicle manufacturer.

Signature of Owner _____ Date ____/____/____

VEHICLE INFORMATION

Vehicle Ident. No. (VIN) (Locate at bottom of windshield or driver's side)		Vehicle Make	Vehicle Model	Vehicle Year	Current Odometer Reading
1FMNU43S1YEC00717		FIRESTONE	STEEL TEX	1900	
Purchase Date	Dealer's Name _____		Engine Size (CID/CC/L _____)	☐ Turbo ☐ Diesel ☐ Gas ☐ Fuel Injection	
☐ New ☒ Used	City _____ State _____ Zip Code _____		No Cylinders _____		
Transmission Type	Antilock Brakes	Restraint System	Cruise Control	Drive Train	Vehicle Type
☐ Manual ☐ Automatic	☐ Yes ☒ No	☐ 3-Point Belt ☐ Motorbelt ☐ Driverside Airbag ☐ 2-Point Bel ☐ Passengerside Airbag	☐ Yes ☒ No	☐ Front ☐ Rear ☐ 4-Wheel	☐ Car ☐ Sport Util ☐ Van ☐ Truck ☐ Minivan ☐ Motorcycle ☐ Other _____
					Body Style
					☐ 2-Door ☐ 4-Door ☐ Stationwagon ☐ Pick Up Truck ☒ Other _____

FAILED COMPONENT(S)/PART(S) INFORMATION

Component 02700000	Part Name(s) TIRES	Location ☐ Left ☐ Right ☐ Front ☐ Rear	Failed Part(s) ☐ Original ☐ Replacement
No of Failure 0	Date(s) of Failure(s) 15-NOV-2000	Failed Part(s) ☐ Yes ☐ No	NHTSA Previously ☐ Yes ☐ No
Mileage at Failure(s) _____			

APPLICATION INCIDENT INFORMATION

(Please describe in detail the incident(s), Failure(s), Crash(es), and Injury(ies) on the back of this form)

Crash ☐ Yes ☒ No	Fire ☐ Yes ☒ No	Number of Persons Injured 0	Number of Fatalities 0	Estimated Property Damag _____	Reported to Police ☐ Yes ☒ No
--	---	--------------------------------	---------------------------	-----------------------------------	---

NARRATIVE DESCRIPTION OF FAILURE(S), INCIDENT(S), INJURY(IES)

ORIGINAL TIRE ON A FORD EXCURSION. LEFT REAR TIRE BLEWOUT AT A LOW SPEED, TIRE POPPED AND BLEW APART.*AK

CONTINUE ON REVERSE

The Privacy Act of 1974-Public Law 93-579 This information is requested pursuant to authority vested in the National Highway Traffic Safety Act and subsequent amendments. You are under no obligation to respond to this questionnaire. Your response may be used to assist the NHTSA in determining whether a manufacturer should take appropriate action to correct a safety defect. If the NHTSA proceeds with administrative enforcement or litigation against a manufacturer, your response, or a statistical summary thereof, may be used in support of the agency's action.

 DOT Auto Safety Hotline Vehicle Owner's Questionnaire (VOQ) U.S. Department of Transportation National Highway Traffic Safety Administration NATIONWIDE 1-888-DASH-2-DOT 1-888-327-4236 www.nhtsa.dot.gov/hotline		FOR AGENCY USE ONLY 335 Date Received: <u>01 JUL -2 PM 2:25</u> <u>05 JUN 2001</u> OFFICE DEFECTS INVESTIGATION	
OWNER INFORMATION (Type or Print) 695750		Reference No. 889807	
Do you authorize NHTSA to provide a copy of report to the manufacturer of your vehicle? In the absence of an authorization, NHTSA WILL NOT provide your name and address to the vehicle manufacturer.		☒ YES ☐ NO	
Signature of Owner _____		Date <u>6/28/01</u>	
VEHICLE INFORMATION			
Vehicle Ident. No. (VIN) (located at bottom of windshield on driver's side) 1FMNU43S1YEC00717		Vehicle Make FIRESTONE Vehicle Model STEEL TEX Vehicle Year 2000 Current Odometer Reading _____	
Purchase Date <u>4-4-2000</u> ☒ New ☐ Used		Dealer's Name <u>Tommy Vaughn</u> City <u>Houston</u> State <u>TX</u> Zip Code _____	
Engine Size (CID/CC/L) _____ No Cylinders <u>10</u>		☐ Turbo ☐ Diesel ☒ Gas ☐ Fuel Injection	
Transmission Type ☐ Manual ☒ Automatic	Antilock Brakes ☒ Yes ☐ No	Restraint System ☐ 3-Point Belt ☐ Motorbelt ☒ Driverside Airbag ☐ 2-Point Belt ☒ Passengerside Airbag	Cruise Control ☒ Yes ☐ No
Drive Train ☐ Front ☐ Rear ☒ 4-Wheel	Vehicle Type ☐ Car ☐ Van ☐ Minivan ☐ Other _____		Body Style ☒ Sport Utl ☐ Truck ☐ Motorcycle ☐ 2-Door ☐ 4-Door ☐ Stationwagon ☐ Pick Up Truck ☒ Other <u>SUV</u>
FAILED COMPONENT(S)/PART(S) INFORMATION			
Component 02700000	Part Name(s) TIRES	Location ☐ Left ☐ Right ☐ Front ☐ Rear	Failed Part(s) ☐ Original ☐ Replacement
No of Failures 1	Date(s) of Failure(s) <u>15-NOV-2000</u> Mileage at Failure(s) <u>19,000</u> Vehicle Speed at Failure(s) <u>5</u>		Failed Part(s) Available? ☐ Yes ☒ NO NHTSA Previously Contacted? ☐ Yes ☒ NO
APPLICATION INCIDENT INFORMATION (Please describe in detail the incident(s), Failure(s), Crash(es), and injury(ies) on the back of this form)			
Crash ☐ Yes ☒ No	Fire ☐ Yes ☒ No	Number of Persons Injured 0	Number of Fatalities 0
Estimated Property Damage Cost of new Tire		Reported to Police ☐ Yes ☒ No	
NARRATIVE DESCRIPTION OF FAILURE(S), INCIDENT(S), INJURY(IES)			
ORIGINAL TIRE ON A FORD EXCURSION. LEFT REAR TIRE BLEWOUT AT A LOW SPEED, TIRE POPPED AND BLEW APART. AK RIGHT			
CONTINUE ON BACK IF NEEDED			
The Privacy Act of 1974-Public Law 93-579 This information is requested pursuant to authority vested in the National Highway Traffic Safety Act and subsequent amendments. You are under no obligation to respond this questionnaire. Your response may be used to assist the NHTSA in determining whether a manufacturer should take appropriate action to correct a safety defect. If the NHTSA proceeds with administrative enforcement or litigation against a manufacturer, your response, or a statistical summary thereof, may be used in support of the agency's action.			

Fold to show Return Address (no stamp needed) Fasten with tape or staple and mail

INFORMATION ON TIRE FAILURE(S) (IF APPLICABLE)

TIRE IDENTIFICATION NO.*

DOT LT 26575R16 MANUFACTURER/TIRE NAME Firestone SIZE 119/116 R

* The identification number consists of 7 to 10 letters and numerals following the letters DOT. It is usually located near the rim flange on the side opposite the whitewall or on either side of a blackwall tire.

NARRATIVE DESCRIPTION (CONTINUED)

We had slowed down and almost stopped on a dirt road when the tire blew out. It sounded like a gun shot. We were lucky not to be on the highway (as we were earlier) going 70 mph. the tread separated.

☆ U.S.G.P.O. 1982-623-887/80085

U.S. Department
of Transportation
National Highway
Traffic Safety
Administration

400 Seventh St., S.W.
Washington, D.C. 20590

Official Business
Penalty for Private Use \$300

BUSINESS REPLY MAIL

FIRST CLASS PERMIT NO. 73173 WASHINGTON, D.C.

POSTAGE WILL BE PAID BY NATL HWY TRAFFIC SAFETY ADMIN.

U.S. Department of Transportation
National Highway Traffic Safety Administration
Information Management Staff NSA-10.01
400 7th Street, SW
Washington, DC 20590

NO POSTAGE
NECESSARY
IF MAILED
IN THE
UNITED STATES