



U.S. Department
of Transportation
**National Highway
Traffic Safety
Administration**

Auto Safety Hotline

Vehicle Owner's Questionnaire

NATIONWIDE 1-800-424-9393
DC METRO AREA (202) 366-0123
INTERNET: <http://www.nhtsa.dot.gov>

FOR AGENCY USE ONLY 125

Date Received

13-JUN-2001

Od or

rt dt

od rt

ip tr

Reference No.

890319

Do you authorize NHTSA to provide a copy of report to the manufacturer of your vehicle? ☐ YES ☐ NO
In the absence of an authorization, NHTSA WILL NOT provide your name and address to the vehicle manufacturer.

Signature of Owner _____ Date ____/____/____

VEHICLE INFORMATION

Vehicle Ident. No. (VIN) (Location at bottom of windshield and driver's side door)		Vehicle Make GOODYEAR	Vehicle Model WRANGLER HT	Vehicle Year 1900	Current Odometer Reading
Purchase Date ☐ New ☒ Used	Dealer's Name _____ City _____ State _____ Zip Code _____		Engine Size (CID/CC/L) _____ No Cylinders _____	☐ Turbo ☐ Diesel ☐ Gas ☐ Fuel Injection	
Transmission Type ☐ Manual ☐ Automatic	Antilock Brakes ☐ Yes ☒ No	Restraint System ☐ 3-Point Belt ☐ Motorbelt ☐ Driverside Airbag ☐ 2-Point Bel ☐ Passengerside Airbag	Cruise Control ☐ Yes ☒ No	Drive Train ☐ Front ☐ Rear ☐ 4-Wheel	Vehicle Type ☐ Car ☐ Sport Util ☐ Van ☐ Truck ☐ Minivan ☐ Motorcycle ☐ Other _____ Body Style ☐ 2-Door ☐ 4-Door ☐ Stationwagon ☐ Pick Up Truck ☒ Other _____

FAILED COMPONENT(S)/PART(S) INFORMATION

Component 02740000	Part Name(s) TIRES:TREAD	Location ☐ Left ☐ Right ☐ Front ☐ Rear	Failed Part(s) ☐ Original ☐ Replacement
No of Failure	Date(s) of Failure(s) _____ Mileage at Failure(s) _____	Failed Part(s) ☐ Yes ☐ No	NHTSA Previously ☐ Yes ☐ No

APPLICATION INCIDENT INFORMATION

(Please describe in detail the incident(s), Failure(s), Crash(es), and Injury(ies) on the back of this form)

Crash ☐ Yes ☒ No	Fire ☐ Yes ☒ No	Number of Persons Injured	Number of Fatalities	Estimated Property Damag	Reported to Police ☐ Yes ☒ No
--	---	---------------------------	----------------------	--------------------------	---

NARRATIVE DESCRIPTION OF FAILURE(S), INCIDENT(S), INJURY(IES)

ORIGINAL MANUFACTURING EQUIPMENT ON A FORD, E350, 1996. 10,000 MILES ON TIRES. TIRE SIZE LT24575R16. TREAD SEPARATED FROM SID WALL OF RIGHT PASSENGER SIDE TIRE. CONSUMER REPLACED TIRE WITH SAME MODEL TIRE THAT HAD DEVELOPED SPLITS IN THE SIDEWALL. PLEASE GIVE ANY FURTHER DETAILS.*AK

CONTINUE ON REVERSE

The Privacy Act of 1974-Public Law 93-579 This information is requested pursuant to authority vested in the National Highway Traffic Safety Act and subsequent amendments. You are under no obligation to respond to this questionnaire. Your response may be used to assist the NHTSA in determining whether a manufacturer should take appropriate action to correct a safety defect. If the NHTSA proceeds with administrative enforcement or litigation against a manufacturer, your response, or a statistical summary thereof, may be used in support of the agency's action.



U.S. Department
of Transportation
National Highway
Traffic Safety
Administration

DOT Auto Safety Hotline

Vehicle Owner's Questionnaire (VOQ)

NATIONWIDE 1-888-DASH-2-DOT
1-888-327-4236
www.nhtsa.dot.gov/hotline

FOR AGENCY USE ONLY 125

Date Received: 01 JUL - 9 AM 13 JUN 2001

Od_or
rt_dr
od_dr
up_itr

OFFICE
DEFECTS INVESTIGATION

Reference No.

890319

OWNER INFORMATION (Type or Print)

696766

Work Number

Home Number same

Do you authorize NHTSA to provide a copy of report to the manufacturer of your vehicle? ☐ YES ☐ NO
In the absence of an authorization, NHTSA WILL NOT provide your name and address to the vehicle manufacturer.

Signature of Owner _____ Date: / /

VEHICLE INFORMATION

Vehicle Ident. No. (VIN) (Located at bottom of windshield on driver's side) 1FBJS31H21HA200000	Vehicle Make GOODYEAR	Vehicle Model WRANGLER HT	Vehicle Year 1900	Current Odometer Reading 67,188
Purchase Date	Dealer's Name TILTON FORD		Engine Size (CID/CC/L) 459	☐ Turbo ☐ Diesel ☒ Gas ☒ Fuel Injection
☐ New ☒ Used	City TILTON State NH Zip Code		No Cylinders 8	
Transmission Type ☐ Manual ☒ Automatic	Antilock Brakes ☐ Yes ☒ No	Restraint System ☐ 3-Point Belt ☐ Driverside Airbag ☐ Passengerside Airbag ☐ Motorbelt ☒ 2-Point Belt	Cruise Control ☐ Yes ☒ No	Drive Train ☐ Front ☒ Rear ☐ 4-Wheel
Vehicle Type ☐ Car ☒ Van ☐ Minivan ☐ Other		Sport Ut ☐ Truck ☐ Motorcycle		Body Style ☐ 2-Door ☐ 4-Door ☐ Stationwagon ☐ Pick Up Truck ☒ Other

FAILED COMPONENT(S)/PART(S) INFORMATION

Component 02740000	Part Name(s) TIRES:TREAD.	Location ☐ Left ☐ Right ☐ Front ☐ Rear	Failed Part(s) ☐ Original ☐ Replacement
No of Failures	Date(s) of Failure(s) Mileage at Failure(s) Vehicle Speed at Failure(s)	Failed Part(s) Available? ☐ Yes ☐ No	NHTSA Previously Contacted? ☐ Yes ☐ No

APPLICATION INCIDENT INFORMATION

(Please describe in detail the incident(s), Failure(s), Crash(es), and injury(ies) on the back of this form)

Crash ☐ Yes ☒ No	Fire ☐ Yes ☒ No	Number of Persons Injured	Number of Fatalities	Estimated Property Damage	Reported to Police ☐ Yes ☒ No
--	---	---------------------------	----------------------	---------------------------	---

NARRATIVE DESCRIPTION OF FAILURE(S), INCIDENT(S), INJURY(IES)

ORIGINAL MANUFACTURING EQUIPMENT ON A FORD, E350, 1996, 10,000 MILES ON TIRES. TIRE SIZE LT24575R16. TREAD SEPARATED FROM SID WALL OF RIGHT PASSENGER SIDE TIRE. CONSUMER REPLACED TIRE WITH SAME MODEL TIRE THAT HAD DEVELOPED SPLITS IN THE SIDEWALL. PLEASE GIVE ANY FURTHER DETAILS. **AK FOUND THAT THESE TIRES ALL THAT HAVE BEEN REPLACED, HAVE HAD SIDE WALL PROBLEMS OR DEFECTS. REPLACED IN ALL 5-GOOD YEAR TIRES, BEFORE THIS COMPLAINT FORM HAS BEEN**

CONTINUE ON BACK IF NEEDED

The Privacy Act of 1974-Public Law 93-579 This information is requested pursuant to authority vested in the National Highway Traffic Safety Act and subsequent amendments. You are under no obligation to respond to this questionnaire. Your response may be used to assist the NHTSA in determining whether a manufacturer should take appropriate action to correct a safety defect. If the NHTSA proceeds with administrative enforcement or litigation against a manufacturer, your response, or a statistical summary thereof, may be used in support of the agency's action.

INFORMATION ON TIRE FAILURE(S) (IF APPLICABLE)

TRE IDENTIFICATION NO. 7

DOT

MANUFACTURER/TIRE NAME

SIZE

* The identification number consists of 7 to 10 letters and numerals following the letters DOT. It is usually located near the rim flange on the side opposite the whitewall or on either side of a blackwall tire.

NARRATIVE DESCRIPTION (CONTINUED)

FILED. NOTE LAST TWO TIRES HAVE BEEN TAKEN TO
GOODYEAR DEALERS AND WAS TOLD TIRES HAVE BEEN
RUN ON FLAT, TO DO SIDEWALL DAMAGE, I THINK
THESE TIRES, (NOT ONLY FIRESTONE'S) HAVE MAJOR
FALTS. ALSO NOTE FOUND THESE DEFECTS IN TIRES
BECAUSE OF TERRIBLE VIBRATIONS AND OUT OF BALANCE
FEELING.

IS ANY QUESTIONS CALL:

Home &

U.S. Department
of Transportation
National Highway
Traffic Safety
Administration

400 Seventh St., S.W.
Washington, D.C. 20580

Official Business
Penalty for Private Use \$300

NO POSTAGE
NECESSARY
IF MAILED
IN THE
UNITED STATES

BUSINESS REPLY MAIL

FIRST CLASS PERMIT NO. 73173 WASHINGTON, D.C.

POSTAGE WILL BE PAID BY NATL HWY TRAFFIC SAFETY ADMIN

U.S. Department of Transportation
National Highway Traffic Safety Administration
Information Management Staff NSA-10.01
400 7th Street, SW
Washington, DC 20590