



U.S. Department
of Transportation
**National Highway
Traffic Safety
Administration**

Auto Safety Hotline

Vehicle Owner's Questionnaire

NATIONWIDE 1-800-424-9393
DC METRO AREA (202) 366-0123
INTERNET: <http://www.nhtsa.dot.gov>

FOR AGENCY USE ONLY 252

Date Received

22-JUN-2001

Od_or _____
rt_dt _____
od_rt _____
ip_lr _____

Reference No.

891064

Do you authorize NHTSA to provide a copy of report to the manufacturer of your vehicle? ☐ YES ☐ NO
In the absence of an authorization, NHTSA WILL NOT provide your name and address to the vehicle manufacturer.

Signature of Owner _____ Date ____/____/____

VEHICLE INFORMATION

Vehicle Ident. No. (VIN) _____ (Location at bottom of windshield and driver's side door)		Vehicle Make HONDA	Vehicle Model CIVIC	Vehicle Year 1992	Current Odometer Reading _____
Purchase Date ☐ New ☒ Used	Dealer's Name _____ City _____ State _____ Zip Code _____		Engine Size (CID/CC/L) _____ No Cylinders _____	☐ Turbo ☐ Diesel ☐ Gas ☐ Fuel Injection	
Transmission Type ☐ Manual ☐ Automatic	Antilock Brakes ☐ Yes ☒ No	Restraint System ☐ 3-Point Belt ☐ Motorbelt ☐ Driverside Airbag ☐ 2-Point Bel ☐ Passengerside Airbag	Cruise Control ☐ Yes ☒ No	Drive Train ☐ Front ☐ Rear ☐ 4-Wheel	Vehicle Type ☐ Car ☐ Sport Util ☐ Van ☐ Truck ☐ Minivan ☐ Motorcycle ☐ Other _____ Body Style ☐ 2-Door ☐ 4-Door ☐ Stationwagon ☐ Pick Up Truck ☐ Other _____

FAILED COMPONENT(S)/PART(S) INFORMATION

Component 02740000	Part Name(s) TIRES:TREAD	Location ☐ Left ☐ Right ☐ Front ☐ Rear	Failed Part(s) ☐ Original ☐ Replacement
No of Failure 0	Date(s) of Failure(s) 12-MAY-2001 Mileage at Failure(s) 0	Failed Part(s) ☐ Yes ☐ No	NHTSA Previously ☐ Yes ☐ No

APPLICATION INCIDENT INFORMATION

(Please describe in detail the incident(s), Failure(s), Crash(es), and injury(ies) on the back of this form)

Crash ☐ Yes ☒ No	Fire ☐ Yes ☒ No	Number of Persons Injured 0	Number of Fatalities 0	Estimated Property Damag _____	Reported to Police ☐ Yes ☒ No
--	---	---------------------------------------	----------------------------------	-----------------------------------	---

NARRATIVE DESCRIPTION OF FAILURE(S), INCIDENT(S), INJURY(IES)

PE00 020; WAS TRAVELING ABOUT 65MPH ON HIGHWAYAND FELT VIBRATION , STEERING WHEEL STARTED TO SHAKE. FRONT LEFT TIRE TREAD HAD SEPARATED FROM VEHICLE. FIRESTONE/ BRIDGESTONE, SF-135ENE, P2175/7513, DOTELS8CEM441. DEALERSHIP IS AWARE OF PROBLEM. *AK

COPIES OF REPORTS - SEE PAGE 2

The Privacy Act of 1974-Public Law 93-579 This information is requested pursuant to authority vested in the National Highway Traffic Safety Act and subsequent amendments. You are under no obligation to respond to this questionnaire. Your response may be used to assist the NHTSA in determining whether a manufacturer should take appropriate action to correct a safety defect. If the NHTSA proceeds with administrative enforcement or litigation against a manufacturer, your response, or a statistical summary thereof, may be used in support of the agency's action.

U.S. Department
of TransportationNational Highway
Traffic Safety
Administration

DOT Auto Safety Hotline

Vehicle Owner's Questionnaire (VOQ)

NATIONWIDE 1-888-DASH-2-DOT

1-888-327-4236

www.nhtsa.dot.gov/hotline

FOR AGENCY USE ONLY 252

Date Received

JUL 17 PM 2:59

22-JUN-2001

OFFICE

ELECT5 INVESTIGATIONS

Od_or

rt_dt

od_rl

up_lr

Reference No.

891064

Work Number

Home Number

OWNER INFORMATION (Type or Print)

698612

Do you authorize NHTSA to provide a copy of report to the manufacturer of your vehicle?

☒ YES☐ NO

In the absence of an authorized signature, NHTSA WILL NOT provide your name and address to the vehicle manufacturer.

Signature of Owner

Date 7/9/01

VEHICLE INFORMATION

Vehicle Ident. No. (VIN) (Located at bottom of
windshield on driver's side)

JHMEG8547NS012359

Vehicle Make

HONDA

Vehicle Model

CIVIC

Vehicle Year

1992

Current Odometer Reading

168K

Purchase Date

1992

Dealer's Name HONDA OF SANTA ANA

Engine Size
(CID/CC/L)

1.5L

☐ Turbo
☐ Diesel
☐ Gas☒ Fuel Injection☒ New ☐ Used

City SANTA ANA State Zip Code

No Cylinders 4

Transmission Type

☒ Manual☐ Automatic

Antilock Brakes

☐ Yes☒ No

Restraint System

☐ 3-Point Belt☐ Motorbelt☒ Driverside Airbag☐ 2-Point Belt☐ Passengerside Airbag

Cruise Control

☐ Yes☒ No

Drive Train

☒ Front☐ Rear☐ 4-Wheel

Vehicle Type

☒ Car☐ Van☐ Minivan☐ Other☐ Sport Ut☐ Truck☐ Motorcycle

Body Style

☐ 2-Door☒ 4-Door☐ Stationwagon☐ Pick Up Truck☐ Other

FAILED COMPONENT(S)/PART(S) INFORMATION

Component

02740000

Part Name(s)

TIRES:TREAD

Location

☒ Left☒ Front☐ Right☐ Rear

Failed Part(s)

☐ Original☒ Replacement

No of Failures

0

Date(s) of Failure(s) 12-MAY-2001

Mileage at Failure(s)

Vehicle Speed at Failure(s)

Failed Part(s)

Available?

☒ Yes ☐ No

NHTSA Previously

Contacted?

☐ Yes ☒ No

APPLICATION INCIDENT INFORMATION

(Please describe in detail the incident(s), Failure(s), Crash(es), and injury(ies) on the back of this form)

Crash

☐ Yes☒ No

Fire

☐ Yes☒ No

Number of Persons Injured

0

Number of Fatalities

0

Estimated Property Damage

Reported to Police

☐ Yes☒ No

NARRATIVE DESCRIPTION OF FAILURE(S), INCIDENT(S), INJURY(IES)

PE00 020; WAS TRAVELING ABOUT 65MPH ON HIGHWAY AND FELT VIBRATION, STEERING WHEEL STARTED TO SHAKE. FRONT LEFT TIRE TREAD HAD SEPARATED FROM VEHICLE. FIRESTONE/ BRIDGESTONE, 3F-135ENE, P2175/7513, DOTEL38CEM441. DEALERSHIP IS AWARE OF PROBLEM. *AK

CONTINUE ON BACK IF NEEDED

The Privacy Act of 1974-Public Law 93-579 This information is requested pursuant to authority vested in the National Highway Traffic Safety Act and subsequent amendments. You are under no obligation to respond this questionnaire. Your response may be used to assist the NHTSA in determining whether a manufacturer should take appropriate action to correct a safety defect. If the NHTSA proceeds with administrative enforcement or litigation against a manufacturer, your response, or a statistical summary thereof, may be used in support of the agency's action.

Fold to show Return Address (no stamp needed) Fasten with tape or staple and mail

INFORMATION ON TIRE FAILURE(S) (IF APPLICABLE)

TIRE IDENTIFICATION NO.*

D O T E L F H C E M 4 4 1

MANUFACTURER/TIRE NAME
BRIDGESTONE

SIZE
175/70R13

* The identification number consists of 7 to 10 letters and numerals following the letters DOT. It is usually located near the rim flange on the side opposite the whitewall or on either side of a blackwall tire.

NARRATIVE DESCRIPTION (CONTINUED)

SEE ATTACHED

★ U.S. G.P.O.: 1982-623-887 / 80086

U.S. Department
of Transportation
National Highway
Traffic Safety
Administration

400 Seventh St., S.W.
Washington, D.C. 20590

Official Business
Penalty for Private Use \$300

BUSINESS REPLY MAIL

FIRST CLASS PERMIT NO. 73173 WASHINGTON, D.C.


POSTAGE WILL BE PAID BY NATL HWY TRAFFIC SAFETY ADMIN.

U.S. Department of Transportation
National Highway Traffic Safety Administration
Information Management Staff NSA-10.01
400 7th Street, SW
Washington, DC 20590

NO POSTAGE
NECESSARY
IF MAILED
IN THE
UNITED STATES

**THE FOLLOWING PAGES ARE WITHHELD TO
PROTECT UNWARRANTED INVASION OF
PERSONAL PRIVACY PURSUANT TO
EXEMPTION 6 OF THE FREEDOM OF
INFORMATION ACT, 5 U.S.C. 552(b)(6)**

(Page 1 through Page 62)



CUSTOMER COPY SEE REVERSE SIDE FOR TERMS AND LIMITED WARRANTIES

