Form Approved: OMB No. 2127-0042

U.S. Department of Transportation
National Highway Traffic Safety Administration

Auto Safety Hotline

Vehicle Owner's Questionnaire

NATIONWIDE 1-800-424-9393
DC METRO AREA (202) 366-0123
INTERNET: http://www.nhtsa.dot.gov

FOR AGENCY USE ONLY 125

Date Received: 23-AUG-2001

Od_or ____ ____
rt_dt ____ ____
od_rt ____ ____
op_ltr ____ ____

Reference No.: 895073

[redacted]

Do you authorize NHTSA to provide a copy of report to the manufacturer of your vehicle? ☐ *YES* ☐ *NO*
In the absence of an authorization, NHTSA WILL NOT provide your name and address to the vehicle manufacturer.

Signature of Owner _____ **Date**____/____/____

VEHICLE INFORMATION

Vehicle Ident. No. (VIN.) (Locate at bottom of windshield on driver's side)	Vehicle Make	Vehicle Model	Vehicle Year	Current Odometer Readin
NOT AVAILABLE	DODGE TRUCK	DAKOTA	2000	

Purchase Dat		Engine Size	
☐ New ☒ Used	Dealer's Name_____ City_____ State_____ Zip Code_____	(CID/CC/L ____ No Cylinders ____	☐ Turbo ☐ Diesel ☐ Gas ☐ Fuel Injectio

Transmission Type	Antilock Brakes	Restraint System	Cruise Contro	Drive Trai	Vehicle Type	Body Style
☐ Manual ☐ Automatic	☒ Yes ☐ No	☐ 3-Point Belt ☐ Motorbelt ☐ Driverside Airbag ☐ 2-Point Bel ☐ Passengerside Airbag	☐ Yes ☒ No	☐ Front ☐ Rear ☐ 4-Wheel	☐ Car ☐ Sport Utl ☐ Van ☐ Truck ☐ Minivan ☐ Motorcycle ☐ Other_____	☐ 2-Door ☐ 4-Door ☐ Stationwagon ☒ Pick Up Truck ☐ Other_____

FAILED COMPONENT(S)/PART(S) INFORMATION

Component	Part Name(s	Location	Failed Part(s
03250000	BRAKES:HYDRAULIC:ANTI-SKID SYSTEM	☐ Left ☐ Right ☐ Front ☐ Rear	☐ Original ☐ Replacement

No of Failure	Date(s) of Failure(s)_____ Mileage at Failure(s)_____	Failed Part(s)	NHTSA Previously
		☐ Yes ☐ No	☐ Yes ☐ No

APPLICATION INCIDENT INFORMATION

(Please describe in detail the incident(s), Failure(s), Crash(es), and injury(ies) on the back of this form)

Crash	Fire	Number of Persons Injured	Number of Fatalitie	Estimated Property Damag	Reported to Polic
☐ Yes ☒ No	☐ Yes ☒ No				☐ Yes ☒ No

NARRATIVE DESCRIPTION OF FAILURE(S), INCIDENT(S), INJURY(IES)

WHEN APPLYING BRAKES FRONT BRAKES LOCKS UP AND THE VEHICLE PULLS TO LEFT AND RIGHT, CAUSE UNKNOWN. PLEASE GIVE ANY FURTHER DETAILS.*AK

CONTINUED ON REVERSE

The Privacy Act of 1974-Public Law 93-579 This information is requested pursuant to authority vested in the National Highway Traffic Safety Act and subsequent amendments. You are under no obligation to respond this questionnaire. Your response may be used to assist the NHTSA in determining whether a manufacturer should take appropriate action to correct a safety defect. If the NHTSA proceeds with administrative enforcement or litigation against a manufacturer, your response, or a statistical summary thereof, may be used in support of the agency's action.

Form Approved O.M.B. No 2127-0006

U.S. Department of Transportation
National Highway Traffic Safety Administration

DOT Auto Safety Hotline

Vehicle Owner's Questionnaire (VOQ)

NATIONWIDE 1-888-DASH-2-DOT
1-888-327-4236
www.nhtsa.dot.gov/hotline

FOR AGENCY USE ONLY 125

Date Received: 01 SEP 18 AM 11:
23-AUG-2001
OFFICE
DEFECTS INVESTIGATION

Od_or
rt_dt
od_rt
up_dtr

Reference No.
395073

OWNER INFORMATION (Type or Print)

[redacted] 710396

Work Numb[redacted]
Home Numb[redacted]

Do you authorize [redacted] to the manufacturer of your vehicle? ☒ YES ☐ NO
In the absence of a[redacted] name and address to the vehicle manufacturer.
Signature of Owne[redacted] Date 9/5/01

VEHICLE INFORMATION

Vehicle Ident. No. (VIN) (Located at bottom of windshield on driver's side)	Vehicle Make	Vehicle Model	Vehicle Year	Current Odometer Reading
1B7GG26Y7YS539489 NOT AVAILABLE sc	DODGE TRUCK	DAKOTA	2000	18,623

Purchase Date: 3/00
☒ New ☐ Used sc

Dealer's Name: Roseville Dodge
City: Roseville State: MN Zip Code: 55106

Engine Size (CID/CC/L): 3.9
No Cylinders: 8
☐ Turbo ☐ Diesel ☒ Gas ☐ Fuel Injectio

Transmission Type	Antilock Brakes	Restraint System	Cruise Contro	Drive Trai	Vehicle Type	Body Style
☒ Manua ☐ Automatic	☐ Yes sc ☒ No	☒ 3-Point Belt ☐ Motorbelt ☒ Driverside Airbag ☐ 2 Point Bel ☒ Passengerside Airbag	☒ Yes ☐ No sc	☐ Front ☐ Rear ☒ 4-Wheel	☐ Car ☐ Sport Ult ☐ Van ☐ Truck ☐ Minivan ☐ Motorcycle ☐ Other	☐ 2-Door ☐ 4-Door ☐ Stationwagon ☒ Pick Up ☐ Truck

FAILED COMPONENT(S)/PART(S) INFORMATION

Component	Part Name(s)	Location	Failed Part(s)
03250000	BRAKES:HYDRAULIC:ANTILOCK SYSTEM sc	☒ Left ☒ Front ☐ Right ☐ Rear	☒ Original ☐ Replacemen

No of Failures	Date(s) of Failure(s) / Mileage at Failure(s) / Vehicle Speed at Failure(s)	Failed Part(s)	NHTSA Previously
5	7/00 7/20/00 8/21/00 10/10/00 8/1/01 3211 3399 4424 6024 17648 10 thru 70 mph	☒ Yes ☐ No	☐ Yes ☒ No

APPLICATION INCIDENT INFORMATION

(Please describe in detail the incident(s), Failure(s), Crash(es), and injury(ies) on the back of this form)

Crash	Fire	Number of Persons Injured	Number of Fatalities	Estimate d Property Damage	Reported to Police
☐ Yes ☒ No	☐ Yes ☒ No	0	0	0	☐ Yes ☒ No

NARRATIVE DESCRIPTION OF FAILURE(S), INCIDENT(S), INJURY(IES)

WHEN APPLYING BRAKES FRONT BRAKES LOCKS UP AND THE VEHICLE PULLS TO LEFT AND RIGHT, CAUSE UNKNOWN. PLEASE GIVE ANY FURTHER DETAILS.*AK

This problem does not occur every time the brakes are applied. I have had 2 independent ASE certified mechanics test drive it and both have noticed the problem. I have written reports from both mechanics. My Dodge dealer ~~has~~ says they have never felt the

CONTINUE ON BACK IF NEEDED

The Privacy Act of 1974 Public Law 93-579 This information is requested pursuant to authority vested in the National Highway Traffic Safety Act and subsequent amendments. You are under no obligation to respond this questionnaire. Your response may be used to assist the NHTSA in determining whether a manufacturer should take appropriate action to correct a safety defect. If the NHTSA proceeds with administrative enforcement or litigation against a manufacturer, your response, or a statistical summary thereof, may be used in support of the agency's action.

Fold to show Return Address (no stamp needed) Fasten with tape or staple and mail

INFORMATION ON TIRE FAILURE(S) (IF APPLICABLE)

TIRE IDENTIFICATION NO.*

D	O	T											MANUFACTURER/TIRE NAME	SIZE

* The identification number consists of 7 to 10 letters and numerals following the letters DOT. It is usually located near the rim flange on the side opposite the whitewall or on either side of a blackwall tire.

NARRATIVE DESCRIPTION (CONTINUED)

brakes pull even though they test proper it 5 different times. The dealer has replaced the pads 4 times and turned the rotors. This has not solved the problem. As of 9/5/01 the brakes still pull when they are applied.

☆ U.S. G.P.O.: 1992 – 623-997 / 60086

U.S. Department of Transportation
National Highway Traffic Safety Administration

400 Seventh St., S.W.
Washington, D.C. 20590

Official Business
Penalty for Private Use $300

MINNEAPOLIS MN SSA PM 6 SEP 2001

NO POSTAGE NECESSARY IF MAILED IN THE UNITED STATES

BUSINESS REPLY MAIL
FIRST CLASS PERMIT NO. 79173 WASHINGTON, D.C.

POSTAGE WILL BE PAID BY NATL HWY TRAFFIC SAFETY ADMIN.

U.S. Department of Transportation
National Highway Traffic Safety Administration
Information Management Staff NSA-10.01
400 7th Street, SW
Washington, DC 20590

THE FOLLOWING PAGES ARE WITHHELD TO PROTECT UNWARRANTED INVASION OF PERSONAL PRIVACY PURSUANT TO EXEMPTION 6 OF THE FREEDOM OF INFORMATION ACT, 5 U.S.C. 552(b)(5)

(Page 1 through Page 4)

[redacted]