



U.S. Department
of Transportation
**National Highway
Traffic Safety
Administration**

Auto Safety Hotline

Vehicle Owner's Questionnaire

NATIONWIDE 1-800-424-9393
DC METRO AREA (202) 366-0123
INTERNET: <http://www.nhtsa.dot.gov>

FOR AGENCY USE ONLY 1038

Date Received

19-OCT-2001

Od_or _____
rt_dt _____
pd_rt _____
rp_lr _____

Reference No.

898022

Do you authorize NHTSA to provide a copy of report to the manufacturer of your vehicle? ☐ YES ☐ NO
In the absence of an authorization, NHTSA WILL NOT provide your name and address to the vehicle manufacturer.

Signature of Owner _____ Date ____/____/____

VEHICLE INFORMATION

Vehicle Ident. No. (VIN) (Locate at bottom of windshield or driver's side)		Vehicle Make	Vehicle Model	Vehicle Year	Current Odometer Reading
J4W48S41064340770		JEOP	GRAND CHEROKE	2001	
Purchase Date	Dealer's Name _____		Engine Size (CID/CC/L _____)	☐ Turbo ☐ Diesel ☐ Gas ☐ Fuel Injection	
☒ New ☐ Used	City _____ State _____ Zip Code _____		No Cylinders _____		
Transmission Type	Antilock Brakes	Restraint System	Cruise Control	Drive Train	Vehicle Type
☐ Manual ☒ Automatic	☐ Yes ☒ No	☐ 3-Point Belt ☐ Motorbelt ☐ Driverside Airbag ☐ 2-Point Bel ☐ Passengerside Airbag	☐ Yes ☒ No	☐ Front ☐ Rear ☐ 4-Wheel	☐ Car ☐ Sport Util ☐ Van ☐ Truck ☐ Minivan ☐ Motorcycle ☐ Other _____
					Body Style
					☐ 2-Door ☐ 4-Door ☐ Stationwagon ☐ Pick Up Truck ☒ Other _____

FAILED COMPONENT(S)/PART(S) INFORMATION

Component 07301000	Part Name(s) POWER TRAIN:TRANSMISSION:AUTOMATIC:INTERLOCK SYSTEM	Location ☐ Left ☐ Right ☐ Front ☐ Rear	Failed Part(s) ☐ Original ☐ Replacement
No of Failure	Dates of Failure(s) _____ Mileage at Failure(s) 12 Vehicle Speed at Failure(s) _____	Failed Part(s) ☐ Yes ☐ No	NHTSA Previously ☐ Yes ☐ No

APPLICATION INCIDENT INFORMATION

(Please describe in detail the incident(s), Failure(s), Crash(es), and injury(ies) on the back of this form)

Crash ☐ Yes ☒ No	Fire ☐ Yes ☒ No	Number of Persons Injured	Number of Fatalities	Estimated Property Damage	Reported to Police ☐ Yes ☒ No
--	---	---------------------------	----------------------	---------------------------	---

NARRATIVE DESCRIPTION OF FAILURE(S), INCIDENT(S), INJURY(IES)

VEHICLE JUMPED FROM PARK TO REVERSE WHILE IT WAS IDLING AND PARKING BRAKE WAS ENGAGED, CAUSING DAMAGE TO VEHICLE. DEALER HAS BEEN CONTACTED. PLEASE PROVIDE FURTHER DETAILS. VEHICLE WAS PARKED ON SLIGHT INCLINE. *AK

COPIES OF THIS FORM ARE:

The Privacy Act of 1974-Public Law 93-579 This information is requested pursuant to authority vested in the National Highway Traffic Safety Act and subsequent amendments. You are under no obligation to respond to this questionnaire. Your response may be used to assist the NHTSA in determining whether a manufacturer should take appropriate action to correct a safety defect. If the NHTSA proceeds with administrative enforcement or litigation against a manufacturer, your response, or a statistical summary thereof, may be used in support of the agency's action.



U.S. Department
of Transportation
National Highway
Traffic Safety
Administration

DOT Auto Safety Hotline

Vehicle Owner's Questionnaire (VOQ)

NATIONWIDE 1-888-DASH-2-DOT

1-888-327-4236

www.nhtsa.dot.gov/hotline

FOR AGENCY USE ONLY 1038

Date Received

OCT-2001

Od_or
r_d_t
od_rt
up_itr

Reference No.

898022

OWNER INFORMATION (Type or Print)

GLEN CHO

NY

722047

Work Number

Home Number

Do you authorize NHTSA
in the absence of an
Signature of Owner

Vehicle? ☒ YES ☐ NO
Access to the vehicle manufacturer.
Date / /

VEHICLE INFORMATION

Vehicle Ident. No. (VIN) Located at bottom of windshield or driver's side J4W48S41064340770
Vehicle Make JEEP
Vehicle Model GRAND CHEROK
Vehicle Year 2001
Current Odometer Reading 12,653

Purchase Date

Dealer's Name

Teterboro Chrysler Jeep

Engine Siz
(CID/CC/L

☐ Turbo
☐ Diesel
☐ Gas
☐ Fuel Injectio

☒ New ☐ Used

City

Little Ferry

State

NJ

Zip Code

07643

No. Cylinders

6

Transmission Type

Antilock Brakes

Restraint System

Cruise Control

Drive Train

Vehicle Type

Body Style

☐ Manua

☐ Yes

☐ 3-Point Belt

☐ Motorbelt

☐ Yes

☐ Front

☐ Car

☐ Sport Ult

☐ 2-Door

☒ Automatic

☒ No

☐ Driverside Airbag

☐ 2-Point Bel

☒ No

☒ Rear

☐ Van

☐ Truck

☐ 4-Door

☒ Passengerside Airbag

☒ Wheel

☐ Minivan

☐ Motorcycle

☐ Stationwagon

☒ Pick Up

☐ Truck

FAILED COMPONENT(S)/PART(S) INFORMATION

Component 07301000 Part Name(s) POWER TRAIN: TRANSMISSION: AUTOMATIC: INTERLOCK SYSTEM Location ☐ Left ☐ Right ☐ Front ☐ Rear Failed Part(s) ☒ Original ☐ Replacement
No. of Failures 1 Date(s) of Failure(s) 10/19/01 Mileage at Failure(s) 12,653 Vehicle Speed at Failure(s) 0 Failed Part(s) ☒ Yes ☐ No NHTSA Previously ☐ Yes ☐ No

APPLICATION INCIDENT INFORMATION

(Please describe in detail the incident(s), failure(s), crash(es), and injury(ies) on the back of this form)

Crash ☐ Yes ☒ No Fire ☐ Yes ☒ No Number of Persons Injured - Number of Fatalities - Estimated Property Damage \$3975.54 Reported to Police ☐ Yes ☒ No

NARRATIVE DESCRIPTION OF FAILURE(S), INCIDENT(S), INJURY(IES)

VEHICLE JUMPED FROM PARK TO REVERSE WHILE IT WAS IDLING AND PARKING BRAKE WAS ENGAGED, CAUSING DAMAGE TO VEHICLE. DEALER HAS BEEN CONTACTED. PLEASE PROVIDE FURTHER DETAILS. VEHICLE WAS PARKED ON SLIGHT INCLINE. 'AK

CONTINUE ON BACK IF NEEDED

The Privacy Act of 1974 (Public Law 93-57) This information is requested pursuant to authority vested in the National Highway Traffic Safety Act and subsequent amendments. You are under no obligation to respond to this questionnaire. Your response may be used to assist the NHTSA in determining whether a manufacturer should take appropriate action to correct a safety defect. If the NHTSA proceeds with administrative enforcement or litigation against a manufacturer, your response, or a statistical summary thereof, may be used in support of the agency's action.

Do not show return address (no stamp needed) (return with care of stamps and man- INFORMATION ON TIRE FAILURE(S) IF APPLICABLE									
TIRE IDENTIFICATION NO. *									
MANUFACTURER/TIRE NAME									
SIZE									
The identification number consists of 7 to 10 letters and numerals following the letters DOT. It is usually located near the rim flange on the side opposite the whitewall or on either side of a blackwall tire.									
NARRATIVE DESCRIPTION (CONTINUED)									