



U.S. Department of Transportation

National Highway Traffic Safety Administration

Dear Crash Data Researchers/Users:

Thank you for choosing crash data from the National Highway Traffic Safety Administration (NHTSA) for your research or other use. The information contained in this motor vehicle crash report is collected, maintained and distributed in accordance with Public Law 89-564. In accordance with this Public Law, NHTSA is required not to release any case information until completion of quality control procedures. These procedures include a review of the case material to extract all names, licenses and registration numbers, non-coded interview material, non-research related researcher comments in the margins, non-factual data, and the production number portion of the vehicle identification number (VIN).

If you requested NHTSA to query its database files in order to identify a specific crash, then that query was made using non-personal descriptors you provided for use in our search. This motor vehicle crash may have been identified from a data search and matches the general, non-personal descriptors you provided, but we cannot confirm that this is the specific crash report you requested.

If you have any questions with regard to the above procedures, please contact the Field Operations Branch, Crash Investigation Division, National Center for Statistics and Analysis at 202-366-4820. Again, please be advised that we cannot confirm that this is the case that you have specifically requested nor can we certify the information to be correct.

*** *** ***



PEDESTRIAN CASE SUMMARY NATIONAL ACCIDENT SAMPLING SYSTEM PEDESTRIAN CRASH DATA STUDY

<u>Administration</u> PSU 90

CASE NO. 611P

TYPE OF ACCIDENT Light Truck/Ped/Crossing road - Straight

A. DESCRIPTION OF THE ACCIDENT SEQUENCE AND ACCIDENT PECULIARITIES

(Provide a summary of the accident sequence as well as any particular event of the accident that is noteworthy. Pedestrian injury mechanism and vehicle interaction is the focus, not pedestrian or driver culpability. Do not include any personal identifiers.)

Vehicle #1 was traveling south in the left lane of a four lane, wet roadway. Pedestrian #1 was crossing the roadway in an easterly direction. The front left of the vehicle struck the pedestrian on her left side and knocked her forward of the point of impact. Prior to the crash, the vehicle applied brakes and skidded seven meters on the wet asphalt. The pedestrian was knocked three meters to final rest. Vehicle #1 came to rest immediately prior to final rest of the pedestrian.

B. PEDESTRIAN PROFILE							
Pedestrian No. Age Sex Treatment/			Treatment/	Treatment/	Most Severe Injury (TO BE COMPLETED BY ZONE CENTER)		
		Body Region	Ana. Struc.	AIS	Injury Source		
01	78	Female	Treated & Released	Left hip	Contusion	1	Grill

Body Region	Type of Anatomic Structure	Abbreviated Injury Scale
Head Face Throat Chest Abdomen/Pelvis Spine Upper Extremity Lower Extremity External	Whole Area Vessels Nerves Organs Skeletal Head-LOC Skin-Burn Skin-Other	 (1) Minor injury (2) Moderate injury (3) Serious injury (4) Severe injury (5) Critical injury (6) Maximum (untreatable) (7) Injured, unknown severity

	Class	C. VEH	ICLE PROFILE	Most Severe Damage sed on Vehicle Inspection
Vehicle No.	of Vehicle	Year/Make/Model	Damage Plane	Damage Description
01	Light Pickup Truck	1989 GMC 1500 conventional	Front	Scratches, scrapes, smudges, etc.




U.S. Department of Transportation

ACCIDENT COLLISION DIAGRAM

1A

National Highway Traffic Safety
Administration

NATIONAL ACCIDENT SAMPLES SYSTEM
PEDESTRIAN CRASH
A STUDY



Q	
U.S. Department of Trans	sportation

ACCIDENT COLLISION DIAGRAM

NATIONAL ACCIDENT SAMPLING SYSTEM PEDESTRIAN CRASH DATA STUDY National Highway Traffic Safety Administration Indicate PSU No. North P Case Number - Stratum -10.0 3,5 3.5 7.*0*



PEDESTRIAN ACCIDENT COLLISION MEASUREMENT TABLE NATIONAL ACCIDENT SAMPLING SYSTEM PEDESTRIAN CRASH DATA STUDY

Primary Sampling Unit Number 9 6 / P				
PEDESTRIAN ACCIDENT COLLISION DATA COLLECTION , SCALED DIAGRAM				
document reference point and reference line relative to physical features	Surface Type	13:T/Asph AL.	north arrow placed on diagram	
documentation of all accident induced physical evidence including (if applicable):			grade measurements for all applicable roadways	
a) vehicle skid marks	Coefficient of Fr	iction	scaled representations of the physical plant including:	
b) pedestrian contacts with ground or object	Grade (v/h) Mes	asurement	 all road/roadway delineation (e.g., crosswalks, curb/edge lines, lane markings, medians, pavement marking parked vehicles, poles, signs, etc.) 	
c) vehicle/pedestrian point of impact (POI)	a) at impa	act <u>-0</u>	b) all traffic controls (e.g., lights, signs)	
d) location of pedestrian separation point from vehicle	b) between final re	en impact and set	scaled representations of the vehicle and pedestrian at pre-impact, impact, and final rest based upon either:	
f) final resting points (FRP) for pedestrian and vehicle	Pedestrian Trave	el Direction EAST	a) physical evidence, or	
documentation of the physical plant including: a) all road/roadway delineation (e.g., crosswalks, curb/edge lines, lane markings, medians,	Vehicle Travel D	11	b) reconstructed accident dynamics	
pavement markings, parked vehicles, poles, signs, etc.)				
b) all traffic controls (e.g., lights, signs)				
Reference Point: UTILITY Pole Westside of Roadw		Reference Line: We	ST CURBLINE	
Item		Distance and Direction from Reference Point	Distance and Direction from Reference Line	
Oricia (UTILITY	Pole	0.0	8,5-1	
Vehicle# 1 + PedestriAN#1	(POI.)	13.0m=N.	2.5m-E	
Pedestrian#1 (7.R.	۲,)	10.0m=N	2,7m-E	
VehTele#1 (F.R.P)		11,5m-N	2,0m=E	
LF-1-begin		20.0 m - N	1.3m-E	
LF-1- ENd		14.0m-N.	1.3m-E	
RF-1- begin		20.0m-N	2.6m-E	
RF-1- End		14.0 m N.	2.6m-E	

Item	Distance and Direction from Reference Point	Distance and Direction from Reference Line
27A		
		3
		73
:		
		·
	·	

PEDESTRIAN ACCIDENT FORM NATIONAL ACCIDENT SAMPLING SYSTEM

PEDESTRIAN CRASH DATA STUDY

Primary Sampling Unit Number	90
2. Case Number - Stratum	6 / / P

SPECIAL STUDIES - INDICATORS

Check (✓) each special study (SS15-SS19 below) that has been completed; code 1 for the checked special studies and 0 for the special studies not checked.

6	SS15	Administrative Use	_0
---	------	--------------------	----

NUMBER OF EVENTS

11. Number of Recorded Events in This Accident

SS18

0 1

_1

0

IDENTIFICATION

3. Number of General Vehicle Forms Submitted

4. Date of Accident (Month, Day, Year)

Code reported military time of accident.

NOTE: Midnight = 2400 Unknown = 9999

PEDESTRIAN STUDY CRITERIA

Pedestrian Definition:

5. Time of Accident

Any person who is on a trafficway or on a sidewalk or path contiguous with a trafficway, or on private property (e.g., parking lot). Note: Pedestrians include persons who are in contact with the ground, roadway, etc. and are pushing carts, wagons, etc. or holding on to a vehicle.

Persons in or on a nonmotorist conveyance are not pedestrians and are excluded from this study. A nonmotorist conveyance is defined as any human powered device by which a nonmotorist may move, or by which a pedestrian or nonmotorist may move another nonmotorist. A nonmotorist conveyance for purposes of this study includes the following: bicycles, baby carriages, roller skates/blades, push carts, scooters, wheelchairs, animals, etc. For example, persons on a bicycle/scooter, roller skating/blading, in a baby carriage/push cart/wheelchair or on a horse are excluded.

Case Selection Criteria:

A forward moving, late model year (VEH04 equals 90 to 95) CDS applicable vehicle (VEH07 equals 01 to 49) must strike a pedestrian.

The striking portion of the vehicle structure must be original equipment manufacturer (OEM) without previous damage and or parts removed in the impact area. For example, vehicles equipped with deer guards, winches, snow plows, etc. or previously damaged in the impact area are excluded.

The pedestrian may not be lying or sitting.

The pedestrian impact(s) are the vehicle's only impact(s). If multiple pedestrians are impacted, each pedestrian shall be a separate

The first point of contact between the late model year, CDS applicable vehicle and the pedestrian must be forward of the top of the A pillar.

PEDESTRIAN ACCIDENT EVENTS						
Accident Event Sequence Number	Vehicle Number	Class Of Vehicle	General Area of Damage	Vehicle Number or Object Contacted	Class Of Vehicle	General Area of Damage
12. <u>0</u> <u>1</u>	13. <u>0 1</u>	14. / 5	15. <u>F</u>	16. <u>7</u> <u>2</u>	17. <u>0</u> <u>0</u>	18. <u> 0 </u>

CODES FOR CLASS OF VEHICLE

- (00) Not a motor vehicle
- (01) Subcompact/mini (wheelbase < 254 cm)
- (02) Compact (wheelbase ≥ 254 but < 265 cm)
- (03) Intermediate (wheelbase ≥ 265 but < 278 cm)
- (04) Full size (wheelbase ≥ 278 but < 291 cm)
- (05) · Largest (wheelbase ≥ 291 cm)
- (09) Unknown passenger car size
- (11) Compact utility vehicle
- (12) Large utility vehicle (≤ 4,500 kgs GVWR)
- (13) Passenger van (≤ 4,500 kgs GVWR)
- (14) Other van (≤ 4,500 kgs GVWR)
- (15) Pickup truck (≤ 4,500 kgs GVWR)
- (18) Other truck (≤ 4,500 kgs GVWR)
- (19) Unknown light truck type

CODES FOR GENERAL AREA OF DAMAGE (GAD)

CDS APPLICABLE VEHICLES

- (F) Front
- (R) Right side
- (L) Left side
- (U) Undercarriage
- (9) Unknown

CODES FOR VEHICLE NUMBER OR OBJECT CONTACTED

Collision with Nonfixed Object

(72) Pedestrian

U.S. Department of Transportation

PEDESTRIAN ASSESSMENT FORM

Form Approved O.M.B. No. 2127-0021

National Highway Traffic Safety Administration NATIONAL ACCIDENT SAMPLING SYSTEM PEDESTRIAN CRASH DATA STUDY

1.	Primary Sampling Unit Number 9 0	10. Pedestrian's Weight Code actual weight to the nearest
2.	Case Number - Stratum 6 / / P	kilogram. (999) Unknown
3.	Pedestrian Number <u>0 1</u>	/ 50 pounds X .4536 = 0 6 8 kilograms
	PEDESTRIAN'S CHARACTERISTICS	PEDESTRIAN'S PRE-AVOIDANCE ACTIONS
	Pedestrian's Age Code actual age at time of accident. (00) Less than one year old (specify by month): (97) 97 years and older (99) Unknown	11. Pedestrian Attitude (1) Standing (2) Crouching (3) Kneeling (4) Bending at waist (8) Other (specify):
6.	Pedestrian's Sex (1) Male (2) Female - not reported pregnant (3) Female - pregnant-1st trimester (1st-3rd month) (4) Female - pregnant-2nd trimester (4th-6th month) (5) Female - pregnant-3rd trimester (7th-9th month) (6) Female - pregnant-term unknown (9) Unknown Pedestrian's Overall Height Code actual height to the nearest centimeter.	(9) Unknown 12. Pedestrian Motion (0) Not moving (1) Walking slowly (2) Walking rapidly (3) Running or jogging (4) Hopping (5) Skipping (6) Jumping (7) Falling/stumbling or rising (8) Other (specify):
7. 7. 6 6 6	Pedestrian's Height - Ground to Knee Code to the nearest centimeter. (999) Unknown —inches X 2.54 =centimeters Pedestrian's Height - Ground to Hip Code to the nearest centimeter. (999) Unknown	(9) Unknown 13. Pedestrian's Action Relative to Vehicle (00) Stopped (01) Crossing road, straight (02) Crossing road, diagonally (03) Moving in road, with traffic (04) Moving in road, against traffic (05) Off road, approaching road (06) Off road, going away from road (07) Off road, moving parallel (08) Off road, crossing driveway (09) Off road, moving along driveway (98) Other (specify):
9. [Pedestrian's Height - Ground to Shoulder Code to the nearest centimeter. 999) Unknown inches X 2.54 = centimeters centimeter. 999) Unknown inches X 2.54 = centimeters	(99) Unknown 14. Pedestrian's Body (Chest) Orientation Relative to Striking Vehicle Prior to Avoidance Actions (1) Facing vehicle (2) Facing away (3) Left side to vehicle (4) Right side to vehicle (8) Other (specify): (9) Unknown

PEDESTRIAN'S AVOIDANCE ACTIONS	
	18. Pedestrian's Arm Orientation
	at Initial Impact <u>D 6</u>
	(01) At sides
15. Pedestrian's First Avoidance Actions	(02) Folded across chest
(00) No avoidance actions	(03) Hands clasped behind back
(01) Stopped	(04) Hands on hips
(02) Accelerated pace	(05) Hands in pockets
(03) Ran away (along vehicle path)	
(04) Jumped	One or both arms:
, (05) Turned toward vehicle	(06) Extended upward
(06) Turned away from vehicle	(07) Extended to side
(07) Dove or fell away	(08) Extended forward bracing
	(09) Extended, holding object
Used hand(s) to :	(briefcase, suitcase, etc.)
(11) Vault corner of vehicle	(10) Holding object (young child,
(12) Vault onto vehicle	grocery bag, etc.) in arm(s)
(13) Brace against vehicle	(11) Holding object (young child, grocery
(14) Crouched and braced hands against vehicle	bag, etc.) on shoulder(s) or head
(98) Other (specify):	(98) Other (specify):
(99) Unknown	(99) Unknown
` ',	, ,
	19. Pedestrian's Leg Orientation
	at Initial Impact <u>0 4</u>
PEDESTRIAN'S ORIENTATION AT IMPACT	(01) Together
TEDESTRIANS ORIENTATION AT IMPACT	(02) Apart-laterally
	(03) Apart-right leg forward
	(04) Apart-left leg forward
16. Pedestrian's Head Orientation	(05) Apart- forward leg unknown
1 1	(06) Left foot off the ground
at Initial Impact	(07) Right foot off the ground
(1) To front	(08) Both feet off the ground
(2) To left	(98) Other (specify):
(3) To right	(99) Unknown
(4) Up	
(5) Down	20. Vehicle/Pedestrian's Interaction
(8) Other (specify):(9) Unknown	(01) Carried by vehicle, wrapped position
(9) Officiowit	(02) Carried by vehicle, slid to windshield
	(03) Carried by vehicle, position unknown
17 Bodostrian's Body (Chast) Orientation	(04) Passed over vehicle top
17. Pedestrian's Body (Chest) Orientation	(05) Thrown straight forward
at Initial Impact	(06) Thrown forward and left of vehicle
(1) Facing vehicle	(07) Thrown forward and right of vehicle
(2) Facing away	(08) Knocked to pavement, forward
(3) Left side to vehicle	(09) Knocked to pavement, left of vehicle
(4) Right side to vehicle	(10) Knocked to pavement, right of vehicle
(8) Other (specify):	(11) Knocked to pavement, run over or
(9) Unknown	dragged by vehicle
	(12) Shunted to left (corner impacts only)
	(13) Shunted to right (corner impacts only)
	(14) Bumped or pushed aside
	(15) Snagged, rotated
	(16) Snagged, dragged by vehicle
	(17) Foot or legs run over
	(98) Other (specify):
	(99) Unknown

OFFICIAL RECORDS		INJURY CONSEQUENCES
 21. Police Reported Alcohol Presence For Pedestrian (0) No alcohol present (1) Yes alcohol present (7) Not reported (9) Unknown 	a &	25. Injury Severity (Police Rating) (0) O - No injury (1) C - Possible injury (2) B - Nonincapacitating injury (3) A - Incapacitating injury (4) K - Killed
22. Alcohol Test Result For Pedestrian Code actual value (decimal implied before first digit—0.xx) (95) Test refused (96) None given (97) AC (Alcohol Content) test performed, results unknown (99) Unknown if test given	96	(5) U - Injury, severity unknown (6) Died prior to accident (9) Unknown 26. Treatment - Mortality (0) No treatment (1) Fatal (2) Fatal - ruled disease (specify):
Source: PAR		Nonfatal (3) Hospitalization
 23. Police Reported Other Drug Presence For Pedestrian (0) No other drug(s) present (1) Yes other drug(s) present (7) Not reported (9) Unknown 	70	(4) Transported and released (5) Treatment at scene - non-transported (6) Treatment later (8) Treatment - other (specify): (9) Unknown
24. Other Drug Specimen Test Result For Pedestrian (0) No specimen test given (1) Drug not found in specimen (2) Drug found in specimen, (specify): (3) Specimen test given, results unknown or not obtained (9) Unknown	0	27. Type Of Medical Facility (for Initial Treatment) (0) Not treated at a medical facility (1) Trauma center (2) Hospital (3) Medical clinic (4) Physician's office (5) Treatment later at medical facility (8) Other (specify):
		28. Hospital Stay (00) Not Hospitalized Code the number of days (up through 60) that the pedestrian stayed in a hospital. (61) 61 days or more (99) Unknown
		29. Working Days Lost Code the number of days (up through 60) that the pedestrian lost from work due to the accident (00) No working days lost (61) 61 days or more (62) Fatally injured (97) Not working prior to accident (99) Unknown

STOP - VARIABLES 30 THROUGH 37 AR	RE COMPLETED BY THE ZONE CENTER
30. Glasgow Coma Scale (GCS) Score (at Medical Facility) (00) Not injured (01) Injured - not treated at medical facility (02) No GCS Score at medical facility (03-15) Code the actual value of the initial GCS Score recorded at medical facility. (97) Injured, details unknown (99) Unknown if injured 31. Was the Pedestrian Given Blood? (1) No - blood not given (2) Yes - blood given (specify units): (9) Unknown if blood given 32. Arterial Blood Gases (ABG) – HCO ₃ (00) Not injured (01) Injured, ABGs not measured or reported (02-50) Code the actual value of the HCO ₃ (96) ABGs reported, HCO ₃ unknown (97) Injured, details unknown (99) Unknown if injured 33. Time to Death Code number of hours from time of accident to time of death up through 24 hours. If time of death is greater than 24 hours, code number of days. (Note: 1 day =31, 2 days = 32, n days = 30 +n up through 30 days = 60) (00) Not fatal (96) Fatal - ruled disease (99) Unknown	34. 1st Medically Reported Cause of Death 35. 2nd Medically Reported Cause of Death Code the Pedestrian Injury from line number(s) for the medically reported injury(s) which reportedly contributed to this pedestrian's death (00) Not fatal or no additional causes (96) Mode of death given but specific injuries are not linked to cause of death. (specify): (97) Other result (includes fatal ruled disease) (specify): (99) Unknown 37. Number of Recorded Injuries for This Pedestrian Code the actual number of injuries recorded for this pedestrian. (00) No recorded injuries (97) Injured, details unknown (99) Unknown if injured
ARE ALL APPLICABLE MEDICAL RECORDS NO [] UPDATE CANDIDATE?	YES[]

National Highway Traffic Safety

Administration

PEDESTRIAN INJURY FORM

BEST AVAILABLE Form Approved O.M.B. No. 2127-0021

NATIONAL ACCIDENT SAMPLING SYSTEM PEDESTRIAN CRASH DATA STUDY

1. Primary Sampling Unit Nur	mber
------------------------------	------

3. Pedestrian Number

2. Case Number - Stratum

4. Blank

INJURY DATA


Record below the actual injuries sustained by this pedestrian in CHRONOLOGICAL order that were identified from the official and unofficial data sources. Remember not to double count an injury just because it was identified from two different sources. If greater than twenty-five injuries have been documented, encode the balance on the Pedestrian Injury Supplement.

				AIS-90					Injury				
	Source of Injury Data	Body Region	Type of Anatomic Structure	Specific Anatomic Structure	Level of Injury	A.I.S. Severity	Aspect	Injury Source	Source Confidence Level	Direct/ Indirect Injury	Striking Profile	Type Of Damage	Damage Depth
st	5. 7 -	6. 8	7, 9	8. <u>0 4</u>	9. <u>02</u>	- _{10.} <u>/</u>	11.2	12.700	13. /	14. <u>/</u>	15. 2	16. 2	- 1,2
ind	18.7	19.5	20. <u>9</u>	21. <u>0</u> 4	₂₂ 0 <u>2</u>	- _{23.} <u>J</u>	_{24.} <u>9</u>	- _{25.} 7 <i>09</i>	- _{26.}	27. <u> </u>	28. 2	. _{29.} 2	- 30. 2
lrd	317	32. <u>7</u>	33. <u>9</u>	34. <u>D</u> 4	35. <u>0</u> 2	- _{36.} <u>/</u>	37. 2 -	38. <u>70</u>]	39	40/	41. 3	- 42. 2 -	43. <u> </u>
lth	44. <u>7</u>	45.7	46. 9	47. <u>64</u>	48. <u>02</u>	49. <u>/</u>	_{50.} 2	- _{51.} <u>703</u>	52	53. <u>/</u>	_{54.} <u>3</u>	_{55.} <u>2</u>	_{56.} 2_
 ith	<u>7.</u>	58.7	59. <u>9</u>	60. <u>0 4</u>	61. 02	-62	63. <u>/</u>	64. <u>947</u>	65. <u>/</u>	66./_	67. O	68. <u>0</u>	€
th	70	71	72	73	74	75	76	77	78	79	80,	81	82
t h	83	84	85	86	87. <u> </u>	88	89	90,	91	92	93	94	95
ith	96	97	98	99	100:	101	102	103	104	105	106	107	108
th	109	110	111	112	113	114	115	116	117	118	119	120	121
)th	122	123	124	125	 126	127	128	129	130	131	132	133	134

				PEDES	INIAI	A HAS	UNI	DAI	A				
Source of Injury Data	Body Region	Type of Anatomic Structure	AIS.90 Specific Anatomic Structure	Level of	A.I.S. Severity	Aspect		njury ource	Injury Source Confidence Level	Direct/ Indirect Injury	Striking Profile	Type Of Damage	Damage Depth
11th													
12th							_						_
13th							_						
14th					<u></u>	-	_		_	<u> </u>			
15th													
16th							<u> </u>			_			
17th	—	_			-		_		_				_
18th	_				_				_	_			_
- 19th					_	_	_		_	_		_	_
20th													
									_				
21st		_			_	-	_	—	-	—	-		_
22nd					_		_	_	_	_			_
23rd					<u></u>				_				
24th													
_	_					_		—	_	_			
25th													

OFFICIAL INJURY DATA - SOFT TISSUE INJURIES

Indicate the Location, Specific Anatomic Structure, Detail (size, depth, fracture type, head injury clinical signs and neurological deficits), and Source of all injuries indicated by official sources (or from PAR or other unofficial sources if medical records and interviewee data are unavailable.)





INJURY SOURCE CONFIDENCE LEVEL SOURCE OF INJURY DATA TYPE OF DAMAGE Certain Probable OFFICIAL Injury not from vehicle contact (2) (1) Autopsy records with or without hospital/ No damage/contact (3) Possible (2) Scratch (Scuff, Cloth Transfer, Smear) medical records Unknown (3) Dent Hospital/medical records other than (4)Large deformation DIRECT/INDIRECT INJURY emergency room (e.g., discharge (5) Cracked, fractured, shattered Separated from vehicle summary) Direct contact injury (6) Emergency room records only (including Indirect contact injury Noncontact injury (7)associated X-rays or other lab reports) Noncontact injury Other specify: (7) Injured, unknown source Private physician, walk-in or emergency Unknown clinic STRIKING PROFILE DAMAGE DEPTH Injury not from vehicle contact Flat-Narrow (<15 centimeters) Flat-Wide (≥ 15 centimeters) (0) Injury not from vehicle contact UNOFFICIAL (1) (1) No residual damage (5) Lay coroner report Rounded (contoured) Surface only damage Crush depth >0 to 2 centimeters (6) E.M.S. personnel Rounded edge Interviewee Crush depth > 2 to 5 centimeters (5) Sharp edge Other (specify): (8) Other source (specify): Crush depth >5 to 10 centimeters Other specify:_ (9) Police (9) Unknown Unknown PEDESTRIAN INJURY CLASSIFICATION **Body Region** Specific Anatomic Structure Abbreviated Injury Scale Spine (02) Cervical (04) Thoracic Head Whole Area (02) Skin - Abrasion (04) Skin - Contusion Minor injury (2) (3) (4) (06) Lumbar Moderate injury Face Neck (3)Serious injury (06) Skin - Laceration Vessels, Nerves, Organs, Bones, Joints are assigned consecutive two digit Thorax Severe injury (5) Abdomen (08) Skin - Avulsion Critical injury (6) (7) Spine (10)Amputation numbers beginning with 02 (6) (7) Maximum (untreatable) Upper Extremity (20) Burn Injured, unknown severity Lower Extremity (30) Crush Level of Injury (9) Unspecified (40) Degloving Aspect Injury - NFS injuries are ve two-digit (50)Specific assigned numbers consecutive Type of Anatomic Structure Trauma, other than mechanical Right beginning with 02. Whole Area Head - LOC (02) Length of LOC (3) Bilateral Vessels To the extent possible, within the Central (3) Nerves (04, 06, 08) Level of Consciousness organizational framework of the AIS, 00 Anterior Organs (includes muscles/ is assigned to an injury NFS as to severity or where only one injury is given in the dictionary for that anatomic (4) (10) Concussion (6) (7) Posterior ligaments) Superior Skeletal (includes joints) (6) Head - LOC structure. 99 is assigned to any injury NFS as to lesion or severity. (9) Unknown Skin Whole region **INJURY SOURCE FRONT** Wheels / tires 744 B pillar 700 Front bumper 790 Left front wheel / tire 701 Front lower valance/spoiler 745 C pillar 791 Right front wheel / tire 702 Front grille 746 D pillar 792 Left rear wheel / tire. 703 Hood edge and/or trim 748 Other pillar (specify):_ 793 Right rear wheel /tire 704 Hood ornament (fixed) 749 Right side roof rail 798 Other wheel / tire (specify): 705 Hood ornament (spring loaded) 750 Right side door surface 799 Unknown wheel / tire 751 Right side door handle 706 Headlight 707 Retractable headlight door (Open/Closed) 752 Right side mirror fixed housing Undercarriage components 708 Turn signal/parking lights 753 Right side folding mirror 800 Front crossmember 718 Other front or add on object 754 Right side glazing forward of B pillar 801 Steering assembly/Front suspension 755 Right side glazing rearward of B pillar (specify): 802 Oil pan 719 Unknown front object 756 Rear antenna 803 Exhaust system pipe 757 Rear fender or quarter panel 804 Transmission Left Side Components 758 Other right side object 805 Drive shaft 720 Front fender side surface (specify): 806 Catalytic converter 759 Unknown right side component 721 Front antenna 807 Muffler 722 A1 pillar 808 Floor pan 723 A2 pillar **Back Components** 809 Fuel tank 724 B pillar 760 Rear (back) bumper 810 Rear suspension 725 C pillar 761 Tailgate 818 Other undercarriage component 726 D pillar 762 Hatchback, vertical surface (specify): 728 Other pillar 768 Other back component 819 Unknown undercarriage component (specify): (specify): 729 Left side roof rail 769 Unknown back component Accessories 730 Left side door surface 820 Air scoop, deflector 731 Left side door handle Top Components 821 Cellular or CB radio antenna 732 Left side mirror fixed housing 770 Hood surface 822 Emergency lights or bar 733 Left side folding mirror 771 Hood surface reinforced by under hood 823 Fog lights 734 Left side glazing forward of B pillar 824 Luggage, ski, or bike rack component 735 Left side glazing rearward of B pillar 772 Front fender top surface 825 Cargo (specify):_ 736 Left side back fender or quarter panel 773 Cowl area 826 Spare tire 774 Wiper-blade & mountings 737 Rear antenna 827 Spotlight 738 Other left side object 775 Windshield glazing 828 Other accessory (specify):_ (specify): 776 Front header 739 Unknown left side component 777 Roof surface Other Object or Vehicle in Environment 778 Backlight glazing 947 Ground 779 Rear header 948 Other object (specify): Right Side Components 949 Unknown object in environment 780 Hatchback 740 Front fender side surface 741 Front antenna 781 Rear trunk lid 959 Unknown object on contacting vehicle 742 A1 pillar 788 Other top component (specify): _ 997 Noncontact injury source 743 A2 pillar 789 Unknown top component 999 Unknown injury source

	OFFICIAL INJURY DATA — SKELETAL INJURIES
Restrained?	
No	Indicate the Location, Specific Anatomic Structure, Detail (size, depth, fracture type, head injury clinical signs and neurological deficits), and
Yes	Source of all injuries indicated by official sources (or from PAR or other unofficial sources if medical records and interviewee data are unavailable.)
Blood Alcohol Le (mg/dl)	vel
BAL =	
Glasgow Coma Scale Score	
GCSS =	
Units of Blood Given	
Units =	
Arterial Blood Ga	
Ph = PO ₂ =	
PCO ₂	
HCO ₃	\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
HCO3	
	6753
	(M, (X), (Y), (Y), (Y), (Y), (Y), (Y), (Y), (Y
	\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
	\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\

OFFICIAL INJURY DATA —INTERNAL INJURIES

Indicate the Location, Specific Anatomic Structure, Detail (size, depth, fracture type, head injury clinical signs and neurological deficits), and Source of all injuries indicated by official sources (or from PAR or other unofficial sources if medical records and interviewee data are unavailable.)





U.S. Department of Transportation National Highway Traffic Safety Administration

PEDESTRIAN GENERAL VEHICLE FORM NATIONAL ACCIDENT SAMPLING SYSTEM PEDESTRIAN CRASH DATA STUDY

1 Prim	nary Sampling Unit Number	90		OFFICIAL RECORDS			
		<u> </u>	9. Po	lice Reported Travel Speed	9	9	9
3. Veh	icle Number	0_1	Co	de to the nearest kmph (NOTE: 0 s than 0.5 kmph)	000 m	eans	
<u> </u>	VEHICLE IDENTIFICATION			60) 159.5 kmph and above 99) Unknown			
Cod	icle Model Year e the last two digits of the model yea Unknown	8 <u>9</u>	(00	eed Limit No Statutory limit de posted or statutory speed limi		5	6
App NAS	icle Make (specify): DMC Icable codes are found in your SS PCDS Data Collection, Coding and ling Manual.	1	in (99 <u>3</u>	kmph 99) Unknown 5 mph X 1.6093 = 056 kmph			0
(99)	Ünknown	81	(0) (1) (7) (8)	ice Reported Alcohol Presence Fo No alcohol present Yes alcohol present Not reported No driver present Unknown	or Driv	er <u></u>	<u></u>
NAS Editi (999 7. Body Note	licable codes are found in your SS PCDS Data Collection, Coding and Ing Manual. (a) Unknown	<u>3 /</u>	Co- bet (95 (96 (97	ohol Test Result For Driver de actual value (decimal implied ore first digit—0.xx)) Test refused) None given) AC (Alcohol Content) test performed, results unknown) No driver present	_	9_	6
8. Vehi	cle Identification Number) Unknown urce: PAR			
/ 67 1 2 3 Left No \	DC14Z6KZ	15 16 17	13. Pol For (0) (1) (7) (8)	ce Reported Other Drug Presence Driver No other drug(s) present Yes other drug(s) present Not reported		7 -	\$
			For (0) (1) (2) (3)	(specify):Specimen test given, results unknown or not obtained		<u>(</u>	2

CODES FOR BODY TYPE

CDS APPLICABLE VEHICLES

Automobiles

- (01) Convertible (excludes sun-roof, t-bar)
- (02) 2-door sedan, hardtop, coupe
- (03) 3-door/2-door hatchback
- (04) 4-door sedan, hardtop
- (05) 5-door/4-door hatchback
- (06) Station wagon (excluding van and truck based)
- (07) Hatchback, number of doors unknown
- (08) Other automobile type (specify):
- (09) Unknown automobile type

Automobile Derivatives

- (10) Auto based pickup (includes El Camino, Caballero, Ranchero, Brat, and Rabbit pickup)
- (11) Auto based panel (cargo station wagon, auto based ambulance/hearse)
- (12) Large limousine more than four side doors or stretched chassis
- (13) Three-wheel automobile or automobile derivative

Utility Vehicles (≤ 4,500 kgs GVWR)

- (14) Compact utility (Jeep CJ-2 CJ-7, Scrambler, Golden Eagle, Renegade, Laredo, Wrangler, Cherokee [84 and after], Dispatcher, Raider, Bronco II, Bronco [76 and before], Explorer, S-10 Blazer, Geo Tracker, Bravada, S-15 Jimmy, Thing, Pathfinder, Trooper, Trooper II, Rodeo, Amigo, Navajo, 4-Runner, Montero, Samurai, Sidekick, Rocky)
- (15) Large utility (includes Jeep Cherokee [83 and before], Ramcharger, Trailduster, Bronco-fullsize [78 and after], fullsize Blazer, fullsize Jimmy, Landcruiser, Rover, Scout)
- (16) Utility station wagon (Chevy Suburban, GMC Suburban, Travelall, Grand Wagoneer, includes suburban limousine)
- (19) Utility, unknown body type

Van Based Light Trucks (≤ 4,500 kgs GVWR)

- (20) Minivan (Chrysler Town and Country, Caravan, Grand Caravan, Voyager, Grand Voyager, Mini-Ram, Dodge/Plymouth Vista, Aerostar, Villager, Lumina APV, Trans Sport, Silhouette, Astro, Safari, Toyota Van, Toyota Minivan, Previa, Nissan Minivan, Quest, Mitsubishi Minivan, Vanagon/Camper.)
- (21) Large van (B150-B350, Sportsman, Royal, Maxiwagon, Ram, Tradesman, Voyager [83 and before], E150-E350, Econoline, Clubwagon, Chateau, G10-G30, Chevy Van, Beauville, Sport Van, G15-G35, Rally Van, Vandura.)
- (22) Step van or walk-in van (≤ 4,500 kgs GVWR)
- (23) Van based motorhome (≤ 4,500 kgs GVWR)
- (24) Van based school bus (≤ 4,500 kgs GVWR)
- (25) Van based other bus (≤ 4,500 kgs GVWR)
- (28) Other van type (Hi-Cube Van, Kary) (specify):
- (29) Unknown van type

Light Conventional Trucks (Pickup style cab, ≤ 4,500 kgs GVWR)

- (30) Compact pickup (D50, Colt P/U, Ram 50, Dakota, Arrow Pickup [foreign], Ranger, Courier, S-10, T-10, LUV, S-15, T-15, Sonoma, Datsun/Nissan Pickup, P'up, Mazda Pickup, Toyota Pickup, Mitsubishi Pickup)
- (31) Large Pickup (Jeep Pickup, Comanche, Ram Pickup, D100-D350, W100-W350, F100-F350, C10-C35, K10-K35, R10-R35, V10-V35, Silverado, Sierra, R100-R500,)

- (32) Pickup with slide-in camper
- (33) Convertible pickup
- (39) Unknown pickup style light conventional truck type

Other Light Trucks (≤ 4,500 kgs GVWR)

- (40) Čab chassis based (includes rescue vehicles, light stake, dump, and tow truck)
- (41) Truck based panel
- (42) Light truck based motorhome (chassis mounted)
- (45) Other light conventional truck type
- (48) Unknown light truck type
- (49) Unknown light vehicle type (automobile, utility, van, or light truck)

OTHER VEHICLES

Buses (Excludes Van Based)

- (50) School bus (designed to carry students, not cross country or transit)
- (58) Other bus type (e.g., transit, intercity, bus based motorhome) (specify):
- (59) Unknown bus type

Medium/Heavy Trucks (> 4,500 kgs GVWR)

- (60) Step van (> 4,500 kgs GVWR)
- (61) Single unit straight truck (4,500 kgs < GVWR ≤ 8,850 kgs)
- (62) Single unit straight truck (8,850 kgs < GVWR ≤ 12,000 kgs)
- (63) Single unit straight truck (> 12,000 kgs GVWR)
- (64) Single unit straight truck, GVWR unknown
- (65) Medium/heavy truck based motorhome
- (67) Truck-tractor with no cargo trailer
- (68) Truck-tractor pulling one trailer
- (69) Truck-tractor pulling two or more trailers
- (70) Truck-tractor (unknown if pulling trailer)
- (78) Unknown medium/heavy truck type
- (79) Unknown truck type (light/medium/heavy)

Motored Cycles (Does Not Include All-Terrain Vehicles/Cycles)

- (80) Motorcycle
- (81) Moped (motorized bicycle)
- (82) Three-wheel motorcycle or moped
- (88) Other motored cycle (minibike, motorscooter) (specify):_____
- (89) Unknown motored cycle type

Other Vehicles

- (90) ATV (All-Terrain Vehicle) and ATC (All-Terrain Cycle)
- (91) Snowmobile
- (92) Farm equipment other than trucks
- (93) Construction equipment other than trucks
- (97) Other vehicle type
- (99) Unknown body type

VEHICLE WEIGHT ITEMS	RECONSTRUCTION DATA
15. Vehicle Curb Weight Code weight to nearest 10 kilograms. (045) Less than 450 kilograms (610) 6,100 kilograms or more	18. Impact Speed
(999) Unknown O.5.000 bs x .4536 = 2.26 kgs Source: 16. Vehicle Cargo Weight Code weight to nearest 10 kilograms. (000) Less than 5 kilograms (450) 4,500 kilograms or more (999) Unknown [999] Unknown [10] (999) Less than 5 kilograms or more [999] Unknown [10] (998) Less than 5 kilograms or more [999] Unknown	(NOTE: 000 means greater than .5 kmph) (160) 159.5 kmph and above (999) Unknown 19. Accuracy Range of Impact Speed Estimate (0) No reconstruction (1) Less than 2 kmph (2) ≥ 2 kmph and ≤ 8 kmph (3) ≥ 9 kmph and ≤ 16 kmph (4) ≥ 17 kmph and ≤ 26 kmph (9) Unknown 20. Data Source of Impact Speed (0) No impact speed calculated (1) Zone center calculation (2) Police calculation (3) Driver/witness/police estimates
OTHER DATA 17. Vehicle Special Use (This Trip) (0) No special use (1) Taxi (2) Vehicle used as school bus (3) Vehicle used as other bus (4) Military (5) Police (6) Ambulance (7) Fire truck or car (8) Other (specify): (9) Unknown STOP - VARIABLES 18 THROUGH 20 ARE COMPLETED BY THE ZONE CENTER	21. Driver's Attention to Driving (Prior to Recognition of Critical Event) (1) Full attention to driving (2) Distracted by other occupant (3) Distracted by moving object in vehicle (4) Distracted by outside person, object, or event (5) Talking on cellular phone or CB radio Specify: (6) Sleeping or dozing while driving (8) Other (specify): (9) Unknown 22. Pre-Event Vehicle Movement (Prior to Recognition of Critical Event) (01) Going straight (02) Slowing or stopping in traffic lane (03) Starting in traffic lane (04) Stopped in traffic lane (05) Passing or overtaking another vehicle (06) Disabled or parked in travel lane (07) Leaving a parking position (08) Entering a parking position (09) Turning right (10) Turning left (11) Making a U-turn (12) Backing up (other than for parking position) (13) Negotiating a curve (14) Changing lanes (15) Merging (16) Successful avoidance maneuver to a previous critical event (97) Other (specify): (98) No driver present (99) Unknown

22 (Critical Precrash Event		(92) Badalayalist or ather assets in the investment
	This Vehicle Loss of Control Due To:		(83) Pedalcyclist or other nonmotorist in roadway
	(01) Blow out or flat tire		(specify):
	(02) Stalled engine		(84) Pedalcyclist or other nonmotorist approaching roadway (specify):
	(03) Disabling vehicle failure (e.g., wheel fell off)	1 .	(85) Pedalcyclist or other nonmotorist—unknown
,	(specify):	l '	location (specify):
((04) Non-disabling vehicle problem (e.g., hood flew	1 ,	Object or Animal
,	up) (specify):		(87) Animal in roadway
-	(05) Poor road conditions (puddle, pot hole, ice, etc.)	1	(88) Animal approaching roadway
	(specify):		89) Animal—unknown location
((06) Traveling too fast for conditions	I '	90) Object in roadway
	(08) Other cause of control loss (specify):		91) Object approaching roadway
			92) Object—unknown location
((09) Unknown cause of control loss		98) Other critical precrash event (specify):
•	This Vehicle Traveling		
(10) Over the lane line on left side of travel lane	(99) Unknown
. (11) Over the lane line on right side of travel lane		
. (12) Off the edge of the road on the left side	24. /	Attempted Avoidance Maneuver
	13) Off the edge of the road on the right side		00) No driver present
	14) End departure		01) No avoidance actions
	15) Turning left at intersection		02) Braking (no lockup)
	16) Turning right at intersection		03) Braking (lockup)
	17) Crossing over (passing through) intersection		04) Braking (lockup unknown)
	19) Unknown travel direction		05) Releasing brakes
	Other Motor Vehicle In Lane		06) Steering left
	50) Stopped		07) Steering right
. (51) Traveling in same direction with lower speed		08) Braking and steering left
,	(i.e., lower steady speed or decelerating)		09) Braking and steering right
	52) Traveling in same direction with higher speed		10) Accelerating
	53) Traveling in opposite direction 54) In crossover		11) Accelerating and steering left
	55) Backing		12) Accelerating and steering right
	59) Unknown travel direction of other motor vehicle		98) Other action (specify):99) Unknown
,	in lane	`	33) GIRIOWII
(Other Motor Vehicle Encroaching Into Lane	25. F	Precrash Stability After Avoidance Maneuver
	60) From adjacent lane (same direction) - over left		O) No driver present
	lane line	(No avoidance maneuver
(61) From adjacent lane (same direction) - over right		2) Tracking
	lane line	(3) Skidding longitudinally—rotation less than 30
	62) From opposite direction—over left lane line	,	degrees 4) Skidding laterally—clockwise rotation
	63) From opposite direction—over right lane line		4) Skidding laterally—clockwise rotation 5) Skidding laterally—counterclockwise rotation
	64) From parking lane		8) Other vehicle loss-of-control (specify):
	65) From crossing street, turning into same direction	•	o, o mile remain 1990 or definer (apasity).
	66) From crossing street, across path	(9) Precrash stability unknown
(67) From crossing street, turning into opposite		2
	direction	26. F	Precrash Directional Consequences of
	68) From crossing street, intended path not known	_	Avoidance Maneuver (Corrective Action)
	70) From driveway, turning into same direction	•	0) No driver present
	71) From driveway, across path		1) No avoidance maneuver
	72) From driveway, turning into opposite direction	1.	Vehicle stayed in travel lane where avoidance maneuver was initiated
	73) From driveway, intended path not known	t:	3) Vehicle stayed on roadway but left travel lane
	74) From entrance to limited access highway 78) Encroachment by other vehicle—details	v	where avoidance maneuver was initiated
'	unknown	(4	4) Vehicle stayed on roadway, not known if left
_	Pedestrian or Pedalcyclist, or Other Nonmotorist	•	travel lane where avoidance maneuver was
	80) Pedestrian in roadway		initiated
	81) Pedestrian approaching roadway		5) Vehicle departed roadway
	82) Pedestrian—unknown location		6) Avoidance maneuver initiated off roadway
,	, . Jasanan ananovii location	(:	9) Directional consequences unknown

	ENVIRO	NIVIE	NTAL DATA
27.	Relation to Junction (0) Non-junction (1) Interchange area Non-Interchange (2) Intersection (3) Intersection-related (4) Drive, alley access related (5) Other non-interchange (specify):	0	33. Roadway Surface Condition (1) Dry (2) Wet (3) Snow and slush (4) Ice (5) Sand, dirt or oil (8) Other (specify): (9) Unknown
28.	 (6) Unknown type of non-interchange (9) Unknown if interchange Trafficway Flow (1) Not physically divided (two way traffic) (2) Divided trafficway - median strip without positive barrier (3) Divided trafficway - median strip with positive barrier 	_/	34. Traffic Control Device (0) No traffic control(s) (1) Trafficway traffic control signal (not RR crossing) Regulatory or School Zone Sign (Not RR Crossing) (2) Stop sign (3) Yield sign (4) School zone sign (5) Other sign (specify):
29.	(4) One way trafficway(9) UnknownNumber of Travel Lanes(1) One	<u>4</u>	(5) Other sign (specify): 35 MPH SPEED ZONE SICK (6) Unknown sign (7) Warning sign (not RR crossing) (8) Miscellaneous/other controls including RR controls (specify):
	 (2) Two (3) Three (4) Four (5) Five (6) Six (7) Seven or more (9) Unknown 		(9) Unknown 35. Traffic Control Device Functioning (0) No traffic control (1) Not Functioning (2) Functioning (9) Unknown
	Roadway Alignment (1) Straight (2) Curve right (3) Curve left (9) Unknown		36. Light Conditions (1) Daylight (2) Dark (3) Dark, but lighted (4) Dawn (5) Dusk
	Roadway Profile (1) Level (2) Uphill Grade (>2%) (3) Downhill Grade (>2%) (4) Hillcrest (5) Sag (9) Unknown		(9) Unknown 37. Atmospheric Conditions (1) No adverse atmospheric related driving conditions (2) Rain (3) Sleet
	Roadway Surface Type (1) Concrete (2) Bituminous (asphalt) (3) Brick or Block (4) Slag, gravel or stone (5) Dirt (8) Other (specify):	7	 (4) Snow (5) Fog (6) Rain and fog (7) Sleet and fog (8) Other (e.g., smog, smoke, blowing sand or dust, etc.) (specify): (9) Unknown
	(9) Unknown		

	90-6//
Million Million and an agency of the party of the second and the second are second as the second and the second	'89 Gmc 1500PV
	5-470m 7840 =
	65''
	15-0 7
	f = 0.50
	POI to FRP = 0.75m = 2.5ft
The state of the s	
THE RESIDENCE OF THE PROPERTY	V = 7(2)(2.5)(0.5)(32.2)
	$V = \gamma(2)(2.5)(0.5)(32.2)$ $= 8.9 + PS = 6 m ph = 9.7 KPh$
And the second s	
The second secon	10 KPh
- After the second of the seco	
VPRAME conditions to the property of the party of the par	
Market and property of the second sec	
— An Marin's action and agreement and agreement and all and an entire and agreement and account agreement agreement. The	
A STATE OF THE PARTY OF T	
	.

Administration

PEDESTRIAN EXTERIOR VEHICLE FORM NATIONAL ACCIDENT SAMPLING SYSTEM PEDESTRIAN CRASH DATA STUDY

1. Primary Sampling Unit Number

3. Vehicle Number

2. Case Number - Stratum

VEHICLE IDENTIFICATION

VIN 16TDC 14Z6KZ

Model Year 8 9

Vehicle Make (specify): GMC P/W

Vehicle Model (specify): _ C /500

PEDESTRIAN FRONT CONTACT WORK SHEET

PEV06 Hood Material	steel
PEV08 Hood Length	<u>115</u> cm
PEV09 Hood Width-Forward Opening	162 cm
PEV10 Hood Width-Midway	1 6 6 cm
PEV11 Hood Width-Rear Opening	176 cm
PEV14 Front Bumper Cover Material	stee!
PEV15 Front Bumper Reinforcement Material	stee!

VERTICAL MEASUREMENTS

PEV16 Front Bumper-Bottom Height	029 cm
PEV17 Front Bumper-Top Height	051 cm
PEV18 Forward Hood Opening	084 cm
PEV19 Front Bumper Lead	<u>o o 7</u> cm /

WRAP DISTANCES

PEV20 Ground to Forward Hood Opening	<u>084</u> cm
PEV21 Ground to Front/Top Transition Point	<u>0 89</u> cm V
PEV22 Ground to Rear Hood Opening	203 cm
PEV23 Ground to Base of Windshield	210 cm/
PEV24 Ground to Top of Windshield	280 cm
PEV25 Ground to Head Contact	N/A cm

VEHICLE DAMAGE SKETCH TO head Surface A-C: Smudges Scratches Smears Lowerless G-J= Smears Smears

Sketch all pedestrian contacts, include the size and depth in centimeters. Locate the pedestrian contacts from the intercept point of the centerline (lateral) and the front axles (longitudinal) in centimeters. Annotate observations which might be useful in reconstructing the accident (e.g., grass in tire bead, direction of striations, scuff on sidewalls, etc.).

Location of the origin (intercept point of the centerline and the front axles) from the ground: $\int \underbrace{\int \underbrace{b}_{cm}}_{cm}$

NOTES:


PEDESTRIAN SIDE CON	TACT WORK SHEET
PEV06 Hood Material	/
PEV08 Hood Length	cm/
PEV09 Hood Width-Forward Opening	cm
, PEV10 Hood Width-Midway	cm
PEV11 Hood Width-Rear Opening	cm
VERTICAL MEAS	RIPEMENTS
PEV26 Ground Clearance	cm
PEV27 Side Bumper-Bottom Height	<i></i>
PEV28 Side Bumper-Top Height	cm
PEV29 Centerline of Wheel	cm
	cm
PEV30 Top of Tire	cm
PEV31 Top of Wheel Well Opening	cm
PEV32 Bottom of A-Pillar at Windshield	cm
PEV33 Top of A-Pillar at Windshield	cm
PEV34 Top of Side View Mirror	cm
LATERAL MEASU	JREMENTS
PEV35 C _L to A-Pillar at Bottom of Windshield	cm
PEV36 C _L to A-Pillar at Top of Windshield	cm
PEV37 C _L to Maximum Side View Mirror Protrusion	cm
WRAP DISTA	ANCES
PEV38 Ground to Side/Top Transition	cm
PEV39 Ground to Hood Edge	cm
PEV40 Ground to Centerline of Hood (ORIGIN)	cm
PEV41 Ground to Head Contact	cm
	· ·

ORIGINAL SPECIFICATIONS

		م (م	*							•
Wheelbase 117.	5 <u>+0</u>	83	inches	Х	2.54	=		2-1	5	CM
Overall Length	17	82	7 inches	Х	2.54	=		45	3	cm
Maximum Width	0 6	41	inches	Х	2.54	=		16	4	cm
Curb Weight 4114	25.0	00	pounds	Х	. 4536	=	2	26	8	kg
Average Track Y		<u>A.</u>	inches	Х	2.54	=		N/A		CM
Front Overhang	<u>0</u> 3	06	inches	Х	2.54	=		07	8	cm
Rear Overhang	03	93	inches	Х	2.54	=		_/_0	0	CM
Undeformed End Width	06	8 5	inches	Х	2.54	=		<u>L</u> Z	4	cm
Engine Size: cyl./disp	. 4 3	00	СС	Х	.001	=		4	. <u>3</u>	L
	2	62	CID	Х	.0164	=		4	. <u>3</u>	L

	INJURY SOURCE	
FRONT		Wheels / tires
700 Front bumper	744 B pillar	790 Left front wheel / tire
701 Front lower valance/spoiler	745 C pillar	791 Right front wheel / tire
702 Front grille	746 D pillar	792 Left rear wheel / tire
703 Hood edge and/or trim	748 Other pillar (specify):	793 Right rear wheel /tire
704 Hood ornament (fixed)	749 Right side roof rail	798 Other wheel / tire (specify):
705 Hood ornament (spring loaded)	750 Right side door surface	799 Unknown wheel / tire
706 Headlight	751 Right side door handle	
707 Retractable headlight door (Open/Closed)	752 Right side mirror fixed housing	Undercarriage components
708 Turn signal/parking lights	753 Right side folding mirror	800 Front cross member
718 Other front or add on object	754 Right side glazing forward of B pillar	801 Steering assembly/Front suspension
(specify):	755 Right side glazing rearward of B pillar	802 Oil pan
719 Unknown front object	756 Rear antenna	803 Exhaust system pipe
	757 Rear fender or quarter panel	804 Transmission
Left Side Components	758 Other right side object	805 Drive shaft
720 Front fender side surface	(specify):	806 Catalytic converter
721 Front antenna	759 Unknown right side component	807 Muffler
722 A1 pillar	• • • • • • • • • • • • • • • • • • • •	808 Floor pan
723 A2 pillar	Back Components	809 Fuel tank
724 B pillar	760 Rear (back) bumper	810 Rear suspension
725 C pillar	761 Tailgate	818 Other undercarriage component
726 D pillar	762 Hatchback, vertical surface	(specify):
728 Other pillar	768 Other back component	819 Unknown undercarriage component
(specify):	(specify):	o to official and creaming component
729 Left side roof rail	769 Unknown back component	Accessories
730 Left side door surface		820 Air scoop, deflector
731 Left side door handle	Top Components	821 Cellular or CB radio antenna
732 Left side mirror fixed housing	770 Hood surface	822 Emergency lights or bar
733 Left side folding mirror	771 Hood surface reinforced by under hood	823 Fog lights
734 Left side glazing forward of B pillar	component	824 Luggage, ski, or bike rack
735 Left side glazing rearward of B pillar	772 Front fender top surface	825 Cargo (specify):
736 Left side back fender or quarter panel	773 Cowl area	826 Spare tire
737 Rear antenna	774 Wiper blade & mountings	827 Spotlight
738 Other left side object	775 Windshield glazing	828 Other accessory (specify):
(specify):	776 Front header	626 Other accessory (specify):
739 Unknown left side component	777 Roof surface	Other Object or Vehicle in Environment
, and a series with fort side delinpolities	777 Roof Surface 778 Backlight glazing	947 Ground
Right Side Components	779 Rear header	
740 Front fender side surface	779 Rear neader 780 Hatchback	948 Other object (specify):
741 Front antenna	781 Rear trunk lid	949 Unknown object in environment
742 A1 pillar	788 Other top component (specify):	959 Unknown object on contacting vehicle
•		
743 A2 pillar	789 Unknown top component	999 Unknown injury source

VEHICLE DAMAGE SKETCH



NOTES: Sketch all pedestrian contacts, include the size and depth in centimeters. Locate the pedestrian contacts from the intercept point of the centerline (lateral) and the front axles (longitudinal) in centimeters. Annotate observations which might be useful in reconstructing the accident (e.g., grass in tire bead, direction of striations, scuff on sidewalls, etc.).

Location of the origin (intercept point of the centerline and the front axles) from the ground:

_ cm

P	01	N	U	E	3	Î	Ĺ		1	3	l	•	Ī	S	Ì	ĺ	j	ŀ	١	ľ		Ì	į	Ì	Į	Ī	Ï	l	١	ĺ	j	J	١	
										o						-		٠																

		Ι	LDES:	31113118030133	CT WORKSH	Lei		ı
CONTACT ID LABEL	COMPONENT CONTACTED	LONGITUDINAL LOCATION	LATERAL LOCATION (Y)	CRUSH IN CENTIMETERS	SUSPECTED BODY REGION	SUPPORTING PHYSICAL EVIDENCE	CONFIDENCE LEVEL OF CONTACT POINT (<i>Circle</i>)	SEQUENCE #
6	Bumper	+122	-39	0	Leg	Swatches	2 3 9	1
b	"	+//3	-80	0	reg	scratches scrapes	å	1
A	Heade	+72	-60	0	HIP	scratches scratches scrapes	D2 3 9	2
4	jį	+68	-83	0	Hip	Smeans	02/11	2
							1 2 3 9	
							1 2 3 9	
							1 2 3 9	
							1 2 3 9	
							1 2 3 9	
							1 2 3 9	
							1 2 3 9	
							1 2 3 9	
							1 2 3 9	
							1 2 3 9	
							1 2 3 9	
							1 2 3 9	
							1 2 3 9	
							1 2 3 9	
							1 2 3 9	
							1 2 3 9	
							1 2 3 9	
							1 2 3 9	
							1 2 3 9	
							1 2 3 9	
							1 2 3 9	ļ

POINTS OF PEDESTRIAN CONTACT

CHRONOLOGICAL ORDER OF CONTACTS

			CHRONO	LOGICAL ORE	ER OF CONTACTS		
CONTACT	COMPONENT CONTACTED CODE	LONGITUDINAL LOCATION (X)	LATERAL LOCATION (Y)	CRUSH IN CENTIMETERS	SUSPECTED BODY REGION	SUPPORTING PHYSICAL EVIDENCE	CONFIDENCE LEVEL OF CONTACT POINT (<i>Circle</i>)
16	700	122	-39	0	(4) leg	seets	1 2 3 9
2	102	-	1		(L)Hip		O2 2 3
3 A	703	72	-60	0	(L) elbow	sends	<u>(1)</u> 2 3 9
4	703	72	-60	0	Shoulder	**	<u>()</u> 2 3 9
5	947			R elb	~/910	us	1 2 3 9
ŧ.					,		1 2 3 9
7							1 2 3 9
8							1 2 3 9
9							1 2 3 9
10							1 2 2 9
11							1239.
12		*					1 2 3 9
13							1 2 3 9
14							1 2 3 9
15							1 2 3 9
16							1 2 3 9
17							1 2 3 9
18							1 2 3 9
19							1 2 3 9
20							1 2 3 9
21							1 2 3 9
22							1 2 3 9
23							1 2 3 9
24							1 2 3 9
25	·						1 2 3 9

VEHICLE DIMENSIONS	11 Hood Width Poor Opening / 7 /a
4. Original Wheelbase Code to the nearest centimeter	11. Hood Width Rear Opening Code to the nearest centimeter (210) 210 centimeters or more (999) Unknown
(999) Unknown 10	inches X 2.54 = centimeters 12. Hood/Fender Vertical/Lateral Crush From Pedestrian (0) Not damaged (1) Surface scratching only, no residual crush (2) Minor crush (1-3 centimeters) (3) Moderate crush (4-7 centimeters) (4) Severe crush (>7 centimeters) (8) Damage present, unknown if damage is from pedestrian impact
6. Hood Material (1) Plastic (2) Fiberglass (3) Steel (4) Aluminum (5) Stainless Steel (8) Other (specify):	(9) Unknown 13. Windshield Contact Damage From Pedestrian Contact (0) Not contacted by pedestrian (1) Contacted by pedestrian - not damaged (2) Contacted by pedestrian - damaged (3) Unknown if contacted by pedestrian - not damaged
7. Hood Original Equipment Manufacturer (OEM) (1) OEM factory installed hood (2) OEM replacement (3) Non-OEM replacement (9) Unknown	(4) Unknown if contacted by pedestrian - damaged (9) Unknown if contacted by pedestrian - unknown if damaged FRONT CONTACT DAMAGE Front Vertical Measurements
8. Hood Length Code to the nearest centimeter (180) 180 centimeters or more (999) Unknown inches X 2.54 = centimeter 9. Hood Width Forward Opening	14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber (4) Other (specify): 57eeL (9) Unknown
Code to the nearest centimeter (210) 210 centimeters or more (999) Unknowninches X 2.54 =centimeters 10. Hood Width Midway	15. Front Bumper Reinforcement Material (0) No front contact (1) Steel (2) Aluminum (3) Stainless Steel (4) Other (specify): (9) Unknown
Code to the nearest centimeter (210) 210 centimeters or more (999) Unknown inches X 2.54 = centimeters	16. Front Bumper-Bottom Height Code to the nearest centimeter (000) No front contact (150) 150 centimeters or more (999) Unknown

17.	Front Bumper-Top Height Code to the nearest centimeter (000) No front contact (150) 150 centimeters or more (999) Unknown	23. Ground to Base of Windshield Code to the nearest centimeter (000) No front contact (400) 400 centimeters or more (999) Unknown
	inches X 2.54 = centimeters	inches X 2.54 = centimeters
*18.	Forward Hood Opening Code to the nearest centimeter (000) No front contact (200) 200 centimeters or more (999) Unknown	24. Ground to Top of Windshield Code to the nearest centimeter (000) No front contact (500) 500 centimeters or more (999) Unknown
	inches X 2.54 = centimeters	inches X 2.54 = centimeters
19.	Front Bumper Lead (00) No front contact Code to the nearest centimeter (30) 30 centimeters or more (99) Unknown	25. Ground To Head Contact Code to the nearest centimeter (000) No front contact (400) 400 centimeters or more (998) No head contact (999) Unknown
	inches X 2.54 = centimeters	inches X 2.54 = centimeters
	Front Wrap Distance Measurements	SIDE CONTACT DAMAGE
	rront errap Distance measurements	Side Vertical Measurements
20.	Ground to Forward Hood Opening Code to the nearest centimeter (000) No front contact (200) 200 centimeters or more (999) Unknown inches X 2.54 = centimeters	26. Ground Clearance Code to the nearest centimeter (000) No side contact (150) 150 centimeters or more (999) Unknown
21.	nearest centimeter (000) No front contact (200) 200 centimeters or more (999) Unknown	Code to the nearest centimeter (000) No side contact (150) 150 centimeters or more

	C - P - C \ A H 1	000	Side Lateral Measurements
29.	Centerline of Wheel	000	
	Code to the		
	nearest centimeter		35. Centerline to A-Pillar OOO
	(000) No side contact		at Bottom of Windshield
	(150) 150 centimeters or more		(000) No side contact
	(999) Unknown		Code to the
			nearest centimeter
	inches X 2.54 =	centimeters	(250) 250 centimeters or more
			(999) Unknown
			(SSS) STIMISWIT
30.	Top of Tire	<u>000</u>	inches X 2.54 = centimeters
•	Code to the		
	nearest centimeter		
	(000) No side contact		36. Centerline to A-Pillar
	(200) 200 centimeters or more		at Top of Windshield
	(999) Unknown		Code to the
			nearest centimeter
	inches X 2.54 =	centimeters	(000) No side contact
			(250) 250 centimeters or more
~4	T	000	(999) Unknown
31.	Top of Wheel Well Opening	000	(555) 51
	Code to the		inches X 2.54 = centimeter
	nearest centimeter		
	(000) No side contact		
	(250) 250 centimeters or more		37. Centerline to Maximum Side D D D
	(999) Unknown		View Mirror Protrusion
		_	Code to the
	inches X 2.54 =	centimeters	nearest centimeter
20	Determs of A Dillow of Mindolphiald	000	(000) No side contact
32.	Bottom of A-Pillar at Windshield	000	(300) 300 centimeters or more
	Code to the		(999) Unknown
	nearest centimeter		
	(000) No side contact (250) 250 centimeters or more		inches X 2.54 =centimeter
	(999) Unknown		
	(339) Officiowii		
	inches X 2.54 =	centimeters	Side Wrap Distance Measurements
		00/11/11/01/01/0	
		_	29 Cround to Side/Ten Transition 💍 🕜 🕜
33.	Top of A-Pillar at Windshield	000	38. Ground to Side/Top Transition D D D
	Code to the		Code to the
	nearest centimeter		nearest centimeter (000) No side contact
	(000) No side contact		•
	(300) 300 centimeters or more		(400) 400 centimeters or more (999) Unknown
	(999) Unknown		(999) ONKNOWN
			inches V 2 FA — contimeters
	inches X 2.54 =	centimeters	inches X 2.54 = centimeters
			39. Ground to Hood Edge
34.	Top of Side View Mirror	000	Code to the
	Code to the		nearest centimeter
	nearest centimeter		(000) No side contact
	(000) No side contact		(500) 500 centimeters or more
	(300) 300 centimeters or more		(999) Unknown
	(999) Unknown		(555) 5
			inches X 2.54 = centimeters
	inches X 2.54 =	centimeters	
			,

			<u> </u>	
40.	Ground to Centerline of Hood Code to the nearest centimeter (000) No side contact (700) 700 centimeters or more (999) Unknown	000		
•	inches X 2.54 =	_ centimeters		
41.	Ground to Head Contact Code to the nearest centimeter (000) No side contact (800) 800 centimeters or more (998) No head contact (999) Unknown	000		
	inches X 2.54 =	_ centimeters		
				•
			r ·	



90611P00000011 97710.0000000000110150100001 97 9700000000 00000000000000 01 90611P00010012 9710.01000000000115F72000 10.0 0000000007821654708713506811013001306040809670142009702 90611P00010021 1010000000005 90611P00010131 10.0 00000000078904021270011222 10.0 00000000075904021270211222 90611P00010231 90611P00010331 10.0 00000000077904021270311322 10.0 00000000077904021270311322 90611P00010431 90611P00010531 10.0 00000000077904021194711000

90611P01000041 10.0 0000000008923481311GTDC14Z6H

PEDESTRIAN GENERAL VEHICLE Vehicle: 1 11 INTRA ERRORS

OGG6171 2 MODEL YEAR PGV04 should not be less than 90.

0

PSU90 CASE 611P ERROR SUMMARY SCREEN PEDESTRIAN STUDY

/97

CURRENT VERSION: 10.0

FORM NAME	NUMBER DOLLAR	 NUMBER OF LEVEL 1 ERRORS	NUMBER OF LEVEL 2 ERRORS	VERSION NUMBER CONSISTENT
Fedestrian Accident	0	0	0	Y
Pedestrian Assessment	Ö	Ö	Ö	Ý
Pedestrian Injury	o	Ö	Ō	Ÿ
Pedestrian General Vehicl	e 0	O	1	Υ
Pedestrian Exterior Vehic	:le 0	o	0	Y
Total Inter Errors		o	0	
Total Case Errors	O	o	1	