



U.S. Department of Transportation


National Highway Traffic Safety Administration

### Dear Crash Data Researchers/Users:

Thank you for choosing crash data from the National Highway Traffic Safety Administration (NHTSA) for your research or other use. The information contained in this motor vehicle crash report is collected, maintained and distributed in accordance with Public Law 89-564. In accordance with this Public Law, NHTSA is required not to release any case information until completion of quality control procedures. These procedures include a review of the case material to extract all names, licenses and registration numbers, non-coded interview material, non-research related researcher comments in the margins, non-factual data, and the production number portion of the vehicle identification number (VIN).

If you requested NHTSA to query its database files in order to identify a specific crash, then that query was made using non-personal descriptors you provided for use in our search. This motor vehicle crash may have been identified from a data search and matches the general, non-personal descriptors you provided, but we cannot confirm that this is the specific crash report you requested.

If you have any questions with regard to the above procedures, please contact the Field Operations Branch, Crash Investigation Division, National Center for Statistics and Analysis at 202-366-4820. Again, please be advised that we cannot confirm that this is the case that you have specifically requested nor can we certify the information to be correct.







### PEDESTRIAN CASE SUMMARY NATIONAL ACCIDENT SAMPLING SYSTEM PEDESTRIAN CRASH DATA STUDY

PSU 90

CASE NO. 624P

TYPE OF ACCIDENT Pick up/ pedestrian/ walking

### A. DESCRIPTION OF THE ACCIDENT SEQUENCE AND ACCIDENT PECULIARITIES

(Provide a summary of the accident sequence as well as any particular event of the accident that is noteworthy. Pedestrian injury mechanism and vehicle interaction is the focus, not pedestrian or driver culpability. <u>Do not include any personal identifiers.</u>)

Vehicle 1 was traveling northbound on a major roadway and the pedestrian was crossing in an easterly direction. The front of vehicle 1 struck the left side of the pedestrian. The pedestrian rotated onto the hood of the vehicle and slid into the windshield. The pedestrian was carried approximately 93 meters where he fell from the vehicle and came to rest off to the left shoulder, in the grassy center median. The vehicle came to rest immediately prior to the final rest of the pedestrian.


B. PEDESTRIAN PROFILE							
Pedestrian			Treatment/		Most (TO BE COMPLI	Severe	Injury ZONE CENTER)
No.	Age	Sex	Mortality	Body Region	Ana. Struc.	AIS	Injury Source
01	34	Male	Fatal	Heart	Transected	5	Hood Edge

Body Region	Type of Anatomic Structure	Abbreviated Injury Scale
Head Face Throat Chest Abdomen/Pelvis Spine Upper Extremity Lower Extremity External	Whole Area Vessels Nerves Organs Skeletal Head-LOC Skin-Burn Skin-Other	<ul> <li>(1) Minor injury</li> <li>(2) Moderate injury</li> <li>(3) Serious injury</li> <li>(4) Severe injury</li> <li>(5) Critical injury</li> <li>(6) Maximum (untreatable)</li> <li>(7) Injured, unknown severity</li> </ul>

	C. VEHICLE PROFILE						
	Class		E	Most Severe Damage Based on Vehicle Inspection			
Vehicle No.	of Vehicle	Year/Make/Model	Damage Plane	Damage Description			
01	Pick up	93/Chevrolet/1500	Front	Broken windshield, heavy dents, Scrapes, scratches, smudges			

### DO NOT SANITIZE THIS FORM


P	Sy No.	1/=RR 118,9	<u>-</u>		Numbe	r—Stratı	ım	1150.	- RRN	7:2	Ind No	icate rth	
	1/8,1	5.7	1				F=-		FN	74	3		7
10.	RE E	4 7,2	-1	_	-	-   -	1-113	5.7 M 5.7 M	178	₽.			
<b>1</b>	RLA	RR RF			~ +		pt-103	.2 N		<b>€</b> ®	}		
	1.48	7.86	5		<del>&lt;-</del> -	+ -	93,9	ON				- - 	1 FR
ļ	18.8	1 7.1	الما	 1/	-  -	- + - ;	- 40 83.	5-82,	9 NV			10.3	
ļ	)   R	/ KK	, KF	2			{		/		RF-	8.5	در
			5.5	Z	-€	-  -	<del>                                     </del>	74,0			:	9,7 : 11,4	1
	1.36	6.3		4,7	3 /	_ _;		. /			LN		
		5.3	RF)	3	ک مل	1		N				ח.דר	hes
		LIF		RR		T ~	f 52.7r	)				J. [10	bes G
		1					)					7	
1	,		1		,								
	Jugar.	\		, 4.	5/			v	/				
	Post	•	\ \	 	~2.4 <u>`</u>	/ T^-	1 59.3	42.2	7				
121	<b>'</b>		$\setminus$	RF	ຸ່ງ 2	<b>√</b>   Î		J	$\left(001\right)$				
	13.0	_	. \	<b>Ø</b> ≪	( 2,2		J- 34"	י מ כ					
1				//	.0	1	$\langle$						
1	)		,	\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	1 3.3	/!-	19.5	h					
1				LF-K	3.4	4 1	121.3	N					
]	}					) -   	[						
<b> </b> †	<u> </u>		}			'	)						
	1.3					1 7	\						
	K13						}	1045.74	Ken				
<b> </b>			1			47	J 1	1CASOTA From v	uht Fos	L', ne			
9				<u></u>	16.0	RH	}						




**ACCIDENT COLLISION DIAGRAM** 

NATIONAL ACCUENT SAMPLING SYSTEM PED HIAN CRASH DATA STUDY National Highway Traffic Safety Administration PSU No. <u>90</u> Case Number – Stratum <u>624</u> <u>P</u> Indicate North







# PEDESTRIAN ACCIDENT COLLISION MEASUREMENT TABLE

NATIONAL ACCIDENT SAMPLING SYSTEM PEDESTRIAN CRASH DATA STUDY

Primary Sampling Unit Number 90 Case Number-Stratum 624 P					
PEDESTRIAN ACCIDENT: CO	LLISION DATA	COLLECTION ,	SCALED DIAGRAM		
<ul> <li>document reference point and reference line relative to physical features</li> </ul>	Surface Type	BIT/Asphal7	north arrow placed on diagram		
documentation of all accident induced physical evidence including (if applicable):	Surface Condition		<ul> <li>grade measurements for all applicable roadways</li> </ul>		
a) vehicle skid marks	Coefficient of Fr	iction Asphalt - 170 Grass - 145	<ul> <li>scaled representations of the physical plant including:</li> </ul>		
b) pedestrian contacts with ground or object	Grade (v/h) Mea	ssurement	<ul> <li>all road/roadway delineation (e.g., crosswalks, curb/edge lines, lane markings, medians, pavement markings, parked vehicles, poles, signs, etc.)</li> </ul>		
c) vehicle/pedestrian point of impact (POI)	a) at impa	act <u>-0-</u>	b) all traffic controls (e.g., lights, signs)		
d) location of pedestrian separation point from vehicle	b) between final re	en impact and	scaled representations of the vehicle and pedestrian at pre-impact, impact, and final rest based upon either:		
f) final resting points (FRP) for pedestrian and vehicle	Pedestrian Trav	el Direction	a) physical evidence, or		
documentation of the physical plant including:	Vehicle Travel D	irection	b) reconstructed accident dynamics		
<ul> <li>all road/roadway defineation (e.g., crosswalks, curb/edge lines, lane markings, medians, pavement markings, parked vehicles, poles, signs, etc.)</li> </ul>	Number of Trave	of Brakling			
b) all traffic controls (e.g., lights, signs)	, ,				
Reference Point: Trappic Sign	/center	Reference Line:	nite togline		
median or 14,5 hum	<del>-</del>	Near EAST	-Bound Trappic Con		
Item		Distance and Direction from Reference Point	Distance and Direction from Reference Line		
Orgin (Trappie S	(g~)	0.0.	16.0m North		
vehicle # 1+ ledesTri	an#I(POI	16.0m South	36.0m EAST		
PedestriAN#1 (FR:		121,5m EAST	10.0m North		
Vehicle#1 (FRP)		120.0m EAST	9,0 m North		
beg LF skids		27.3~ 2	3.4 m E		
mid LF Skid		42.2m N	4,5m E		
END LF SKID		118,1m	10.3 E		
(NOT ON	SLENC	Measurement			

Item	Distance and Direction from Reference Point	Distance and Direction from Reference Line
		·
	· · · · · · · · · · · · · · · · · · ·	
·		
	· · · · · · · · · · · · · · · · · · ·	

### PEDESTRIAN ACCIDENT FORM

NATIONAL ACCIDENT SAMPLING SYSTEM
PEDESTRIAN CRASH DATA STUDY

Carminou au Cri	· EDEGITARI GIRGIT BATA GIOD
1. Primary Sampling Unit Number 90	SPECIAL STUDIES - INDICATORS
1. Primary Sampling Onli Number	Chack (1) each appaid study (SS15 SS10 holow) that
2. Case Number - Stratum 6 4 P	Check ( ) each special study (SS15-SS19 below) that has been completed; code 1 for the checked special studies and 0 for the special studies not checked.
IDENTIFICATION	studies and 0 for the special studies flot checked.
Number of General Vehicle	6SS15 Administrative Use0
Forms Submitted 0 1	
	7SS16 Pedestrian Crash Data Study1
4. Date of Accident	
(Month,Day,Year)	8SS17 Impact Fires0
5. Time of Accident 2 / 5 0	9. SS18 <u>0</u>
5. Time of Accident	9SS18
Code reported military time of accident.	10 0010
NOTE: Midnight = 2400	10SS190
Unknown = 9999	NUMBER OF EVENTS
	11. Number of Recorded Events

### PEDESTRIAN STUDY CRITERIA

### **Pedestrian Definition:**

Any person who is on a trafficway or on a sidewalk or path contiguous with a trafficway, or on private property (e.g., parking lot). Note: Pedestrians include persons who are in contact with the ground, roadway, etc. and are pushing carts, wagons, etc. or holding on to a vehicle.

Persons in or on a nonmotorist conveyance are <u>not</u> pedestrians and are excluded from this study. A nonmotorist conveyance is defined as any human powered device by which a nonmotorist may move, or by which a pedestrian or nonmotorist may move another nonmotorist. A nonmotorist conveyance for purposes of this study includes the following: bicycles, baby carriages, roller skates/blades, push carts, scooters, wheelchairs, animals, etc. For example, persons on a bicycle/scooter, roller skating/blading, in a baby carriage/push cart/wheelchair or on a horse are excluded.

### Case Selection Criteria:

A <u>forward moving</u>, late model year (VEH04 equals 90 to 95) CDS applicable vehicle (VEH07 equals 01 to 49) must strike a pedestrian.

The striking portion of the vehicle structure must be original equipment manufacturer (OEM) without previous damage and or parts removed in the impact area. For example, vehicles equipped with deer guards, winches, snow plows, etc. or previously damaged in the impact area are excluded.

The pedestrian may not be lying or sitting.

The pedestrian impact(s) are the vehicle's <u>only</u> impact(s). If multiple pedestrians are impacted, each pedestrian shall be a separate case.

The first point of contact between the late model year, CDS applicable vehicle and the pedestrian must be forward of the top of the A pillar.

U.	W.	PEDESTRIAN	ACCIDENT	EVENTS		
Accident Event Sequence Number	Vehicle Number	Class Of Vehicle	General Area of Damage	Vehicle Number or Object Contacted	Class Of Vehicle	General Area of Damage
12. <u>0</u> <u>1</u>	13. <u>0 1</u>	14. / 5	15. <u>F</u>	16. <u>7</u> <u>2</u>	17. <u>0 0</u>	18. <u>0</u>

# CODES FOR CLASS OF VEHICLE

- (00) Not a motor vehicle
- (01) Subcompact/mini (wheelbase < 254 cm)
- (02) Compact (wheelbase ≥ 254 but < 265 cm)
- (03) Intermediate (wheelbase ≥ 265 but < 278 cm)
- (04) Full size (wheelbase ≥ 278 but < 291 cm)
- (05) Largest (wheelbase ≥ 291 cm)
- (09) Unknown passenger car size
- (11) Compact utility vehicle
- (12) Large utility vehicle (≤ 4,500 kgs GVWR)
- (13) Passenger van (≤ 4,500 kgs GVWR)
- (14) Other van (≤ 4,500 kgs GVWR)
- (15) Pickup truck (≤ 4,500 kgs GVWR)
- (18) Other truck (≤ 4,500 kgs GVWR)
- (19) Unknown light truck type

# CODES FOR GENERAL AREA OF DAMAGE (GAD)

# CDS APPLICABLE VEHICLES

- (F) Front
- (R) Right side
- (L) Left side
- (U) Undercarriage
- (9) Unknown

### CODES FOR VEHICLE NUMBER OR OBJECT CONTACTED

Collision with Nonfixed Object

(72) Pedestrian

# U.S. Department of Transportation National Highway Traffic Safety Administration

### PEDESTRIAN ASSESSMENT FORM

Form Approved O.M.B. No. 2127-0021

NATIONAL ACCIDENT SAMPLING SYSTEM PEDESTRIAN CRASH DATA STUDY

1. Primary Sampling Unit Number  2. Case Number - Stratum  6.24P	10. Pedestrian's Weight Code actual weight to the nearest kilogram. (999) Unknown
3. Pedestrian Number <u>0 1</u>	154 pounds X .4536 = $070$ kilograms
PEDESTRIAN'S CHARACTERISTICS	PEDESTRIAN'S PRE-AVOIDANCE ACTIONS
4. Pedestrian's Age Code actual age at time of accident. (00) Less than one year old (specify by month):  (97) 97 years and older (99) Unknown  5. Pedestrian's Sex (1) Male (2) Female - not reported pregnant (3) Female - pregnant-1st trimester (1st-3rd month) (4) Female - pregnant-2nd trimester (4th-6th month) (5) Female - pregnant-3rd trimester (7th-9th month) (6) Female - pregnant-term unknown (9) Unknown  6. Pedestrian's Overall Height Code actual height to the nearest centimeter. (999) Unknown	11. Pedestrian Attitude (1) Standing (2) Crouching (3) Kneeling (4) Bending at waist (8) Other (specify): (9) Unknown  12. Pedestrian Motion (0) Not moving (1) Walking slowly (2) Walking rapidly (3) Running or jogging (4) Hopping (5) Skipping (6) Jumping (7) Falling/stumbling or rising (8) Other (specify): (9) Unknown
7. Pedestrian's Height - Ground to Knee Code to the nearest centimeter. (999) Unknowninches X 2.54 =centimeters  8. Pedestrian's Height - Ground to Hip Code to the nearest centimeter. (999) Unknowninches X 2.54 =centimeters  9. Pedestrian's Height - Ground to Shoulder Code to the nearest centimeter.	13. Pedestrian's Action Relative to Vehicle (00) Stopped (01) Crossing road, straight (02) Crossing road, diagonally (03) Moving in road, with traffic (04) Moving in road, against traffic (05) Off road, approaching road (06) Off road, going away from road (07) Off road, moving parallel (08) Off road, crossing driveway (09) Off road, moving along driveway (98) Other (specify): (99) Unknown  14. Pedestrian's Body (Chest) Orientation Relative to Striking Vehicle Prior to Avoidance Actions (1) Facing vehicle (2) Facing away
(999) Unknown inches X 2.54 = centimeters	<ul> <li>(3) Left side to vehicle</li> <li>(4) Right side to vehicle</li> <li>(8) Other (specify):</li> <li>(9) Unknown</li> </ul>

DEDECTRIANC AVOIDANCE ACTIONS	rage
15. Pedestrian's First Avoidance Actions (00) No avoidance actions (01) Stopped (02) Accelerated pace (03) Ran away (along vehicle path) (04) Jumped (05) Turned toward vehicle (06) Turned away from vehicle (07) Dove or fell away  Used hand(s) to: (11) Vault corner of vehicle (12) Vault onto vehicle (13) Brace against vehicle (14) Crouched and braced hands against vehicle (98) Other (specify): (99) Unknown	18. Pedestrian's Arm Orientation at Initial Impact (01) At sides (02) Folded across chest (03) Hands clasped behind back (04) Hands on hips (05) Hands in pockets  One or both arms: (06) Extended upward (07) Extended to side (08) Extended forward bracing (09) Extended, holding object (briefcase, suitcase, etc.) (10) Holding object (young child, grocery bag, etc.) in arm(s) (11) Holding object (young child, grocery bag, etc.) on shoulder(s) or head (98) Other (specify): (99) Unknown
PEDESTRIAN'S ORIENTATION AT IMPACT  16. Pedestrian's Head Orientation at Initial Impact (1) To front (2) To left (3) 'To right (4) 'Up (5) Down (8) Other (specify):	19. Pedestrian's Leg Orientation at Initial Impact (01) Together (02) Apart-laterally (03) Apart-right leg forward (04) Apart-left leg forward (05) Apart- forward leg unknown (06) Left foot off the ground (07) Right foot off the ground (08) Both feet off the ground (08) Other (specify): (99) Unknown  20. Vehicle/Pedestrian's Interaction (01) Carried by vehicle, wrapped position (02) Carried by vehicle, slid to windshield (03) Carried by vehicle, position unknown (04) Passed over vehicle top (05) Thrown straight forward (06) Thrown forward and left of vehicle (07) Thrown forward and right of vehicle (08) Knocked to pavement, forward (09) Knocked to pavement, right of vehicle (10) Knocked to pavement, run over or dragged by vehicle (11) Knocked to left (corner impacts only) (13) Shunted to right (corner impacts only) (14) Bumped or pushed aside (15) Snagged, dragged by vehicle (17) Foot or legs run over (98) Other (specify): (99) Unknown

OFFICIAL RECORDS	INJURY CONSEQUENCES
21. Police Reported Alcohol Presence For Pedestrian (0) No alcohol present (1) Yes alcohol present (7) Not reported (9) Unknown	25. Injury Severity (Police Rating)  (0) O - No injury  (1) C - Possible injury  (2) B - Nonincapacitating injury  (3) A - Incapacitating injury  (4) K - Killed  (5) U - Injury, severity unknown
22. Alcohol Test Result For Pedestrian Code actual value (decimal implied before first digit—0.xx) (95) Test refused (96) None given (97) AC (Alcohol Content) test performed, results unknown (99) Unknown if test given	(6) Died prior to accident (9) Unknown  26. Treatment - Mortality (0) No treatment (1) Fatal (2) Fatal - ruled disease (specify):
23. Police Reported Other Drug Presence For Pedestrian (0) No other drug(s) present (1) Yes other drug(s) present (7) Not reported (9) Unknown	Nonfatal (3) Hospitalization (4) Transported and released (5) Treatment at scene - non-transported (6) Treatment later (8) Treatment - other (specify):  (9) Unknown
24. Other Drug Specimen Test Result For Pedestrian (0) No specimen test given (1) Drug not found in specimen (2) Drug found in specimen (specify): Year Drug (3) Specimen test given, results unknown or not obtained (9) Unknown	27. Type Of Medical Facility (for Initial Treatment) (0) Not treated at a medical facility (1) Trauma center (2) Hospital (3) Medical clinic (4) Physician's office (5) Treatment later at medical facility (8) Other (specify):
	28. Hospital Stay (00) Not Hospitalized Code the number of days (up through 60) that the pedestrian stayed in a hospital. (61) 61 days or more (99) Unknown
	29. Working Days Lost  Code the number of days (up through 60) that the pedestrian lost from work due to the accident (00) No working days lost (61) 61 days or more (62) Fatally injured (97) Not working prior to accident (99) Unknown

STOP - VARIABLES 30 THROUGH 37 AF	RE COMPLETED BY THE ZONE CENTER
30. Glasgow Coma Scale (GCS) Score (at Medical Facility) (00) Not injured	34. 1st Medically Reported Cause of Death
(01) Injured - not treated at medical facility (02) No GCS Score at medical facility (03-15) Code the actual value of the	35. 2nd Medically Reported Cause of Death 4
initial GCS Score recorded at medical facility.  (97) Injured, details unknown  (99) Unknown if injured	36. 3rd Medically Reported Cause of Death  Code the Pedestrian Injury from line number(s) for the medically reported injury(s) which reportedly contributed to
31. Was the Pedestrian Given Blood?  (1) No - blood not given  (2) Yes - blood given  (specify units):	this pedestrian's death  (00) Not fatal or no additional causes  (96) Mode of death given but specific injuries are not linked to cause of death. (specify):
32. Arterial Blood Gases (ABG) – HCO <sub>3</sub> (00) Not injured  (01) Injured, ABGs not measured or reported	(97) Other result (includes fatal ruled disease) (specify):(99) Unknown
(02-50) Code the actual value of the HCO <sub>3</sub> (96) ABGs reported , HCO <sub>3</sub> unknown (97) Injured, details unknown (99) Unknown if injured	37. Number of Recorded Injuries for This Pedestrian Code the actual number of injuries recorded for this pedestrian.
33. Time to Death  Code number of hours from time of accident to time of death up through 24 hours. If time of death is greater than 24 hours, code number of days. (Note: 1 day	(00) No recorded injuries (97) Injured, details unknown (99) Unknown if injured
=31, 2 days = 32, n days = 30 +n up through 30 days = 60) (00) Not fatal (96) Fatal - ruled disease (99) Unknown	
ARE ALL APPLICABLE MEDICAL RECORDS  NO [ ]	
UPDATE CANDIDATE?	NO[] YES[]

National Highway Traffic Safety Administration

### PEDESTRIAN INJURY FORM

Form Approved O.M.B. No. 2127-0021

NATIONAL ACCIDENT SAMPLING SYSTEM PEDESTRIAN CRASH DATA STUDY

- 1. Primary Sampling Unit Number
- 3. Pedestrian Number

0 1

- 2. Case Number Stratum
- 4. Blank

### **INJURY DATA**

Record below the actual injuries sustained by this pedestrian in CHRONOLOGICAL order that were identified from the official and unofficial data sources. Remember not to double count an injury just because it was identified from two different sources. If greater than twenty-five injuries have been documented, encode the balance on the Pedestrian Injury Supplement.

				AIS-90					Injury				
	Source of Injury Data	Body Region	Type of Anatomic Structure	Specific Anatomic Structure	Level of Injury	A.I.S. Severity	Aspect	injury Source	Source Confidence Level	Direct/ Indirect Injury	Striking Profile	Type Of Damage	Damage Depth
lst	5	6. <u></u>	7. <u>9</u>	8. <u>04</u>	<u>, 0 )</u>	-10. <u>[</u>	11. 2	-12 <u>70</u> 0	13. <u>/</u>	14[	15. <u>2</u>	16. 2	-,,,2_
2nd	18. /	19.8	20. 7	21. <u>0</u> 2	<del>22</del> . <u>D</u>	23	24. 2	<u>-25. 700</u>	) 26. 1	27	282	-29. <u>Z</u>	-30. <u>2</u>
3rd	31	32.	33.	34. <u>[</u> 8	35. <u>/ /</u>	36. <u>3</u>	<u>37.2</u>	38. <u>70</u> (	) 39. <u> </u>	40. 🗸	41	-42. Z	43. <u>Z</u> Ruga
4th	44. <u>/</u>	45.8	46. 7	47. <u>0</u> .4	48. <u>0</u> <u>)</u>	49	50	38. <u>70</u> 50~ koc 51. <u>718</u>	52.	53	54. <u>4</u>	<sub>55.</sub> 2	.5 ( - <sub>56.</sub> _2
	5.5							64. <u>718</u>					
6th	70. /	71.8	72.5	73. <u>34</u>	14.06	75	-76. <u>/</u>	77. <u>718</u>	78. <u> </u>	79. <u> </u>	80. 4	81. 2	82
7th	83	84. 8	85.5	86. <u>/ 6</u> 8	37. <u>06</u>	88. 2	89. 1	90. <u>21</u> 8	91	92	93. 4	94. 2	95. 2
8th	96. /	97. 7	98. 9	99.02	oo. <u>0</u> 2	ī01. <u>/</u>	102.2	103.70	104.	105.	106. 2	107. <u>Z</u>	108.
9th	109. 1	110.7	111. <u>9</u>	112.04	13. 02	T14	115.2	116. <u>203</u>	117	118	119. 2	120. Z	<u>ک</u>
Oth	122. 1	123. 7	124. <u></u>	125.0212	26. <u>0</u> 2	127.	128. 2	129. <u>20 3</u>	130	131	132. 2	133. <u> </u>	134. <u> </u>

				PEDES	STRIA	LNI N	URY DAT	Ά				
Source of Injury Data	Body Region	Type of Anatomic Structure	AIS-90 Specific Anatomic Structure	Level of Injury	A.I.S. Severity	Aspect	Injury Source	Injury Source Confidence Level	Direct/ ' Indirect Injury	Striking Profile	Type Of Damage	Damage Depth
11th <u>/</u>	7	9	04	02	1	2	703	<u>/</u>	<u>/</u>	<u>z</u>	2	
12th <u>/</u>	_7	٤	02	02		<b>_</b>	7 <u>0 7</u>	4	+	2	2	2-
13th <u>/</u>	_7	9	04	<u>02</u>	1	1	3 3	4	1	_Z	- 2 -	- <u>2</u> -
14th <u>/</u>	<u> </u>	<u>9</u>	<u>0</u>	02	/		<u> 29</u> 3	_/	4	2	_2_	2-
15th <u>/</u>	2	<u>9</u>	<u>04</u>	<u>0</u> 2	-1	1	703	_(	<u></u>	2	_2	کِ
16th <u>/</u>	<u>8</u>	5	26	02	2	2	<u> 20</u> ]	<u>Z</u>	<u>(</u>	3	4	<u>_S</u> _
17th <u>/</u>	5	<u> 9</u>	02	<u>02</u>	<u></u>	0	703		1	3	<u>u</u>	$\sum$
18th <u>/</u>	4	<u>9</u> _	02	02	1	4	<u> 20</u> 3		2	<u>}</u>	4	5
19th <u></u>	6	2	02	02	_	0	77/	4	_	2	4	5
20th /	<b>4</b> -	5	02	40	4	3	771		1	2	4	5
21st	4	2	02	16	5	4	771	<u>_</u>	<u>/_</u>	2	4	2
22nd <u>/</u>	4	2	02	02	4	4	77/	_/		2	4	5
23rd <u> </u>	5	4	42	12	2	2	77/	<u>/</u>	<u>/</u>	2	4	5
24th <u> </u>	5	<u>4</u>	<u> 18</u>	<u>20</u>	2	<u>_</u>	77/	_(	4	2	4	5
25th <u></u>	<u></u>	4	14	02	3	2	22/	_(	_	2	4	5_

•					PEDES	STRIA	נעו ע	URY DAT	А				
	Source of Injury Data	Body Region	Type of Anatomic Structure	Specific Anatomic Structure	Level of Injury	A.I.S. Severity	Aspect	Injury Source	Injury Source Confidence Level	Direct/ Indirect Injury	Striking Profile	Type Of Damage	Damage Depth
26	<u> </u>	4	<u> </u>	14	14	3	<u>2</u>	771	<u>1</u>		<u>2</u>	4	<u> </u>
	271	6	5	04	37	2	2	<u>ן ר</u> ַר		L	2	<u>'4</u>	5
	28/	2	<u>9</u>	04	02		<u> </u>	77/	1	1	2	4	<u></u>
	29 1	2	3	02	02	- <u>/</u>	2	77/	_/	1	2	4	5_ :
	<u> 20 1</u>	2	9	04	02	<u>1</u>	7	27/	_/	1	2	4	5
3	<u>L</u> /	2	9_	02	<u>ر</u> 0		2	22/		4	7	_4	5
3	<u>4 1</u>	2	9	06	02	1	2	27/		1	2	<b>4</b>	5
	<b>4</b>	3	9_	04	02	_	5	77/		∠	2	<u>ب</u>	5
	<u> 1</u>	3	9_	62	02	1	Σ	27]	<u> </u>	1	2	<u>4</u>	5
	1	2	9_	04	2	<u> </u>	8	<u>77/</u>		1	2	4	5
3	<b>6</b> 1	2	<u>3</u>	02	02		8	77.1	<u>./</u>	4	2	<b>4</b>	_5
7	11	1	2	<u>04</u>	<u>0</u> 2		<u>2</u> .	<u>27/</u>	<u></u>	4	2	<i>Ψ</i> -	5
3	<u>*</u>	1	9	04	02	1	5	22/		4	2	4	5
1	15 <u></u>		9	04	02	1	6	77/	_!		2	4	5
	<u> </u>	6	5	02	<u>04</u>	2	<u>6</u>	<u>77</u> /	1		2	<u>1</u> 5	

					PEDES	TRIA	LNI N	URY DAT	Ά				
	Source of Injury Data	Body Region	Type of Anatomic Structure	AIS-90 Specific Anatomic Structure	Level of Injury	A.I.S. Severity	Aspect	Injury Source	Injury Source Confidence Level	Direct/ Indirect Injury	Striking Profile	Type Of Damage	Damage Depth
4	1	6	4	02	66	5	<u>6</u>	77/		1	2	<u>4</u>	5_
7	<u>+1</u>	6	5	02	28	3	<u>ه</u>	721	_	<u></u>	2	4	5_1
13	1	6	5	02	<u> 30</u>	2	<u>6</u>	27/	1	<u>/</u>	2	4	5_
u L	1.1	_2	5	18	<u> </u>	2	2	- 27/	1	1	_2	4	5_
45			4	06	84	3		771			_2	4	5_
44	1	1	5	07	06	4	8	<u>771</u>	_/	<u></u>	_2		5_
7	11	<u>L</u> :	5_	04	<u>0</u> <u>}</u>	2	1	771		_	2	4	5
•			# # # # # # # # # # # # # # # # # # #	· · · · · · · · · · · · · · · · · · ·									11 (4) <u>- 1</u> (4) - 1 (1)
											<u> </u>		
	·	<del></del>				.· <del></del>							<del>-</del>
3.							_						

### Large deformation DIRECT/INDIRECT INJURY emergency room (e.g., discharge Cracked, fractured, shattered (5) (1) Direct contact injury(2) Indirect contact injury summary) (6)Separated from vehicle (3) Emergency room records only (including Noncontact injury Noncontact injury associated X-rays or other lab reports) Other specify: (7) Injured, unknown source (4) Private physician, walk-in or emergency Unknown STRIKING PROFILE DAMAGE DEPTH Injury not from vehicle contact (0) Injury not from vehicle contact UNOFFICIAL Flat-Narrow (<15 centimeters) Flat-Wide (≥ 15 centimeters) (1) No residual damage (5) Lay coroner report Surface only damage Rounded (contoured) (6) E.M.S. personnel (3) Rounded (cont (4) Rounded edge Crush depth > 0 to 2 centimeters Crush depth > 2 to 5 centimeters (3) (7) Interviewee 75) Sharp edge (8) Other source (specify): Other (specify): Crush depth > 5 to 10 centimeters Other specify:\_ (9) Police (9) Unknown Unknown PEDESTRIAN INJURY CLASSIFICATION **Abbreviated Injury Scale Body Region** Specific Anatomic Structure Spine (02) Cervical (04) Thoracic Minor injury Whole Area (02) Skin - Abrasion (04) Skin - Contusion Head Moderate injury (06)(2) Face (3) Neck (3) Serious injury Severe injury (06) Skin - Laceration Vessels, Nerves, Organs, Bones, Joints are assigned consecutive two digit (4)Thorax (08) Skin - Avulsion (5) Critical injury Abdomen (5) numbers beginning with 02 Maximum (untreatable) Amputation (6)Spine (6)Injured, unknown severity **Upper Extremity** (20) Burn Crush Level of Injury (30)(8) Lower Extremity Unspecified (40) Degloving Aspect (9) Injury - NFS (50) Specific injuries are assigned two-digit consecutive (1)Right Type of Anatomic Structure Trauma, other than mechanical numbers Left Bilateral beginning with 02. (3)Whole Area LOC (02) Length of LOC (04, 06, 08) Level of Consciousness To the extent possible, within the Central Vessels organizational framework of the AIS, 00 Anterior (3) Nerves is assigned to an injury NFS as to severity or where only one injury is given in the dictionary for that anatomic Organs (includes muscles/ (6)Posterior (4) ligaments) Skeletal (includes joints) (7)Superior Inferior (5) structure. 99 is assigned to any injury NFS as to lesion or severity. Head - LOC (9) Unknown (6)Whole region Skin (0) **INJURY SOURCE** Wheels / tires **FRONT** 790 Left front wheel / tire 700 Front bumper 744 B pillar 791 Right front wheel / tire 701 Front lower valance/spoiler 745 C pillar 702 Front grille 746 D pillar 792 Left rear wheel / tire 703 Hood edge and/or trim 748 Other pillar (specify): 793 Right rear wheel /tire 704 Hood ornament (fixed) 798 Other wheel / tire (specify): \_ 749 Right side roof rail 750 Right side door surface 799 Unknown wheel / tire 705 Hood ornament (spring loaded) 706 Headlight 751 Right side door handle 707 Retractable headlight door (Open/Closed) 752 Right side mirror fixed housing Undercarriage components 800 Front crossmember 708 Turn signal/parking lights 753 Right side folding mirror 718 Other front or add on object (specify): 754 Right side glazing forward of B pillar 801 Steering assembly/Front suspension 755 Right side glazing rearward of B pillar 802 Oil pan 719 Unknown front object 756 Rear antenna 803 Exhaust system pipe 757 Rear fender or quarter panel 804 Transmission Left Side Components 758 Other right side object 805 Drive shaft 720 Front fender side surface (specify): 806 Catalytic converter 759 Unknown right side component 807 Muffler 721 Front antenna 722 A1 pillar 808 Floor pan 723 A2 pillar 809 Fuel tank Back Components 810 Rear suspension 724 B pillar 760 Rear (back) bumper 818 Other undercarriage component 761 Tailgate 725 C pillar (specify): 726 D pillar 762 Hatchback, vertical surface 819 Unknown undercarriage component 728 Other pillar 768 Other back component (specify): (specify): 729 Left side roof rail 769 Unknown back component Accessories 820 Air scoop, deflector 730 Left side door surface 731 Left side door handle Top Components 821 Cellular or CB radio antenna 732 Left side mirror fixed housing 770 Hood surface 822 Emergency lights or bar 823 Fog lights 733 Left side folding mirror 771 Hood surface reinforced by under hood 824 Luggage, ski, or bike rack 734 Left side glazing forward of B pillar component 825 Cargo (specify):\_ 735 Left side glazing rearward of B pillar 772 Front fender top surface 736 Left side back fender or quarter panel 773 Cowl area 826 Spare tire 774 Wiper blade & mountings 827 Spotlight 737 Rear antenna 775 Windshield glazing 828 Other accessory (specify):\_ 738 Other left side object 776 Front header (specify): 777 Roof surface Other Object or Vehicle in Environment 739 Unknown left side component 947 Ground 778 Backlight glazing 948 Other object (specify): Right Side Components 779 Rear header 949 Unknown object in environment 740 Front fender side surface 780 Hatchback 741 Front antenna 781 Rear trunk lid 959 Unknown object on contacting vehicle 788 Other top component (specify): \_\_\_\_ 997 Noncontact injury source 742 A1 pillar 999 Unknown injury source 743 A2 pillar 789 Unknown top component

INJURY SOURCE CONFIDENCE LEVEL

Certain

Possible

Unknown

(2) Probable

(3)

TYPE OF DAMAGE (0) Injury not from vehicle contact

(3) Dent

141

No damage/contact

Scratch (Scuff, Cloth Transfer, Smear)

**SOURCE OF INJURY DATA** 

medical records


(1) Autopsy records with or without hospital/

Hospital/medical records other than

OFFICIAL

### OFFICIAL INJURY DATA -INTERNAL INJURIES

Indicate the Location, Specific Anatomic Structure, Detail (size, depth, fracture type, head injury clinical signs and neurological deficits), and Source of all injuries indicated by official sources (or from PAR or other unofficial sources if medical records and interviewee data are unavailable.)



U.S. Department of Transportation National Highway Traffic Safety Administration

PEDESTRIAN GENERAL VEHICLE FORM NATIONAL ACCIDENT SAMPLING SYSTEM PEDESTRIAN CRASH DATA STUDY

1. Primary Sampling Unit Number 9 0	OFFICIAL RECORDS
2. Case Number - Stratum 6 2 4 P	9. Police Reported Travel Speed
3. Vehicle Number 0 1	Code to the nearest kmph (NOTE: 000 means
	less than 0.5 kmph) (160) 159.5 kmph and above
VEHICLE IDENTIFICATION	(999) Unknown
4. Vehicle Model Year Code the last two digits of the model year (99) Unknown  5. Vehicle Make specify Pick-Up Applicable codes are found in your NASS PCDS Data Collection, Coding and Editing Manual.	75 mph x 1.6093 = 121 kmph  10 75 72 5  10. Speed Limit (000) No statutory limit Code posted or statutory speed limit in kmph (999) Unknown  65 mph x 1.6093 = 105 kmph
(99) Unknown  6. Vehicle Model (specify): 481	11. Police Reported Alcohol Presence For Driver (0) No alcohol present (1) Yes alcohol present (7) Not reported (8) No driver present (9) Unknown
Applicable codes are found in your NASS PCDS Data Collection, Coding and Editing Manual. (999) Unknown  7. Body Type Note: Applicable codes may be found on the back of this page.  8. Vehicle Identification Number	12. Alcohol Test Result For Driver Code actual value (decimal implied before first digit—0.xx) (95) Test refused (96) None given (97) AC (Alcohol Content) test performed, results unknown (98) No driver present (99) Unknown  Source: PAR
Left justify; Slash zeros and letter Z (Ø and Z) No VIN—Code all zeros Unknown—Code all nines	13. Police Reported Other Drug Presence For Driver (0) No other drug(s) present (1) Yes other drug(s) present (7) Not reported (8) No driver present (9) Unknown
	14. Other Drug Specimen Test Result For Driver (0) No specimen test given (1) Drug not found in specimen (2) Drug found in specimen (specify): (3) Specimen test given, results unknown or not obtained (8) No driver present (9) Unknown

### **CODES FOR BODY TYPE**

### CDS APPLICABLE VEHICLES

### Automobiles

- (01) Convertible (excludes sun-roof, t-bar)
- (02) 2-door sedan, hardtop, coupe
- (03) 3-door/2-door hatchback
- (04) 4-door sedan, hardtop
- (05) 5-door/4-door hatchback
- (06) Station wagon (excluding van and truck based)
- (07) Hatchback, number of doors unknown
- (08) Other automobile type (specify):
- (09) Unknown automobile type

### Automobile Derivatives

- (10) Auto based pickup (includes El Camino, Caballero, Ranchero, Brat, and Rabbit pickup)
- (11) Auto based panel (cargo station wagon, auto based ambulance/hearse)
- (12) Large limousine more than four side doors or stretched chassis
- (13) Three-wheel automobile or automobile derivative

### Utility Vehicles (≤ 4,500 kgs GVWR)

- (14) Compact utility (Jeep CJ-2 CJ-7, Scrambler, Golden Eagle, Renegade, Laredo, Wrangler, Cherokee [84 and after], Dispatcher, Raider, Bronco II, Bronco [76 and before], Explorer, S-10 Blazer, Geo Tracker, Bravada, S-15 Jimmy, Thing, Pathfinder, Trooper, Trooper II, Rodeo, Amigo, Navajo, 4-Runner, Montero, Samurai, Sidekick, Rocky)
- (15) Large utility (includes Jeep Cherokee [83 and before], Ramcharger, Trailduster, Bronco-fullsize [78 and after], fullsize Blazer, fullsize Jimmy, Landcruiser, Rover, Scout)
- (16) Utility station wagon (Chevy Suburban, GMC Suburban, Travelall, Grand Wagoneer, includes suburban limousine)
- (19) Utility, unknown body type

### Van Based Light Trucks (≤ 4,500 kgs GVWR)

- (20) Minivan (Chrysler Town and Country, Caravan, Grand Caravan, Voyager, Grand Voyager, Mini-Ram, Dodge/Plymouth Vista, Aerostar, Villager, Lumina APV, Trans Sport, Silhouette, Astro, Safari, Toyota Van, Toyota Minivan, Previa, Nissan Minivan, Quest, Mitsubishi Minivan, Vanagon/Camper.)
- (21) Large van (B150-B350, Sportsman, Royal, Maxiwagon, Ram, Tradesman, Voyager [83 and before], E150-E350, Econoline, Clubwagon, Chateau, G10-G30, Chevy Van, Beauville, Sport Van, G15-G35, Rally Van, Vandura.)
- (22) Step van or walk-in van (≤ 4,500 kgs GVWR)
- (23) Van based motorhome (≤ 4,500 kgs GVWR)
- (24) Van based school bus (≤ 4,500 kgs GVWR)
- (25) Van based other bus (≤ 4,500 kgs GVWR)
- (28) Other van type (Hi-Cube Van, Kary) (specify):
- (29) Unknown van type

# Light Conventional Trucks (Pickup style cab, ≤ 4,500 kgs GVWR)

- (30) Compact pickup (D50, Colt P/U, Ram 50, Dakota, Arrow Pickup [foreign], Ranger, Courier, S-10, T-10, LUV, S-15, T-15, Sonoma, Datsun/Nissan Pickup, P'up, Mazda Pickup, Toyota Pickup, Mitsubishi Pickup)
- (31) Large Pickup (Jeep Pickup, Comanche, Ram Pickup, D100-D350, W100-W350, F100-F350, C10-C35, K10-K35, R10-R35, V10-V35, Silverado, Sierra, R100-R500,)

- (32) Pickup with slide-in camper
- (33) Convertible pickup
- (39) Unknown pickup style light conventional truck type

### Other Light Trucks (≤ 4,500 kgs GVWR)

- (40) Cab chassis based (includes rescue vehicles, light stake, dump, and tow truck)
- (41) Truck based panel
- (42) Light truck based motorhome (chassis mounted)
- (45) Other light conventional truck type
- (48) Unknown light truck type
- (49) Unknown light vehicle type (automobile, utility, van, or light truck)

### OTHER VEHICLES

### Buses (Excludes Van Based)

- (50) School bus (designed to carry students, not cross country or transit)
- (58) Other bus type (e.g., transit, intercity, bus based motorhome) (specify):
- (59) Unknown bus type

### Medium/Heavy Trucks (> 4,500 kgs GVWR)

- (60) Step van (> 4,500 kgs GVWR)
- (61) Single unit straight truck (4,500 kgs < GVWR ≤ 8,850 kgs)</p>
- (62) Single unit straight truck (8,850 kgs < GVWR ≤ 12,000 kgs)
- (63) Single unit straight truck (> 12,000 kgs GVWR)
- (64) Single unit straight truck, GVWR unknown
- (65) Medium/heavy truck based motorhome
- (67) Truck-tractor with no cargo trailer
- (68) Truck-tractor pulling one trailer
- (69) Truck-tractor pulling two or more trailers
- (70) Truck-tractor (unknown if pulling trailer)
- (78) Unknown medium/heavy truck type
- (79) Unknown truck type (light/medium/heavy)

# Motored Cycles (Does Not Include All-Terrain Vehicles/Cycles)

- (80) Motorcycle
- (81) Moped (motorized bicycle)
- (82) Three-wheel motorcycle or moped
- (88) Other motored cycle (minibike, motorscooter) (specify):
- (89) Unknown motored cycle type

### Other Vehicles

- (90) ATV (All-Terrain Vehicle) and ATC (All-Terrain Cycle)
- (91) Snowmobile
- (92) Farm equipment other than trucks
- (93) Construction equipment other than trucks
- (97) Other vehicle type
- (99) Unknown body type

VEHICLE WEIGHT ITEMS	RECONSTRUCTION DATA
15. Vehicle Curb Weight  — Code weight to nearest 10 kilograms. (045) Less than 450 kilograms (610) 6,100 kilograms or more (999) Unknown  — (999) Unknown  — (999) Less than 450 kilograms or more	18. Impact Speed  Nearest kmph  (NOTE: 000 means greater than .5 kmph) (160) 159.5 kmph and above (999) Unknown
Source:	19. Accuracy Range of Impact Speed Estimate  (0) No reconstruction (1) Less than 2 kmph (2) ≥ 2 kmph and ≤ 8 kmph (3) ≥ 9 kmph and ≤ 16 kmph (4) ≥ 17 kmph and ≤ 26 kmph (9) Unknown  20. Data Source of Impact Speed (0) No impact speed calculated (1) Zone center calculation (2) Police calculation (3) Driver/witness/police estimates  PRECRASH DATA
OTHER DATA  17. Vehicle Special Use (This Trip) (0) No special use (1) Taxi (2) Vehicle used as school bus (3) Vehicle used as other bus (4) Military (5) Police (6) Ambulance (7) Fire truck or car (8) Other (specify): (9) Unknown  STOP - VARIABLES 18 THROUGH 20  ARE COMPLETED BY THE ZONE CENTER	21. Driver's Attention to Driving (Prior to Recognition of Critical Event) (1) Full attention to driving (2) Distracted by other occupant (3) Distracted by moving object in vehicle (4) Distracted by outside person, object, or event (5) Talking on cellular phone or CB radio Specify: (6) Sleeping or dozing while driving (8) Other (specify): (9) Unknown  22. Pre-Event Vehicle Movement (Prior to Recognition of Critical Event) (01) Going straight (02) Slowing or stopping in traffic lane (03) Starting in traffic lane (04) Stopped in traffic lane (05) Passing or overtaking another vehicle (06) Disabled or parked in travel lane (07) Leaving a parking position (08) Entering a parking position (09) Turning right (10) Turning left (11) Making a U-turn (12) Backing up (other than for parking position) (13) Negotiating a curve (14) Changing lanes (15) Merging (16) Successful avoidance maneuver to a previous critical event (97) Other (specify): (98) No driver present (99) Unknown

23. Critical Precrash Event	(83) Pedalcyclist or other nonmotorist in roadway
This Vehicle Loss of Control Due To:	(specify):
(01) Blow out or flat tire	(84) Pedalcyclist or other nonmotorist approaching
(02) Stalled engine	roadway (specify):
(03) Disabling vehicle failure (e.g., wheel fell off)	
(specify):	(85) Pedalcyclist or other nonmotorist—unknown location (specify):
(04) Non-disabling vehicle problem (e.g., hood flew	Object or Animal
up) (specify):	
(05) Poor road conditions (puddle, pot hole, ice, etc.)	(87) Animal in roadway
	(88) Animal approaching roadway
(specify):(06) Traveling too fast for conditions	(89) Animal—unknown location
	(90) Object in roadway
(08) Other cause of control loss (specify):	(91) Object approaching roadway
(00)	(92) Object—unknown location
(09) Unknown cause of control loss	(98) Other critical precrash event (specify):
This Vehicle Traveling	
(10) Over the lane line on left side of travel lane	(99) Unknown $\mathcal{O}$ $\mathcal{S}$
(11) Over the lane line on right side of travel lane	
(12) Off the edge of the road on the left side	24. Attempted Avoidance Maneuver
(13) Off the edge of the road on the right side	(00) No driver present
(14) End departure	(01) No avoidance actions
(15) Turning left at intersection	(02) Braking (no lockup)
(16) Turning right at intersection	(03) Braking (lockup)
(17) Crossing over (passing through) intersection	(04) Braking (lockup unknown)
(19) Unknown travel direction	(05) Releasing brakes
Other Motor Vehicle In Lane	(06) Steering left
(50) Stopped	(07) Steering right
(51) Traveling in same direction with lower speed	(08) Braking and steering left
(i.e., lower steady speed or decelerating)	(09) Braking and steering right
(52) Traveling in same direction with higher speed	(10) Accelerating
(53) Traveling in opposite direction	(11) Accelerating and steering left
(54) In crossover	(12) Accelerating and steering right
(55) Backing	(98) Other action (specify):
(59) Unknown travel direction of other motor vehicle	(99) Unknown
in lane	(oo) omalown
Other Motor Vehicle Encroaching Into Lane	25. Precrash Stability After Avoidance Maneuver
(60) From adjacent lane (same direction)—over left	(0) No driver present
lane line	(1) No avoidance maneuver
(61) From adjacent lane (same direction)—over right	(2) Tracking
lane line	(3) Skidding longitudinally—rotation less than 30
(62) From opposite direction—over left lane line	degrees
(63) From opposite direction—over right lane line	(4) Skidding laterally—clockwise rotation
(64) From parking lane	(5) Skidding laterally—counterclockwise rotation
(65) From crossing street, turning into same direction	(8) Other vehicle loss-of-control (specify):
(66) From crossing street, across path	
(67) From crossing street, turning into opposite	(9) Precrash stability unknown
direction	26 Proceeds Direction 16
(68) From crossing street, intended path not known	26. Precrash Directional Consequences of
(70) From driveway, turning into same direction	Avoidance Maneuver (Corrective Action) (0) No driver present
(71) From driveway, across path	(0) No driver present (1) No avoidance maneuver
(72) From driveway, turning into opposite direction	(2) Vehicle stayed in travel lane where avoidance
(73) From driveway, turning into opposite direction (73) From driveway, intended path not known	maneuver was initiated
	(3) Vehicle stayed on roadway but left travel lane
(74) From entrance to limited access highway	where avoidance maneuver was initiated
(78) Encroachment by other vehicle—details	(4) Vehicle stayed on roadway, not known if left
unknown	travel lane where avoidance maneuver was
Pedestrian or Pedalcyclist, or Other Nonmotorist	initiated
(80) Pedestrian in roadway	(5) Vehicle departed roadway
(81) Pedestrian approaching roadway	(6) Avoidance maneuver initiated off roadway
(82) Pedestrian—unknown location	(9) Directional consequences unknown

	ENVIRO	NIVIE	ENTAL DATA	
27.	Relation to Junction (0) Non-junction (1) Interchange area  Non-Interchange (2) Intersection (3) Intersection-related (4) Drive, alley access related (5) Other non-interchange (specify):	R	33. Roadway Surface Condition (1) Dry (2) Wet (3) Snow and slush (4) Ice (5) Sand, dirt or oil (8) Other (specify): (9) Unknown	<u>/</u>
28.	<ul> <li>(6) Unknown type of non-interchange</li> <li>(9) Unknown if interchange</li> <li>Trafficway Flow  (1) Not physically divided (two way traffic)</li> <li>(2) Divided trafficway - median strip without positive barrier</li> <li>(3) Divided trafficway - median strip with</li> </ul>	2	34. Traffic Control Device (0) No traffic control(s) (1) Trafficway traffic control signal (not RR crossing)  Regulatory or School Zone Sign (Not RR Crossing) (2) Stop sign (3) Yield sign (4) School zone sign	g)
29.	positive barrier (4) One way trafficway (9) Unknown  Number of Travel Lanes (1) One	2	(5) Other sign (specify):  (6) Unknown sign (7) Warning sign (not RR crossing) (8) Miscellaneous/other controls including RR controls (specify):	ve'
	<ul> <li>(2) Two</li> <li>(3) Three</li> <li>(4) Four</li> <li>(5) Five</li> <li>(6) Six</li> <li>(7) Seven or more</li> <li>(9) Unknown</li> </ul>		(9) Unknown  35. Traffic Control Device Functioning (0) No traffic control (1) Not Functioning (2) Functioning (9) Unknown	ţ
	Roadway Alignment (1) Straight (2) Curve right (3) Curve left (9) Unknown		36. Light Conditions (1) Daylight (2) Dark (3) Dark, but lighted (4) Dawn (5) Dusk	<u> </u>
	Roadway Profile (1) Level (2) Uphill Grade (>2%) (3) Downhill Grade (>2%) (4) Hillcrest (5) Sag (9) Unknown		(9) Unknown  37. Atmospheric Conditions (1) No adverse atmospheric related driving conditions (2) Rain (3) Sleet	-
	Roadway Surface Type (1) Concrete (2) Bituminous (asphalt) (3) Brick or Block (4) Slag, gravel or stone (5) Dirt (8) Other (specify):	2	<ul> <li>(4) Snow</li> <li>(5) Fog</li> <li>(6) Rain and fog</li> <li>(7) Sleet and fog</li> <li>(8) Other (e.g., smog, smoke, blowing sand or dust, etc.) (specify):</li> <li>(9) Unknown</li> </ul>	
	(9) Unknown			

90-624

93 1500 chev.

75mph Esti-1-1

POI to FRP = 84m = 276 f + f = 0.65

 $V = \gamma(2)(276)(0.65)(32.2)$  V = 107.5 - frs = 73mph = 117.6 KPh 118 KPh 1mpact Specs

Speed of broke application

5 = 95 m = 3/2 ++

V= 7(2)(3/2)(0.65)(32.2) = 1/4.3 fps = 77.7 mph = 125 Kph Driver estimeted his speed at 70-75 mph. Impact Speed 118 KPh

<b>(3)</b>
U.S. Department of Transportation
National Highway Traffic Safety
Administration

### PEDESTRIAN EXTERIOR VEHICLE FORM NATIONAL ACCIDENT SAMPLING SYSTEM

PEDESTRIAN CRASH DATA STUDY

1. Primary Sampling Unit Number

3. Vehicle Number

2. Case Number - Stratum

624 P

NV	ICLE			$\sim$ $^{\wedge}$		
•	 	 121	 31	-		ш

VIN 268EK19K291

Vehicle Model (specify): SilverAdo

### PEDESTRIAN FRONT CONTACT WORK SHEET

PEV06	Hood	Material

PEV08 Hood Length

PEV09 Hood Width-Forward Opening

PEV10 Hood Width-Midway

PEV11 Hood Width-Rear Opening

PEV14 Front Bumper Cover Material

PEV15 Front Bumper Reinforcement Material

3/66/		
	_/_/_	cm
	162	cm

### **VERTICAL MEASUREMENTS**

PEV16	Front	Bumper-Bottom	Height
-------	-------	---------------	--------

PEV17 Front Bumper-Top Height

PEV18 Forward Hood Opening

PEV19 Front Bumper Lead

0	5	<u>3</u>	cm
	/	C	

### **WRAP DISTANCES**

PEV20 Ground to Forward Hood Opening

PEV21 Ground to Front/Top Transition Point

PEV22 Ground to Rear Hood Opening

PEV23 Ground to Base of Windshield

PEV24 Ground to Top of Windshield

PEV25 Ground to Head Contact

cm

cm

cm

cm

# **VEHICLE DAMAGE SKETCH** (6) FABRICE PRINT E (same) CIBRUD GAINS

NOTES: Sketch all pedestrian contacts, include the size and depth in centimeters. Locate the pedestrian contacts from the intercept point of the centerline (lateral) and the front axles (longitudinal) in centimeters. Annotate observations which might be useful in reconstructing the accident (e.g., grass in tire bead, direction of striations, scuff on sidewalls, etc.).

Location of the origin (intercept point of the centerline and the front axles) from the ground: 194cm

PEDESTRIAN SIDE CONTACT WORK SH	IEET	
PEV06 Hood Material		
PEV08 Hood Length		cpr
PEV09 Hood Width-Forward Opening		cm
PEV10 Hood Width-Midway	/	/ cm
PEV11 Hood Width-Rear Opening		cm
	7	
VERTICAL MEASUREMENTS		
PEV26 Ground Clearance	<i></i>	cm
PEV27 Side Bumper-Bottom Height	/ <sub>1</sub>	cm
PEV28 Side Bumper-Top Height		cm
PEV29 Centerline of Wheel	· .	cm
PEV30 Top of Tire		cm
PEV31 Top of Wheel Well Opening		cm
PEV32 Bottom of A-Pillar at Windshield		cm
PEV33 Top of A-Pillar at Windshield		cm
PEV34 Top of Side View Mirror	<del></del>	cm
LATERAL MEASUREMENTS		
PEV35 C <sub>L</sub> to A-Pillar at Bottom of Windshield		cm
PEV36 C <sub>L</sub> to A-Pillar at Top of Wingshield		cm
PEV37 C <sub>L</sub> to Maximum Side View Mirror Protrusion		cm
WRAP DISTANCES		
PEV38 Ground to Side/Top Transition		cm
PEV39 Ground to Hood Edge		cm
PEV40 Ground to Centerline of Hood (ORIGIN)	· · · · · · · · · · · · · · · · · · ·	cm
PEV41 Ground to Head Contact		cm

### **ORIGINAL SPECIFICATIONS**

Wheelbase	177.5 in	ches x 2.54	=	298 cm	1
Overall Length		ches x 2.54	=	<u>493</u> cm	1
Maximum Width	0768 in	ches x 2.54	=		i .
Curb Weight $O$	4.211 po	unds x .4536	= /,	<u>910</u> kg	i
Average Track	065.7 in	ches x 2.54	=	<u> 167</u> cm	Í
Front Overhang	0338 in	ches x 2.54	=	086 cm	l
Rear Overhang	0 4 6.0 in	ches x 2.54	= 1	_/_/ <u>7</u> cm	1
Undeformed End Width	072.4 in	ches x 2.54	=	<u> </u>	l
Engine Size: cyl./displ.	4300 cc	x .001	<b>=</b> ,	<u>43</u> L	
	262cI	D x .0164	· <b>=</b>	4.3 L	

### **INJURY SOURCE**

FRONT
700 Front bumper
701 Front lower valance/spoiler
702 Front grille
703 Hood edge and/or trim
704 Hood ernament (fixed)
705 Hood ornament (spring loaded)
706 Headlight
707 Retractable headlight door (Open/Closed
708 Turn signal/parking lights
718 Other front or add on object
(specify):
719 Unknown front object
Left Side Components
720 Front fender side surface
721 Front antenna
722 A1 pillar
723 A2 pillar
724 B pillar
725 C pillar
726 D pillar
728 Other pillar
(specify):
729 Left side roof rail
730 Left side door surface
731 Left side door handle
732 Left side mirror fixed housing
733 Left side folding mirror
734 Left side glazing forward of B pillar
735 Left side glazing rearward of B pillar
736 Left side back fender or quarter panel
737 Rear antenna
738 Other left side object
(specify):
739 Unknown left side component

/45	C pillar
746	D pillar
748	Other pillar (specify):
749	Right side roof rail
750	Right side door surface
751	Right side door handle
752	Right side mirror fixed housing
. 753	Right side folding mirror
754	Right side glazing forward of B pillar
755	Right side glazing rearward of B pillar
756	Rear antenna
757	Rear fender or quarter panel
758	Other right side object
	(specify):
759	Unknown right side component.
Back C	omponents
	Rear (back) bumper
	Tailgate
	Hatchback, vertical surface
	Other back component
	(specify):
769	Unknown back component
	mponents
	Hood surface
771	Hood surface reinforced by under hood
	component
	Front fender top surface
	Cowl area
774	Wiper blade & mountings

Wheels / tires
790 Left front wheel / tire
791 Right front wheel / tire
792 Left rear wheel / tire
793 Right rear wheel /tire
798 Other wheel / tire (specify):
799 Unknown wheel / tire
Undercarriage components
800 Front cross member
801 Steering assembly/Front suspension
802 Oil pan
803 Exhaust system pipe
804 Transmission
805 Drive shaft
806 Catalytic converter
807 Muffler
808 Floor pan
809 Fuel tank
810 Rear suspension
818 Other undercarriage component
(specify):
819 Unknown undercarriage component
Accessories
820 Air scoop, deflector
821 Cellular or CB radio antenna
822 Emergency lights or bar
823 Fog lights
824 Luggage, ski, or bike rack
825 Cargo (specify):
826 Spare tire
827 Spotlight
828 Other accessory (specify):
Other Object or Vehicle in Environment
947 Ground
948 Other object (specify):
949 Unknown object in environment
959 Unknown object on contacting vehicle

### Right Side Components

740 Front fender side surface

741 Front antenna

742 A1 pillar

743 A2 pillar

## 744 B pillar

775 Windshield glazing

776 Front header

777 Roof surface

778 Backlight glazing

779 Rear header

780 Hatchback 781 Rear trunk lid


788 Other top component (specify): \_

789 Unknown top component

959 Unknown object on contacting vehicle

997 Noncontact injury source

999 Unknown injury source



	POINTS OF PEDESTRIAN CONTACT								
	PEDESTRIAN CONTACT WORKSHEET								
CONTACT ID Label	COMPONENT CONTACTED	LONGITUDINAL LOCATION (X)	LATERAL LOCATION (Y)	CRUSH IN CENTIMETERS	SUSPECTED Body Region	SUPPORTING PHYSICAL EVIDENCE	CONFIDENCE LEVEL OF CONTACT POINT ( <i>Circle</i> )	SEQUENCE	
A	GRAVEL, Shield	+140	+82	0	Lever	FABRIC PRIN	- <u>(1)</u> 2 3 9	1	
H	U- LOOP	+ 135	+41	0	LEGS	,	Ø 2 3 9	1	
C	Bruper	+/22	+ 75	0	ne 14 16ree	Franspie Transpe	2 3 9	1	
0	Bumper	+ 119	+60	0	Mile	Farence Provis	-0239	1	
6	Bunger	+ 119	+44	0	mid	//	Ø 2 3 9	1	
3	,,,	+119	+30	0	ichee	11	D2 1 9	1	
/<	Bunger	+108	+74	D	Theigh	7805vie Prini	2 3 9	1	
E	Brunger	+109	+ 26	0	theigh		<b>D</b> 2 3 9	1	
4,	Headlow Grill	+ 88	+72	23 <sub>lm</sub>	14,5	Broken	<b>2</b> 3 9	/	
F	6411	+ 102	<i>+34</i>	//	11.0	isno/lend	Ø2 3 9		
21	itogd Edge	+68	+71	17cm	11	BROKENEL rome	2 3 9	/	
Di	,,,	+84	+15	17cm	- //	Boken thron	20233	1	
61	Hood	+56	+ 68	18cm	chest	dent	2 3 9	2	
AI	//	+68	+ 54	18em	"	11	D2719	2	
112	11	+27	+45	17em	lfeal Chest	301/0	1 2 3 9	2	
KI	11	***************************************	+08	17cm	Chess	- 13 13	6239	2	
72	15	+ 09	+ 42	18cm	1295		2 3 9	ュ	
EI	- //	+ /1	+ 09	1862	14, P		<b>D</b> 2 3 9	2	
						<i>(</i>	1 2 3 9		
A	14000		+ 48	14cm	Chest	dent	<b>D</b> 2 3 9	3	
F	Hojor	-08	+ 14	14 cm	head	11	<b>P</b> 2 3 9	3	
G	Hood 15		+ 52	140	Chest		<b>⊕</b> 2 3 9	3	
	Rear (Le		+14	14cm	Head	11	Ø 2 3 9	3	
D	w.fex	-41	+38	Oca	Head	Sandye	D2 3 9	3/	
							Ø 2 3 9	_ کر	

Continued/ NexTPage

		AK.		POINTS	OF PEDEST	RIAN CONTA	ACT		
				PEDEST	RIAN CONTA	CT WORKSH	EET	T	T
	CONTACT ID Label	COMPONENT	LONGITUDINAL Location (X)	LATERAL LOCATION (Y)	CRUSH IN CENTIMETERS	SUSPECTED BODY REGION	SUPPORTING PHYSICAL EVIDENCE	CONFIDENCE LEVEL OF CONTACT POINT (Circle)	SEQUENCE #
	D	Hoad	+ 43)	+14	0	ARNS	Smudge	1 2 3 9	3
	D/	- //	+ 34	<sub>4</sub> 23	O	11	Snewdge	D233	3
	6	//	+08/131	ntengo 37	0	N	) (	2 3 9	3
	K	7.7	+ 12	+ 69	0	11	17	0233	3
	H	11	-16	-43	D <sub>1</sub>	Chesi	STYLAKS	2 3 9	3
	J	74.0	- 18	-76	0	695	14	D2 11	3
	F	/ EALL	-41	-3/	0	11	11	2 3 9	3
	E	JEAK J JAPOC	-40	-68	0	И	1)	D2 23	3
	J1	721	-51	-97	0	A	. 11	2 3 9	3
	6	14000	-08	-98	0	,,	1/1	(D2 3 9	3
	A	s,de	-41	,-128	0	//	11,	2 3 9	3
	उर	5,40(7;	1-08	-97	0	11	Smud Je	<i>[1]</i> 2 3 3	
	<u></u>	Side	T)+34	-101	Ø	′,′	/ (	2 3 9	
200000000								1 2 3 9	
								1 2 3 9	
		1						1 2 3 9	
		150	0					1 2 3 9	
00000000		751	W W					1 2 3 9	
			.0					1 2 3 9	
								1 2 3 8	
								1 2 3 9	
								1 2 3 9	
								1 2 3 9	
								1 2 3 9	
L							·	1 2 3 9	

POINTS OF PEDESTRIAN CONTACT								
				CHRONO	LOGICAL ORI	ER OF CONTACTS		1
	CONTACT	COMPONENT CONTACTED CODE	LONGITUDINAL Location (X)	LATERAL LOCATION (Y)	CRUSH IN CENTIMETERS	SUSPECTED BODY REGION	SUPPORTING PHYSICAL EVIDENCE	CONFIDENCE LEVEL OF CONTACT POINT ( <i>Circle</i> )
	1	100	122	25	0	Contrain	pantint	2 3 9
	20	700	122	95	0	137/5-	South	0219
	3 C	700	132	75	6	L. femul	<i>e</i> (	2 3 9
	٠,١	14780	135	+41	6	7-14212	C)	$\bigcirc$ 2 1 9
	5 H	11900	135	+41	೨	C. legio	4	2 3 9
	5 H	1450	135	14	٥	C. Tible	1.1	O 2 3 3
	7 H	npso	175	+41	U	R Fibric		1 2 3 9
	1 <b>/</b>	703	184	1,5	27	Chrisio-	south	O 1 1
	9	703	1	)	3/7	cotuso	smears	2 3 9
	10 🗸	707			43	L hord		P2 1 9
	11 🏷	703		۲	77	L. hope.		> <sub>1 2 3 9</sub>
	. 12 A	703	84	0	11	abjesto-	7,	1 2 3 9
	13	703	84	0	11	e or fusia	(,	2 3 9
	14 🗸	703	84	0	1,	C k - 2 -	- 7	2 3 9
	15	703	84	0	11	R, hard contust		1 2 3 9
	)4#f+	703	l:	e,		L Pelvic Fx	Lorge	1 2 3 9
	17	703	`(	.Cc	y	a hresions	Detent;	1 2 3 9
	18	120	€.	· (·	l.	abinios	"	1 2 3 9
	19 H	771	27	45		Buh:	area	1 2 3 9
	20	771	27	45		Bilitas	Lip	1 2 3 9
	21	77/				torn to		1 2 3 9
	22	771				11 11	4	1 2 3 9
	23	771				Spleent	CAPILI)	1 2 3 9
	24	コカ	/	V		Lecenty	(pou (40))	1 2 3 9
	25	1771	<b>y</b>		(F) C	confusions		2 3 9

POINTS OF PEDESTRIAN CONTACT							
CHRONOLOGICAL ORDER OF CONTACTS							
CONTACT	COMPONENT CONTACTED CODE	LONGITUDINAL LOCATION (X)	LATERAL - LOCATION (M)	CRUSH IN CENTIMETERS	SUSPECTED BOOY REGION	SUPPORTING PHYSICAL EVIDENCE	CONFIDENCE LEVEL OF CONTACT POINT (Circle)
ste	771	27	45	+5-10		Lessento	2 3 g
15/27	771	9	42		FYIHZ	طعل	1 2 3 9
728	711	9	42	5-10	contusion	(, .	1 2 3 9
اومر	[*]		1		Lo chech		1 2 1 5
130					L. eye.	1	1239
ا 3 م			$\perp \perp$		Legg.	١,	T 2 1 9
132					Locarett.		1 2 3 9
p33					negot tust	<u> </u>	1 2 3 9
634					- Linhobro	· , `~	1 2 3 9
<b>4</b> 33					Challe	- :-	1: 2: I 2:
1736				<b>6</b> 1	abjesio -	Î Sce/p	1 2 3 9
<b>F77</b>					Control		1.2.1.5
×38	-	Ψ		W	e postro	ò-	1 2 3 9
1/39	7.7	7 0			scelp d Lislocation	ے دروجاجہ	<u>()</u> 2 3 5
10 10	771	99	4	Γ	C-7		2 3 9
1p Ulf					FYC2		7 2 3 9
# 42					- C 2		1 2 3 9
<i>3</i> 443					FY CI	metic	2 1 9
J8 44					FX ZY90	me	1 2 3 9
2º 45					PYCE	tiel Bone	10.27.3.9
46	$-\Psi$				ex bife	1 rout	2 3 9
×47	77/				porte	e 180-e	2.3.8
45		4					1 2 3 9
Œ,							T T T S
38							1 2 3 9

VEHICLE DIMENSIONS	11 Head Wideh Bass Occasion 17 6
4. Original Wheelbase Code to the	11. Hood Width Rear Opening  Code to the  nearest centimeter  (210) 210 centimeters or more
nearest centimeter (999) Unknown	(999) Unknown
$111$ . $3$ inches $\times 2.54 = 29\%$ centimeters	$669.2 \text{ inches } \times 2.54 = 176 \text{ centimeters}$
5. Original Average Track Width  Code to the nearest centimeter (185) 185 centimeters or more (999) Unknown  OG5.7 inches X 2.54 = 167 centimeters	12. Hood/Fender Vertical/Lateral Crush From Pedestrian (0) Not damaged (1) Surface scratching only, no residual crush (2) Minor crush (1-3 centimeters) (3) Moderate crush (4-7 centimeters) (4) Severe crush (>7 centimeters) (8) Damage present, unknown if damage is from pedestrian impact (9) Unknown
6. Hood Material	7
<ul> <li>(1) Plastic</li> <li>(2) Fiberglass</li> <li>(3) Steel</li> <li>(4) Aluminum</li> <li>(5) Stainless Steel</li> <li>(8) Other (specify):</li></ul>	13. Windshield Contact Damage From Pedestrian Contact (0) Not contacted by pedestrian (1) Contacted by pedestrian - not damaged (2) Contacted by pedestrian - damaged (3) Unknown if contacted by pedestrian - not damaged
7. Hood Original Equipment Manufacturer (OEM) (1) OEM factory installed hood (2) OEM replacement (3) Non-OEM replacement (9) Unknown	<ul> <li>(4) Unknown if contacted by pedestrian -         damaged</li> <li>(9) Unknown if contacted by pedestrian -         unknown if damaged</li> <li>FRONT CONTACT DAMAGE</li> </ul>
8. Hood Length Code to the	Front Vertical Measurements
nearest centimeter (180) 180 centimeters or more (999) Unknown	14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass
$043.7$ inches $\times 2.54 = 11$ centimeter	(3) Rubber (4) Other (specify): 57ee/
9. Hood Width Forward Opening	(9) Unknown  15. Front Bumper Reinforcement Material
nearest centimeter (210) 210 centimeters or more (999) Unknown	(0) No front contact (1) Steel (2) Aluminum
$063.1 \text{ inches } \times 2.54 = 162 \text{ centimeters}$ 10. Hood Width Midway	(3) Stainless Steel (4) Other (specify): (9) Unknown
10. Hood Width Midway  Code to the	A 57
nearest centimeter (210) 210 centimeters or more (999) Unknown	16. Front Bumper-Bottom Height  Code to the nearest centimeter (000) No front contact
$064.5$ inches $\times 2.54 = 164$ centimeters	(150) 150 centimeters or more (999) Unknown
	$0208$ inches $\times 254 = 053$ centimeters

17. Front Bumper-Top Height  Code to the nearest centimeter (000) No front contact (150) 150 centimeters or more (999) Unknown  227	23. Ground to Base of Windshield  Code to the nearest centimeter (000) No front contact (400) 400 centimeters or more (999) Unknown  Oq1.7 inches X 2.54 = 233 centimeters
18. Forward Hood Opening  Code to the nearest centimeter (000) No front contact (200) 200 centimeters or more (999) Unknown  OHO. 9 inches X 2.54 = 104 centimeters	24. Ground to Top of Windshield  Code to the nearest centimeter (000) No front contact (500) 500 centimeters or more (999) Unknown  119. Ginches X 2.54 = 304 centimeters
19. Front Bumper Lead (00) No front contact Code to the nearest centimeter (30) 30 centimeters or more (99) Unknown  DD3 L inches X 2.54 = DD8 centimeters	25. Ground To Head Contact  Code to the nearest centimeter (000) No front contact (400) 400 centimeters or more (998) No head contact (999) Unknown  inches X 2.54 = 245 centimeters
Front Wrap Distance Measurements	SIDE CONTACT DAMAGE
	Side Vertical Measurements
20. Ground to Forward Hood Opening	26. Ground Clearance  Code to the nearest centimeter (000) No side contact (150) 150 centimeters or more (999) Unknown
Code to the nearest centimeter (000) No front contact (200) 200 centimeters or more (999) Unknown	Code to the nearest centimeter (000) No side contact (150) 150 centimeters or more

29	Centerline of Wheel	000	Side Lateral Measureme	ents
20.	Code to the	<u> </u>		***************************************
	nearest centimeter		35. Centerline to A-Pillar	000
	(000) No side contact		at Bottom of Windshield	
	(150) 150 centimeters or more (999) Unknown		(000) No side contact	
	(999) OHKHOWH		Code to the	
	inches X 2.54 =	centimeters	nearest centimeter	
		_	(250) 250 centimeters or more (999) Unknown	
		000	(999) UNKIOWII	
30.	Top of Tire	<u> </u>	inches X 2.54 =	centimeters
	Code to the nearest centimeter			<del></del>
	(000) No side contact			200
	(200) 200 centimeters or more		36. Centerline to A-Pillar	<u> </u>
	(999) Unknown		at Top of Windshield  Code to the	
			nearest centimeter	
	inches X 2.54 =	centimeters	(000) No side contact	
		200	(250) 250 centimeters or more	
31.	Top of Wheel Well Opening	000	(999) Unknown	
	Code to the		inches X 2.54 =	contimeter
	nearest centimeter			Centimeter
	(000) No side contact (250) 250 centimeters or more			200
	(999) Unknown		37. Centerline to Maximum Side	UUU
			View Mirror Protrusion	
,	inches X 2.54 =	centimeters	Code to the	
22	Day CA Dillower Martin Helicald	000	(000) No side contact	
32.	Bottom of A-Pillar at Windshield  Code to the	000	(300) 300 centimeters or more	
	nearest centimeter		(999) Unknown	
	(000) No side contact			
	(250) 250 centimeters or more		inches X 2.54 =	centimeter
	(999) Unknown			
	inches X 2.54 =	centimeters	Side Wrap Distance Measur	ements
		_ centimeters		
•		000	38. Ground to Side/Top Transition	000
33.	Top of A-Pillar at Windshield	$\underline{v}\underline{v}\underline{v}$	Code to the	
	Code to the		nearest centimeter	
	nearest centimeter (000) No side contact		(000) No side contact	
•	(300) 300 centimeters or more		(400) 400 centimeters or more (999) Unknown	
	(999) Unknown		(999) OHKHOWH	
			inches X 2.54 =	centimeters
	inches X 2.54 =	_ centimeters	<del></del>	<del></del>
			20 Occupates Hand Edge	DOO
34.	Top of Side View Mirror	000	39. Ground to Hood Edge  Code to the	UUU
	Code to the		nearest centimeter	
	nearest centimeter		(000) No side contact	
	(000) No side contact		(500) 500 centimeters or more	
	(300) 300 centimeters or more (999) Unknown		(999) Unknown	
	(SOS) STIKITOVIT		inches X 2.54 =	centimeters
	inches X 2.54 =	_ centimeters		centimeters

40.		d to Centerline of Hood Code to the nearest centimeter	000	
	(700)	No side contact 700 centimeters or more Unknown		
		inches X 2.54 =	centimeters	
41.	. Ground to Head Contact  Code to the nearest centimeter		000	
	(800) (998)	No side contact 800 centimeters or more No head contact		
	(999)	Unknown		
	<del></del>	inches X 2.54 =	centimeters	
		:	•	



NATIONAL ACCIDENT SAMPLING SYSTEM CRASHWORTHINESS DATA SYSTEM

Primary S	Sampling U	nit Number	Case Number—Stratum			
Photo No.	Vehicle No.	Direction of Picture	Description of Slide Subject Matter			
1-6			overall Frontal Views of Vihile			
7-8			Overall Frontal Views of Vahiole Left & Right lag prints to bumper			
9-10			Views of damage to windshild			
11.			Pre-Impact Trave L			
12			POI			
13-14			Post Impact Trajectory  FRP of Truck  FRP of Ped			
15-17			FRP of Truck			
18-2.	3		FRP of Ped			
• ,						
		·				
·						
	·					



PSU 90-624P (1997) #1



PSU 90-624P (1997) #2



PSU 90-624P (1997) #3



PSU 90-624P (1997) #4



PSU 90-624P (1997) #5



PSU 90-624p (1997) #6



PSU 90-624P (1997) #7



PSU 90-624P (1997) #8



PSU 90-624P (1997) #9



PSU90-624P(1997)#10



PSU 90-624P (1997) #11



PSU 90-624P (1997) # 12



PSU 90-624P (1997) #13



PSU 90-624P (1997) #14



PSU 90-624P (1997) #15



PSU 90-624P (1997) #16

## "GRAPHIC" PHOTOGRAPHS and IMAGES

Several vivid photographs have been removed for this case.

These photographs contain highly graphic material
which may be improper for the general audience.

PSU 90-624p (1997) Photo #17,18

If you would like a copy of these photographs and/or images please call or write to:

Marjorie Saccoccio at (617) 494-2640
VOLPE NATIONAL TRANSPORTATION SYSTEMS CENTER
55 Broadway
Cambridge, MA 02142

## "GRAPHIC" PHOTOGRAPHS and IMAGES

Several vivid photographs have been removed for this case. These photographs contain highly graphic material which may be improper for the general audience.

PSU 90-624p (1997) Photo #19

If you would like a copy of these photographs and/or images please call or write to:

Marjorie Saccoccio at (617) 494-2640
VOLPE NATIONAL TRANSPORTATION SYSTEMS CENTER
55 Broadway
Cambridge, MA 02142



PSU 90-624P (1997) #20

## "GRAPHIC" PHOTOGRAPHS and IMAGES

Several vivid photographs have been removed for this case.

These photographs contain highly graphic material
which may be improper for the general audience.

PSU 90-624p (1997) Photo #21,22

If you would like a copy of these photographs and/or images please call or write to:

Marjorie Saccoccio at (617) 494-2640
VOLPE NATIONAL TRANSPORTATION SYSTEMS CENTER
55 Broadway
Cambridge, MA 02142



PSU 90-624P (1997) #23