



U.S. Department of Transportation

National Highway Traffic Safety Administration

Dear Crash Data Researchers/Users:

Thank you for choosing crash data from the National Highway Traffic Safety Administration (NHTSA) for your research or other use. The information contained in this motor vehicle crash report is collected, maintained and distributed in accordance with Public Law 89-564. In accordance with this Public Law, NHTSA is required not to release any case information until completion of quality control procedures. These procedures include a review of the case material to extract all names, licenses and registration numbers, non-coded interview material, non-research related researcher comments in the margins, non-factual data, and the production number portion of the vehicle identification number (VIN).

If you requested NHTSA to query its database files in order to identify a specific crash, then that query was made using non-personal descriptors you provided for use in our search. This motor vehicle crash may have been identified from a data search and matches the general, non-personal descriptors you provided, but we cannot confirm that this is the specific crash report you requested.

If you have any questions with regard to the above procedures, please contact the Field Operations Branch, Crash Investigation Division, National Center for Statistics and Analysis at 202-366-4820. Again, please be advised that we cannot confirm that this is the case that you have specifically requested nor can we certify the information to be correct.

*** *** ***



PEDESTRIAN CASE SUMMARY NATIONAL ACCIDENT SAMPLING SYSTEM PEDESTRIAN CRASH DATA STUDY

Most Severe Injury (TO BE COMPLETED BY ZONE CENTER)

Administration PSU_82

Pedestrian

Lower Extremity

External

603P CASE NO.

TYPE OF ACCIDENT Compact Utility/Pedestrian

A. DESCRIPTION OF THE ACCIDENT SEQUENCE AND ACCIDENT PECULIARITIES

(Provide a summary of the accident sequence as well as any particular event of the accident that is noteworthy. Pedestrian injury mechanism and vehicle interaction is the focus, not pedestrian or driver culpability. Do not include any personal identifiers.)

Vehicle 1 was westbound on a 2-lane, 2-way roadway with a right curve as it crosses an intersection. The pedestrian was walking northeasterly in the intersection when the front of vehicle 1 struck the right side of the pedestrian. The pedestrian wrapped to the hood and then was knocked to the ground as vehicle 1 stopped.

	1 . 1	_		\$	1.0 02 001111 22		ZONE CENTEN,	
No.	Age	Sex	Mortality	Body Region	Ana. Struc.	AIS	Injury Source	
01	61	M	Treated and Released	R-Knee	Contusion	1	Bumper	
Body Regio	n		Туре	of Anatomic Stru	ıcture	,	Abbreviated Injury Scale	
Spine			Whol Vess: Nerva Orgai Skele Head	es ns Ital		() () ()	1) Minor injury 2) Moderate injury 3) Serious injury 4) Severe injury 5) Critical injury 6) Maximum (untreatable)	
Abdomen/Pelvis Spine Upper Extremity			Skin-Burn			(7) Injured, unknown severity		

Skin-Other


B. PEDESTRIAN PROFILE

Treatment/

		C. VEH	ICLE PROFIL	E
	Class		В	Most Severe Damage Based on Vehicle Inspection
Vehicle No.	of Vehicle	Year/Make/Model	Damage Plane	Damage Description
01	Compact Utility	92/ Toyota/ 4-runner	Front	Minor dents and smudges

DO NOT SANITIZE THIS FORM

U.S. Department of Transportation National Highway Traffic Safety Administration






U.S. Department of Transportation

ACCIDENT COLLISION DIAGRAM

NATIONAL ACCIDENT SAMPLING SYSTEM PEDESTRIAN CRASH DATA STUDY





Administration

PEDESTRIAN ACCIDENT COLLISION MEASUREMENT TABLE

NATIONAL ACCIDENT SAMPLING SYSTEM PEDESTRIAN CRASH DATA STUDY

P Case Number-Stratum Primary Sampling Unit Number TIRES PEDESTRIAN ACCIDENT COLLISION DATA COLLECTION **SCALED DIAGRAM** merelle Surface Type north arrow placed on diagram document reference point and reference line relative to physical features grade measurements for all applicable documentation of all accident induced physical Surface Condition roadways evidence including (if applicable): Coefficient of Friction scaled representations of the physical plant including: vehicle skid merks a) all road/roadway delineation (e.g., crosswalks, curb/edge lines, lane pedestrian contacts with ground or object markings, medians, pavement markings. Grade (v/h) Measurement parked vehicles, poles, signs, etc.) b) all traffic controls (e.g., lights, signs) at impact vehicle/pedestrian point of impact (POI) c) scaled representations of the vehicle and between impact and location of pedestrian separation point from pedestrian at pre-impact, impact, and final final rest rest based upon either. physical evidence, or Pedestrian Travel Direction final resting points (FRP) for pedestrian and 1) vehicle reconstructed accident dynamics documentation of the physical plant including: Vehicle Travel Direction all road/roadway delineation (e.g., crosswalks, curb/edge lines, lane markings, medians, Number of Travel Lanes pavement markings, parked vehicles, poles, signs, etc.) all traffic controls (e.g., lights, signs) draw Distance and Direction Distance and Direction Item from Reference Point from Reference Line

PEDESTRIAN ACCIDENT FORM NATIONAL ACCIDENT SAMPLING SYSTEM

PEDESTRIAN CRASH DATA STUDY

1. Primary Sampling Unit Number

2. Case Number - Stratum



IDENTIFICATION

3. Number of General Vehicle Forms Submitted

0

4. Date of Accident (Month, Day, Year)



5. Time of Accident

Code reported military time of accident.

NOTE: Midnight = 2400Unknown = 9999

SPECIAL STUDIES - INDICATORS

Check (✓) each special study (SS15-SS19 below) that has been completed; code 1 for the checked special studies and 0 for the special studies not checked.

- 6. ____SS15 Administrative Use
- 7. <u>✓ SS16</u> Pedestrian Crash Data Study 1
- 8. ___SS17 Impact Fires
- 9. ____SS18 _____ _0_
- 10. SS19

NUMBER OF EVENTS

11. Number of Recorded Events in This Accident

0 1

0

0

0

PEDESTRIAN STUDY CRITERIA

Pedestrian Definition:

Any person who is on a trafficway or on a sidewalk or path contiguous with a trafficway, or on private property (e.g., parking lot). Note: Pedestrians include persons who are in contact with the ground, roadway, etc. and are pushing carts, wagons, etc. or holding on to a vehicle.

Persons in or on a nonmotorist conveyance are not pedestrians and are excluded from this study. A nonmotorist conveyance is defined as any human powered device by which a nonmotorist may move, or by which a pedestrian or nonmotorist may move another nonmotorist. A nonmotorist conveyance for purposes of this study includes the following: bicycles, baby carriages, roller skates/blades, push carts, scooters, wheelchairs, animals, etc. For example, persons on a bicycle/scooter, roller skating/blading, in a baby carriage/push cart/wheelchair or on a horse are excluded.

Case Selection Criteria:

A forward moving, late model year (VEH04 equals 90 to 95) CDS applicable vehicle (VEH07 equals 01 to 49) must strike a pedestrian.

The striking portion of the vehicle structure must be original equipment manufacturer (OEM) without previous damage and or parts removed in the impact area. For example, vehicles equipped with deer guards, winches, snow plows, etc. or previously damaged in the impact area are excluded.

The pedestrian may not be lying or sitting.

The pedestrian impact(s) are the vehicle's only impact(s). If multiple pedestrians are impacted, each pedestrian shall be a separate

The first point of contact between the late model year, CDS applicable vehicle and the pedestrian must be forward of the top of the A pillar.

		PEDESTRIAN	ACCIDEN	T EVENTS		
Accident Event Sequence Number	Vehicle Number	Class Of Vehicle	General Area of Damage	Vehicle Number or Object Contacted	Class Of Vehicle	General Area of Damage
12. <u>0</u> <u>1</u>	13. <u>0</u> <u>1</u>	14	15	16. <u>7 2</u>	17. <u>0</u> <u>0</u>	18. <u>0</u>

CODES FOR CLASS OF VEHICLE

- (00) Not a motor vehicle
- (01) Subcompact/mini (wheelbase < 254 cm)
- (02) Compact (wheelbase ≥ 254 but < 265 cm)
- (03) Intermediate (wheelbase ≥ 265 but < 278 cm)
- (04) Full size (wheelbase ≥ 278 but < 291 cm)
- (05) Largest (wheelbase ≥ 291 cm)
- (09) Unknown passenger car size
- (11) Compact utility vehicle
- (12) Large utility vehicle (≤ 4,500 kgs GVWR)
- (13) Passenger van (≤ 4,500 kgs GVWR)
- (14) Other van (≤ 4,500 kgs GVWR)
- (15) Pickup truck (≤ 4,500 kgs GVWR)
- (18) Other truck (≤ 4,500 kgs GVWR)
- (19) Unknown light truck type

CODES FOR GENERAL AREA OF DAMAGE (GAD)

CDS APPLICABLE VEHICLES

- (F) Front
- (R) Right side
- (L) Left side
- (U) Undercarriage
- (9) Unknown

CODES FOR VEHICLE NUMBER OR OBJECT CONTACTED

Collision with Nonfixed Object

(72) Pedestrian

U.S. Department of Transportation

PEDESTRIAN ASSESSMENT FORM

Form Approved O.M.B. No. 2127-0021

National Highway Traffic Safety Administration NATIONAL ACCIDENT SAMPLING SYSTEM PEDESTRIAN CRASH DATA STUDY

1. Primary Sampling Unit Number 2. Case Number - Stratum 603 P	10. Pedestrian's Weight Code actual weight to the nearest kilogram. (999) Unknown
3. Pedestrian Number <u>0 1</u>	kilograms
PEDESTRIAN'S CHARACTERISTICS	PEDESTRIAN'S PRE-AVOIDANCE ACTIONS
4. Pedestrian's Age Code actual age at time of accident. (00) Less than one year old (specify by month): (97) 97 years and older (99) Unknown	11. Pedestrian Attitude (1) Standing (2) Crouching (3) Kneeling (4) Bending at waist (8) Other (specify):
5. Pedestrian's Sex (1) Male (2) Female - not reported pregnant (3) Female - pregnant-1st trimester (1st-3rd month) (4) Female - pregnant-2nd trimester (4th-6th month) (5) Female - pregnant-3rd trimester (7th-9th month) (6) Female - pregnant-term unknown (9) Unknown 6. Pedestrian's Overall Height Code actual height to the nearest centimeter. (999) Unknown	12. Pedestrian Motion (0) Not moving (1) Walking slowly (2) Walking rapidly (3) Running or jogging (4) Hopping (5) Skipping (6) Jumping (7) Falling/stumbling or rising (8) Other (specify):
7. Pedestrian's Height - Ground to Knee Code to the nearest centimeter. (999) Unknown inches X 2.54 =centimeters 8. Pedestrian's Height - Ground to Hip Code to the nearest centimeter. (999) Unknown inches X 2.54 =centimeters 9. Pedestrian's Height - Ground to Shoulder	13. Pedestrian's Action Relative to Vehicle (00) Stopped (01) Crossing road, straight (02) Crossing road, diagonally (03) Moving in road, with traffic (04) Moving in road, against traffic (05) Off road, approaching road (06) Off road, going away from road (07) Off road, moving parallel (08) Off road, crossing driveway (09) Off road, moving along driveway (98) Other (specify): (99) Unknown 14. Pedestrian's Body (Chest) Orientation Relative to Striking Vehicle Prior to Avoidance Actions
Code to the nearest centimeter. (999) Unknown inches X 2.54 = centimeters	 (1) Facing vehicle (2) Facing away (3) Left side to vehicle (4) Right side to vehicle (8) Other (specify): (9) Unknown

PEDESTRIAN'S AVOIDANCE ACTIONS

- 15. Pedestrian's First Avoidance Actions
 - (00) No avoidance actions
 - (01) Stopped
 - (02) Accelerated pace
 - (03) Ran away (along vehicle path)
 - (04) Jumped

 - (05) Turned toward vehicle(06) Turned away from vehicle
 - (07) Dove or fell away

Used hand(s) to:

- (11) Vault corner of vehicle
- (12) Vault onto vehicle
- (13) Brace against vehicle
- (14) Crouched and braced hands against vehicle
- (98) Other (specify): _____
- (99) Unknown

PEDESTRIAN'S ORIENTATION AT IMPACT

- 16. Pedestrian's Head Orientation at Initial Impact
 - (1) To front
 - (2) To left
 - (3) To right
 - (4) Up
 - (5) Down
 - (8) Other (specify):
 - (9) Unknown
- 17. Pedestrian's Body (Chest) Orientation at Initial Impact
 - (1) Facing vehicle
 - (2) Facing away
 - (3) Left side to vehicle
 - (4) Right side to vehicle
 - (8) Other (specify):_____
 - (9) Unknown

- 18. Pedestrian's Arm Orientation at Initial Impact
 - (01) At sides
 - (02) Folded across chest
 - (03) Hands clasped behind back
 - (04) Hands on hips
 - (05) Hands in pockets

One or both arms:

- (06) Extended upward
- (07) Extended to side
- (08) Extended forward bracing
- (09) Extended, holding object (briefcase, suitcase, etc.)
- (10) Holding object (young child, grocery bag, etc.) in arm(s)
- (11) Holding object (young child, grocery bag, etc.) on shoulder(s) or head
- (98) Other (specify):_____
- (99) Unknown
- 19. Pedestrian's Leg Orientation at Initial Impact
 - (01) Together
 - (02) Apart-laterally
 - (03) Apart-right leg forward
 - (04) Apart-left leg forward
 - (05) Apart- forward leg unknown
 - (06) Left foot off the ground
 - (07) Right foot off the ground
 - (08) Both feet off the ground
 - (98) Other (specify):_____
 - (99) Unknown
- 20. Vehicle/Pedestrian's Interaction
 - (01) Carried by vehicle, wrapped position
 - (02) Carried by vehicle, slid to windshield
 - (03) Carried by vehicle, position unknown
 - (04) Passed over vehicle top
 - (05) Thrown straight forward
 - (06) Thrown forward and left of vehicle
 - (07) Thrown forward and right of vehicle
 - (08) Knocked to pavement, forward
 - (09) Knocked to pavement, left of vehicle

 - (10) Knocked to pavement, right of vehicle
 - (11) Knocked to pavement, run over or dragged by vehicle
 - (12) Shunted to left (corner impacts only)
 - (13) Shunted to right (corner impacts only)
 - (14) Bumped or pushed aside
 - (15) Snagged, rotated
 - (16) Snagged, dragged by vehicle
 - (17) Foot or legs run over
 - (98) Other (specify):_____
 - (99) Unknown





Tational Acoldent Campling System Stabilities	ordiniess Data System. Fedestrian Assessment Form	age .
OFFICIAL RECORDS	INJURY CONSEQUENCES	
 21. Police Reported Alcohol Presence For Pedestrian (0) No alcohol present (1) Yes alcohol present (7) Not reported (9) Unknown 	25. Injury Severity (Police Rating) (0) O - No injury (1) C - Possible injury (2) B - Nonincapacitating injury (3) A - Incapacitating injury (4) K - Killed (5) U - Injury, severity unknown	}
22. Alcohol Test Result For Pedestrian Code actual value (decimal implied before first digit—0.xx) (95) Test refused (96) None given (97) AC (Alcohol Content) test performed, results unknown (99) Unknown if test given	(6) Died prior to accident (9) Unknown 26. Treatment - Mortality (0) No treatment (1) Fatal (2) Fatal - ruled disease (specify): Nonfatal (3) Hospitalization (4) Transported and released	£ -
 23. Police Reported Other Drug Presence For Pedestrian (0) No other drug(s) present (1) Yes other drug(s) present (7) Not reported (9) Unknown 	(5) Treatment at scene - non-transported (6) Treatment later (8) Treatment - other (specify): (9) Unknown	1
24. Other Drug Specimen Test Result For Pedestrian (0) No specimen test given (1) Drug not found in specimen (2) Drug found in specimen, (specify): (3) Specimen test given, results unknown or not obtained (9) Unknown	27. Type Of Medical Facility (for Initial Treatment) (0) Not treated at a medical facility (1) Trauma center (2) Hospital (3) Medical clinic (4) Physician's office (5) Treatment later at medical facility (8) Other (specify): (9) Unknown	<u>'</u>
	(00) Not Hospitalized Code the number of days (up through 60) that the pedestrian stayed in a hospital. (61) 61 days or more (99) Unknown	- 7
	29. Working Days Lost Code the number of days (up through 60) that the pedestrian lost from work due to the accident (00) No working days lost (61) 61 days or more (62) Fatally injured (97) Not working prior to accident (99) Unknown	

National Accident Camping System-Clasinion Da	a cystem: redestrian Assessment rollin Page
STOP - VARIABLES 30 THROUGH 37 AR	RE COMPLETED BY THE ZONE CENTER
30. Glasgow Coma Scale (GCS) Score (at Medical Facility) (00) Not injured (01) Injured - not treated at medical facility (02) No GCS Score at medical facility	34. 1st Medically Reported Cause of Death 35. 2nd Medically Reported Cause of Death
(03-15) Code the actual value of the initial GCS Score recorded at medical facility. (97) Injured, details unknown (99) Unknown if injured	36. 3rd Medically Reported Cause of Death Code the Pedestrian Injury from line number(s) for the medically reported injury(s) which reportedly contributed to this pedestrian's death
31. Was the Pedestrian Given Blood? (1) No - blood not given (2) Yes - blood given (specify units): (9) Unknown if blood given	 (00) Not fatal or no additional causes (96) Mode of death given but specific injuries are not linked to cause of death. (specify):
32. Arterial Blood Gases (ABG) – HCO ₃ (00) Not injured (01) Injured, ABGs not measured or reported (02-50) Code the actual value of the HCO ₃	(97) Other result (includes fatal ruled disease) (specify): (99) Unknown
(96) ABGs reported , HCO ₃ unknown (97) Injured, details unknown (99) Unknown if injured	This Pedestrian Code the actual number of injuries recorded for this pedestrian. (00) No recorded injuries
33. Time to Death Code number of hours from time of accident to time of death up through 24 hours. If time of death is greater than 24 hours, code number of days. (Note: 1 day = 31, 2 days = 32, n days = 30 +n up through 30 days = 60) (00) Not fatal	(97) Injured, details unknown (99) Unknown if injured
(96) Fatal - ruled disease (99) Unknown	
ARE ALL APPLICABLE MEDICAL RECORD)
NO[]	YES M
UPDATE CANDIDATE?	NO[] YES[]



Administration

U.S. Department of Transportation National Highway Traffic Safety

PEDESTRIAN INJURY FORM

Form Approved O.M.B. No. 2127-0021

NATIONAL ACCIDENT SAMPLING SYSTEM PEDESTRIAN CRASH DATA STUDY

1. Primary Sampling Unit Number

<u>603</u> P

3. Pedestrian Number

0 1

2. Case Number - Stratum

<u>X</u> <u>X</u>


INJURY DATA

Record below the actual injuries sustained by this pedestrian in **CHRONOLOGICAL** order that were identified from the official and unofficial data sources. Remember not to double count an injury just because it was identified from two different sources. If greater than twenty-five injuries have been documented, encode the balance on the Pedestrian Injury Supplement.

				AIS-90					Injury				
	Source of Injury Data	Body Region	Type of Anatomic Structure	Specific Anatomic Structure	Level of Injury	A.I.S. Severity	Aspect	Injury Source	Source Confidence Level	Direct/ Indirect Injury	Striking Profile	Type Of Damage	Damage Depth
lst	<u>3</u>	6. <u>F</u>	79	8. <u>6</u>	9. <u>0</u> 2	- _{10.} <u>/</u>	11	12. <u>70 b</u>	13. <u>L</u>	14. 1	15. 2	-16. <u>2</u>	17.2
2nd	18. 7	19	20.5	21.02	22. <u>1</u> }	- 23. <u> </u>	24	_{25.} <u>703</u>	26	27	28. 3	29.2	30. <u>2</u>
3rd	317	327	33. <u>9</u>	34. <u>D 2</u>	-35. <u>0</u> 2	- _{36.} <u>/</u>	37	38. <u>703</u>) 39. <u>/</u>	40. 1	41. 5	42. 2	- _{43.} <u>2</u>
4th	44.7	45	46. 7	47.02	- _{48.} <u>0</u> <u>2</u>	- _{49.} <u>L</u>	50. <u>/</u>	51. <u>77</u>	> _{52.} <u>/</u>	_{53.} <u>/</u>	54.2	- _{55.} <u>2</u>	- _{56.} <u>2</u>
5th	57. <u>3</u>	58. 2	_ 59	60. <u>D </u>	_{61.} <u>0</u> <u>2</u>	62. <u>L</u>	63. <u></u>	64. <u>77</u> 0	65	66.	67. <u>2</u>	- _{68.} <u>2</u>	- _{69.} 2
6th	70	71. <u>/</u>	72. 9	73 <u>04</u>	,4 <u>0</u> 2	-75. <u>L</u>	_{76.} <u>L</u>	77. <u>947</u>	7 _{78.} _	79. <u>/</u>	80. ව	81. <u>Ø</u>	82.0
7th	83	84	85	86	87	88	89	90,	91	92	93	94	95
8th	96	97	98	99	100	_ 101	102	103	- 104	105	106	107	108
9th	109	110	111	112	_113	_ 114	115	116	117	118	119	120	121
Oth	122	193	124	125	126	127	128	129.	130.	131	132	133	134.

This report is authorized by P.L. 89-563, Title 1, Section 106, 108, and 112. While you are not required to respond, your cooperation is needed to make the results of this data collection effort comprehensive, accurate, and timely.

Indicate the Location, Specific Anatomic Structure, Detail (size, depth, fracture type, head injury clinical signs and neurological deficits), and Source of all injuries indicated by official sources (or from PAR or other unofficial sources if medical records and interviewee data are unavailable.)



Page

(3) Hospital/medical records other than Large deformation DIRECT/INDIRECT INJURY emergency room (e.g., discharge Cracked, fractured, shattered Separated from vehicle summary) Direct contact injury Emergency room records only (including Indirect contact injury Noncontact injury Noncontact injury associated X-rays or other lab reports) Other specify: Injured, unknown source (4) Private physician, walk-in or emergency Unknown STRIKING PROFILE DAMAGE DEPTH Injury not from vehicle contact Flat-Narrow (<15 centimeters) Flat-Wide (≥ 15 centimeters) Injury not from vehicle contact UNOFFICIAL No residual damage (5) Lay coroner report Surface only damage (6) E.M.S. personnel Rounded (contoured) Rounded edge Crush depth >0 to 2 centimeters Interviewee Crush depth > 2 to 5 centimeters Crush depth > 5 to 10 centimeters Other specify:_____ Sharp edge Other source (specify): Other (specify): (9) Police (9) Unknown Unknown PEDESTRIAN INJURY CLASSIFICATION **Body Region** Specific Anatomic Structure Abbreviated Injury Scale Spine (02) Cervical (04) Thoracic Whole Area (O2) Skin - Abrasion (O4) Skin - Contusion (O6) Skin - Laceration Head Minor injury Moderate injury Face (06) Lumbar (3) (4) (5) Neck Thorax Serious injury Vessels, Nerves, Organs, Bones, Joints are assigned consecutive two digit numbers beginning with 02 (4) (5) Severe injury Abdomen (08) Skin - Avulsion Critical injury (6)(10) Amputation Maximum (untreatable) Spine Upper Extremity Lower Extremity (7)(20) Burn (30) Crush Injured, unknown severity (8) Level of Injury Unspecified (40) Degloving **Aspect** Injury - NFS Specific injuries consecutive two (50)assigned consecutive two-digit beginning with 02. Type of Anatomic Structure (90) Trauma, other than mechanical Right Left numbers (2) (3) (4) (5) Whole Area Bilateral Head - LOC To the extent possible, within the organizational framework of the AIS, 00 (02) Length of LOC (04, 06, 08) Level of Consciousness (2) (3) Vessels Central Nerves Anterior (4) Organs (includes muscles/ (10) Concussion is assigned to an injury NFS as to Posterior severity or where only one injury is given in the dictionary for that anatomic structure. 99 is assigned to any injury NFS as to lesion or severity. ligaments) Skeletal (includes joints) (7) (8) Superior (5) Inferior Head - LOC Unknown Whole region **INJURY SOURCE FRONT** Wheels / tires 700 Front bumper 744 B pillar 790 Left front wheel / tire 701 Front lower valance/spoiler 745 C pillar 791 Right front wheel / tire 746 D pillar 702 Front grille 792 Left rear wheel / tire 703 Hood edge and/or trim 748 Other pillar (specify):_ 793 Right rear wheel /tire 704 Hood ornament (fixed) 749 Right side roof rail 798 Other wheel / tire (specify): 705 Hood ornament (spring loaded) 750 Right side door surface 799 Unknown wheel / tire 706 Headlight 751 Right side door handle 707 Retractable headlight door (Open/Closed) 752 Right side mirror fixed housing Undercarriage components 708 Turn signal/parking lights 753 Right side folding mirror 800 Front crossmember 718 Other front or add on object 754 Right side glazing forward of B pillar 801 Steering assembly/Front suspension 755 Right side glazing rearward of B pillar 802 Oil pan 756 Rear antenna 803 Exhaust system pipe 757 Rear fender or quarter panel 804 Transmission Left Side Components 758 Other right side object 805 Drive shaft 720 Front fender side surface (specify): 806 Catalytic converter 721 Front antenna 759 Unknown right side component 807 Muffler 722 A1 pillar 808 Floor pan 723 A2 pillar Back Components 760 Rear (back) bumper 809 Fuel tank 724 B pillar 810 Rear suspension 761 Tailgate 725 C pillar 818 Other undercarriage component 762 Hatchback, vertical surface 726 D pillar (specify): 728 Other pillar 768 Other back component 819 Unknown undercarriage component (specify): (specify): 729 Left side roof rail 769 Unknown back component **Accessories** 730 Left side door surface 820 Air scoop, deflector 731 Left side door handle 821 Cellular or CB radio antenna Top Components 732 Left side mirror fixed housing 770 Hood surface 822 Emergency lights or bar 733 Left side folding mirror 771 Hood surface reinforced by under hood 823 Fog lights 734 Left side glazing forward of B pillar component 824 Luggage, ski, or bike rack 735 Left side glazing rearward of B pillar 825 Cargo (specify):_ 772 Front fender top surface 736 Left side back fender or quarter panel 773 Cowl area 826 Spare tire 737 Rear antenna 774 Wiper blade & mountings 827 Spotlight 738 Other left side object 828 Other accessory (specify): 775 Windshield glazing (specify): 776 Front header 739 Unknown left side component 777 Roof surface Other Object or Vehicle in Environment 778 Backlight glazing 947 Ground 948 Other object (specify): Right Side Components 779 Rear header 949 Unknown object in environment 740 Front fender side surface 780 Hatchback

781 Rear trunk lid

788 Other top component (specify): ____

789 Unknown top component

INJURY SOURCE CONFIDENCE LEVEL

Certain Probable

Possible

Unknown

TYPE OF DAMAGE

No damage/contact

Injury not from vehicle contact

Scratch (Scuff, Cloth Transfer, Smear)

959 Unknown object on contacting vehicle

997 Noncontact injury source

999 Unknown injury source

SOURCE OF INJURY DATA

medical records

741 Front antenna

742 A1 pillar

743 A2 pillar

(1) Autopsy records with or without hospital/

OFFICIAL

OFFICIAL INJURY DATA — SKELETAL INJURIES

Restrained?

___ No

Indicate the Location, Specific Anatomic Structure, Detail (size, depth, fracture type, head injury clinical signs and neurological deficits), and Source of all injuries indicated by official sources (or from PAR or other unofficial sources if medical records and interviewee data are

unavailable.)

Blood Alcohol Level (mg/dl)

BAL = ____

Glasgow Coma Scale Score

GCSS = 15

Units of Blood Given

Units = ____


Arterial Blood Gases


Ph = __.__

PO₂ = ____

PCO₂ ____


HCO₃






OFFICIAL INJURY DATA - INTERNAL INJURIES

Indicate the Location, Specific Anatomic Structure, Detail (size, depth, fracture type, head injury clinical signs and neurological deficits), and Source of all injuries indicated by official sources (or from PAR or other unofficial sources if medical records and interviewee data are unavailable.)






PEDESTRIAN GENERAL VEHICLE FORM NATIONAL ACCIDENT SAMPLING SYSTEM PEDESTRIAN CRASH DATA STUDY

OFFICIAL RECORDS

National Highway Traffic Safety Administration 1. Primary Sampling Unit Number 2. Case Number - Stratum 0 1 3. Vehicle Number **VEHICLE IDENTIFICATION** 4. Vehicle Model Year Code the last two digits of the model year (99) Unknown 5. Vehicle Make (specify): Applicable codes are found in your NASS PCDS Data Collection, Coding and Editing Manual. (99) Unknown 6. Vehicle Model (specify): Applicable codes are found in your NASS PCDS Data Collection, Coding and Editing Manual. (999) Unknown 7. Body Type Note: Applicable codes may be found on the back of this page. 8. Vehicle Identification Number



Left justify; Slash zeros and letter Z (0 and Z) No VIN-Code all zeros Unknown-Code all nines

8 9 10 11 12 13 14 15 16 17

(0) No specimen test given

(1) Drug not found in specimen

(2) Drug found in specimen (specify):_

(3) Specimen test given, results unknown or not obtained

(8) No driver present

(9) Unknown

CODES FOR BODY TYPE

CDS APPLICABLE VEHICLES

Automobiles

- (01) Convertible (excludes sun-roof, t-bar)
- (02) 2-door sedan, hardtop, coupe
- (03) 3-door/2-door hatchback
- (04)4-door sedan, hardtop
- (05) 5-door/4-door hatchback
- (06) Station wagon (excluding van and truck based)
- (07) Hatchback, number of doors unknown
- (08) Other automobile type (specify):
- (09) Unknown automobile type

Automobile Derivatives

- (10) Auto based pickup (includes El Camino, Caballero, Ranchero, Brat, and Rabbit pickup)
- (11) Auto based panel (cargo station wagon, auto based ambulance/hearse)
- Large limousine more than four side doors or stretched chassis
- (13) Three-wheel automobile or automobile derivative

Utility Vehicles (≤ 4,500 kgs GVWR)

- (14) Compact utility (Jeep CJ-2 CJ-7, Scrambler, Golden Eagle, Renegade, Laredo, Wrangler, Cherokee [84 and after], Dispatcher, Raider, Bronco II, Bronco [76 and before], Explorer, S-10 Blazer, Geo Tracker, Bravada, S-15 Jimmy, Thing, Pathfinder, Trooper, Trooper II, Rodeo, Amigo, Navajo, 4-Runner, Montero, Samurai, Sidekick, Rocky)
- (15) Large utility (includes Jeep Cherokee [83 and before], Ramcharger, Trailduster, Bronco-fullsize [78 and after], fullsize Blazer, fullsize Jimmy, Landcruiser, Rover, Scout)
- (16) Utility station wagon (Chevy Suburban, GMC Suburban, Travelall, Grand Wagoneer, includes suburban limousine)
- (19) Utility, unknown body type

Van Based Light Trucks (≤ 4,500 kgs GVWR)

- (20) Minivan (Chrysler Town and Country, Caravan, Grand Caravan, Voyager, Grand Voyager, Mini-Ram, Dodge/Plymouth Vista, Aerostar, Villager, Lumina APV, Trans Sport, Silhouette, Astro, Safari, Toyota Van, Toyota Minivan, Previa, Nissan Minivan, Quest, Mitsubishi Minivan, Vanagon/Camper.)
- (21) Large van (B150-B350, Sportsman, Royal, Maxiwagon, Ram, Tradesman, Voyager [83 and before], E150-E350, Econoline, Clubwagon, Chateau, G10-G30, Chevy Van, Beauville, Sport Van, G15-G35, Rally Van, Vandura.)
- (22) Step van or walk-in van (≤ 4,500 kgs GVWR)
- Van based motorhome (≤ 4,500 kgs GVWR)
- (24) Van based school bus (≤ 4,500 kgs GVWR)
- (25) Van based other bus (≤ 4,500 kgs GVWR)
- (28) Other van type (Hi-Cube Van, Kary) (specify):
- (29) Unknown van type

Light Conventional Trucks (Pickup style cab, ≤ 4,500 kgs GVWR)

- (30) Compact pickup (D50, Colt P/U, Ram 50, Dakota, Arrow Pickup [foreign], Ranger, Courier, S-10, T-10, LUV, S-15, T-15, Sonoma, Datsun/Nissan Pickup, P'up, Mazda Pickup, Toyota Pickup, Mitsubishi Pickup)
- (31) Large Pickup (Jeep Pickup, Comanche, Ram Pickup, D100-D350, W100-W350, F100-F350, C10-C35, K10-K35, R10-R35, V10-V35, Silverado, Sierra, R100-R500,)

- (32) Pickup with slide-in camper
- (33) Convertible pickup
- (39) Unknown pickup style light conventional truck type

Other Light Trucks (≤ 4,500 kgs GVWR)

- (40) Cab chassis based (includes rescue vehicles, light stake, dump, and tow truck)
- (41) Truck based panel
- (42) Light truck based motorhome (chassis mounted)
- (45)Other light conventional truck type
- (48)Unknown light truck type
- (49)Unknown light vehicle type (automobile, utility, van, or light truck)

OTHER VEHICLES

Buses (Excludes Van Based)

- (50) School bus (designed to carry students, not cross country or transit)
- Other bus type (e.g., transit, intercity, bus based motorhome) (specify):
- (59) Unknown bus type

Medium/Heavy Trucks (> 4,500 kgs GVWR)

- (60) Step van (> 4,500 kgs GVWR)
- (61) Single unit straight truck (4,500 kgs < GVWR ≤ 8,850 kgs)
- Single unit straight truck (8,850 kgs < GVWR ≤ 12,000 kgs)
- (63) Single unit straight truck (> 12,000 kgs GVWR)
- (64)Single unit straight truck, GVWR unknown
- (65)Medium/heavy truck based motorhome
- Truck-tractor with no cargo trailer (67)
- (68)Truck-tractor pulling one trailer
- (69)Truck-tractor pulling two or more trailers (70)Truck-tractor (unknown if pulling trailer)
- (78) Unknown medium/heavy truck type
- (79) Unknown truck type (light/medium/heavy)

Motored Cycles (Does Not Include All-Terrain Vehicles/Cycles)

- (80) Motorcycle
- Moped (motorized bicycle) (81)
- (82)Three-wheel motorcycle or moped
- (88) Other motored cycle (minibike, motorscooter)
- (89) Unknown motored cycle type

Other Vehicles

- (90) ATV (All-Terrain Vehicle) and ATC (All-Terrain Cycle)
- (91) Snowmobile
- (92)Farm equipment other than trucks
- (93) Construction equipment other than trucks
- Other vehicle type (97)
- (99) Unknown body type

	VEHICLE WEIGHT ITEMS	RECONSTRUCTION DATA
	5. Jehicle Curb Weight0 Code weight to nearest	18. Impact Speed
1	10 kilograms. (045) Less than 450 kilograms (610) 6,100 kilograms or more (999) Unknown L	Nearest kmph (NOTE: 000 means greater than .5 kmph) (160) 159.5 kmph and above (999) Unknown 19. Accuracy Range of Impact Speed Estimate (0) No reconstruction (1) Less than 2 kmph (2) ≥ 2 kmph and ≤ 8 kmph (3) ≥ 9 kmph and ≤ 16 kmph (4) ≥ 17 kmph and ≤ 26 kmph (9) Unknown 20. Data Source of Impact Speed (0) No impact speed calculated (1) Zone center calculation (2) Police calculation (3) Driver/witness/police estimates
		PRECRASH DATA
1	7. Vehicle Special Use (This Trip) (0) No special use (1) Taxi (2) Vehicle used as school bus (3) Vehicle used as other bus (4) Military (5) Police (6) Ambulance (7) Fire truck or car (8) Other (specify): (9) Unknown STOP - VARIABLES 18 THROUGH 20 ARE COMPLETED BY THE ZONE CENTER	21. Driver's Attention to Driving (Prior to Recognition of Critical Event) (1) Full attention to driving (2) Distracted by other occupant (3) Distracted by moving object in vehicle (4) Distracted by outside person, object, or event (5) Talking on cellular phone or CB radio Specify: (6) Sleeping or dozing while driving (8) Other (specify): (9) Unknown 22. Pre-Event Vehicle Movement (Prior to Recognition of Critical Event) (01) Going straight (02) Slowing or stopping in traffic lane (03) Starting in traffic lane (04) Stopped in traffic lane (05) Passing or overtaking another vehicle (06) Disabled or parked in travel lane (07) Leaving a parking position (08) Entering a parking position (09) Turning right (10) Turning left (11) Making a U-turn (12) Backing up (other than for parking position) (13) Negotiating a curve (14) Changing lanes (15) Merging (16) Successful avoidance maneuver to a previous critical event (97) Other (specify): (98) No driver present (99) Unknown

	<u> </u>
23. Critical Precrash Event	(83) Pedalcyclist or other nonmotorist in roadway
This Vehicle Loss of Control Due To:	(specify):
(01) Blow out or flat tire	(84) Pedalcyclist or other nonmotorist approaching
(02) Stalled engine	roadway (specify):
(03) Disabling vehicle failure (e.g., wheel fell off)	(85) Pedalcyclist or other nonmotorist—unknown
(specify):	location (specify):
(04) Non-disabling vehicle problem (e.g., hood flew	Object or Animal
up) (specify):	(87) Animal in roadway
(05) Poor road conditions (puddle, pot hole, ice, etc.)	(88) Animal approaching roadway
(specify):	(89) Animal—unknown location
(06) Traveling too fast for conditions	(90) Object in roadway
(08) Other cause of control loss (specify):	(91) Object approaching roadway
(OC) Callot daded of definition load (opposity).	(92) Object—unknown location
(09) Unknown cause of control loss	(98) Other critical precrash event (specify):
This Vehicle Traveling	(55, 54, 54, 54, 54, 54, 54, 54, 54, 54,
(10) Over the lane line on left side of travel lane	(99) Unknown
(11) Over the lane line on right side of travel lane	\sim 1
(12) Off the edge of the road on the left side	24. Attempted Avoidance Maneuver
(13) Off the edge of the road on the right side	(00) No driver present
(14) End departure	(01) No avoidance actions
(15) Turning left at intersection	(02) Braking (no lockup)
(16) Turning right at intersection	(03) Braking (lockup)
(17) Crossing over (passing through) intersection	(04) Braking (lockup unknown)
(19) Unknown travel direction	(05) Releasing brakes
Other Motor Vehicle In Lane	(06) Steering left
(50) Stopped	(07) Steering right
(51) Traveling in same direction with lower speed	(08) Braking and steering left
(i.e., lower steady speed or decelerating)	(09) Braking and steering right
(52) Traveling in same direction with higher speed	(10) Accelerating
(53) Traveling in opposite direction	(11) Accelerating and steering left
(54) In crossover	(12) Accelerating and steering right
(55) Backing	(98) Other action (specify):
(59) Unknown travel direction of other motor vehicle	(99) Unknown
in lane	
Other Motor Vehicle Encroaching Into Lane	25. Precrash Stability After Avoidance Maneuver
(60) From adjacent lane (same direction) - over left	(O) No driver present
lane line	(1) No avoidance maneuver
(61) From adjacent lane (same direction) - over right	(2) Tracking
lane line	(3) Skidding longitudinally—rotation less than 30
(62) From opposite direction—over left lane line	degrees (4) Skidding laterally—clockwise rotation
(63) From opposite direction—over right lane line	(5) Skidding laterally—counterclockwise rotation
(64) From parking lane	(8) Other vehicle loss-of-control (specify):
(65) From crossing street, turning into same direction	(6, 6, 6, 6, 6, 6, 6, 6, 6, 6, 6, 6, 6, 6
(66) From crossing street, across path	(9) Precrash stability unknown
(67) From crossing street, turning into opposite	
direction	26. Precrash Directional Consequences of
(68) From crossing street, intended path not known	Avoidance Maneuver (Corrective Action)
(70) From driveway, turning into same direction	(0) No driver present
(71) From driveway, across path	(1) No avoidance maneuver
(72) From driveway, turning into opposite direction	(2) Vehicle stayed in travel lane where avoidance
(73) From driveway, intended path not known	maneuver was initiated
(74) From entrance to limited access highway	(3) Vehicle stayed on roadway but left travel lane where avoidance maneuver was initiated
(78) Encroachment by other vehicle—details	(4) Vehicle stayed on roadway, not known if left
unknown	travel lane where avoidance maneuver was
Pedestrian or Pedalcyclist, or Other Nonmotorist	initiated
(80) Pedestrian in roadway	(5) Vehicle departed roadway

(6) Avoidance maneuver initiated off roadway

(9) Directional consequences unknown

(81) Pedestrian approaching roadway

(82) Pedestrian-unknown location

		ENVIRO	NME	NTAL [DATA
27	Rela	tion to Junction	3	33 Roa	dway Surface Condition
27.		Non-junction	<u> </u>	(1)	Dry
	(1)	Interchange area		(2)	Wet
	A1			(3)	Snow and slush
	(2)	Interchange Intersection		(4) (5)	Ice Sand, dirt or oil
•	(3)	Intersection-related			Other (specify):
	(4)	Drive, alley access related		(9)	
	(5)	Other non-interchange (specify):			
	(6)	Unknown type of non-interchange		34 Traf	fic Control Device
		Unknown if interchange			No traffic control(s)
			_		Trafficway traffic control signal (not RR
			1		crossing)
28.		ficway Flow		D	whaten as Sahari Zana Sian (Not BB Crossina)
	(2)	Not physically divided (two way traffic) Divided trafficway - median strip without		(2)	ulatory or School Zone Sign (Not RR Crossing) Stop sign
	_/	positive barrier		(3)	Yield sign
	(3)	Divided trafficway - median strip with		(4)	School zone sign
	141	positive barrier		(5)	Other sign (specify):
	(4) (9)	One way trafficway Unknown		(6)	Unknown sign
	(5)	OTIKITO WIT	$\overline{}$		Warning sign (not RR crossing)
			Δ		Miscellaneous/other controls including RR
29.		ber of Travel Lanes	2		controls (specify):
	(1)	One Two		(9)	Unknown
	(3)	Three		10,	CTIRCIOWIT
	(4)	Four			([])
		Five			ffic Control Device Functioning
	(6) (7)	Six Seven or more			No traffic control Not Functioning
	(9)	Unknown			Functioning
					Unknown
20	D	duran Alimanan	\mathcal{A}		1
30.		dway Alignment Straight	\subseteq	36. Ligh	nt Conditions
		Curve right			Daylight
	(3)	Curve left		(2)	Dark
	(9)	Unknown	1	(3)	Dark, but lighted Dawn
			- 1	(4)	Dusk
31.	Roa	dway Profile	1_	(9)	Unknown
		Level			1
		Uphill Grade (>2%) Downhill Grade (>2%)		37 ^+~	nospheric Conditions
		Hillcrest			No adverse atmospheric related driving
	(5)	Sag		``'	conditions
	(9)	Unknown		(2)	Rain
			\mathcal{I}	(3)	Sleet
32	Roa	dway Surface Type	4	(4)	Snow Fog
J 2.		Concrete			Rain and fog
	(2)	Bituminous (asphalt)			Sleet and fog
		Brick or Block ())		(8)	Other (e.g., smog, smoke, blowing sand or dust, etc.) (specify):
	(4) (5)	Slag, gravel or stone Dirt		(9)	Unknown
	(8)	Other (specify):			
	.				
	(9)	Unknown			
				1	

82-603

28 /0 m.

11 yom 70" 190

92 Toyola A-Runner 10mph POIto FRP = 1,5 m = 4,9 ft = 5-ft f=0,60

$$V = \sqrt{(2)(5)(0,60)(32.2)}$$

= 13,9 +PS = 9,4 mph = 15,2 KP4

15 KPh

13

U.S. Department of Transportation National Highway Traffic Safety Administration

PEDESTRIAN EXTERIOR VEHICLE FORM

NATIONAL ACCIDENT SAMPLING SYSTEM PEDESTRIAN CRASH DATA STUDY

1. Primary Sampling Unit Number

87

3. Vehicle Number

0 1

2. Case Number - Stratum

<u>603</u> P

VEHICLE IDENTIFICATION

VIN J L 3 1 N 3 9 M 8 N 8

Model Year

Vehicle Make (specify):

: Joyda

Vehicle Model (specify):

-Runner

PEDESTRIAN FRONT CONTACT WORK SHEET

PEV06 Hood Material

PEV08 Hood Length

PEV09 Hood Width-Forward Opening

PEV10 Hood Width-Midway

PEV11 Hood Width-Rear Opening

PEV14 Front Bumper Cover Material

PEV15 Front Bumper Reinforcement Material

277 cm 132 cm 137 cm 139 cm St. Steel

VERTICAL MEASUREMENTS

PEV16 Front Bumper-Bottom Height

PEV17 Front Bumper-Top Height

PEV18 Forward Hood Opening

PEV19 Front Bumper Lead

074	cm	
089	cm	1
103	cm	/
<u>005</u>	cm	,

cm

WRAP DISTANCES

PEV20 Ground to Forward Hood Opening

PEV21 Ground to Front/Top Transition Point

PEV22 Ground to Rear Hood Opening

PEV23 Ground to Base of Windshield


PEV24 Ground to Top of Windshield

PEV25 Ground to Head Contact

cm Buy cove

٤

VEHICLE DAMAGE SKETCH




NOTES: Sketch all pedestrian contacts, include the size and depth in centimeters. Locate the pedestrian contacts from the intercept point of the centerline (lateral) and the front axles (longitudinal) in centimeters. Annotate observations which might be useful in reconstructing the accident (e.g., grass in tire bead, direction of striations, scuff on sidewalls, etc.).

Location of the origin (intercept point of the centerline and the front axles) from the ground:

PEDESTRIAN SIDE CO	NTACT WORK SHEET
PEV06 Hood Material	
PEV08 Hood Length	cm
PEV09 Hood Width-Forward Opening	cm
PEV10 Hood Width-Midway	cm
PEV11 Hood Width-Rear Opening	cm
Tevri rioda matiricali oponing	
VERTICAL ME	ASUREMENTS
PEV26 Ground Clearance	cm
PEV27 Side Bumper-Bottom Height	cm
PEV28 Side Bumper-Top Height	cm
PEV29 Centerline of Wheel	cm
PEV30 Top of Tire	cm
PEV31 Top of Wheel Well Opening	cm
PEV32 Bottom of A-Pillar at Windshield	cm
PEV33 Top of A-Pillar at Windshield	cm
PEV34 Top of Side View Mirror	cm
LATERAL ME	ACUDEMENTS
LATERAL ME	ASUREMENTS
PEV35 C _L to A-Pillar at Bottom of Windshield	cm
PEV36 C _L to A-Pillar at Top of Windshield	cm
PEV37 C _L to Maximum Side View Mirror Protrusion	cm
WRAP D	ISTANCES
PEV38 Ground to Side/Top Transition	cm
PEV39 Ground to Hood Edge	cm
PEV40 Ground to Centerline of Hood (ORIGIN)	cm
	cm

VEHICLE DAMAGE SKETCH



NOTES: Sketch all pedestrian contacts, include the size and depth in centimeters. Locate the pedestrian contacts from the intercept point of the centerline (lateral) and the front axles (longitudinal) in centimeters. Annotate observations which might be useful in reconstructing the accident (e.g., grass in tire bead, direction of striations, scuff on sidewalls, etc.).

Location of the origin (intercept point of the centerline and the front axles) from the ground: ____ cm

	ORIGINAL SPECIFICATIO	NS
Wheelbase Overall Length Maximum Width Curb Weight 100 Average Track Front Overhang Rear Overhang Undeformed End Width Engine Size: cyl./displ.	inches pounds po	$4 \times 2.54 = 4 + 4 + 5 \text{ cm}$ $4 \times 2.54 = 6 \times 2.54 = 6$
FRONT 700 Front bumper 701 Front lower valance/spoiler 702 Front grille 703 Hood edge and/or trim 704 Hood ornament (fixed) 705 Hood ornament (spring loaded) 706 Headlight 707 Retractable headlight door (Open/Closed) 708 Turn signal/parking lights 718 Other front or add on object	INJURY SOURCE 744 B pillar 745 C pillar 746 D pillar 748 Other pillar (specify):	Wheels / tires 790 Left front wheel / tire 791 Right front wheel / tire 792 Left rear wheel / tire 793 Right rear wheel / tire 798 Other wheel / tire (specify): 799 Unknown wheel / tire Undercarriage components 800 Front cross member 801 Steering assembly/Front suspension 802 Oil pan 803 Exhaust system pipe 804 Transmission 805 Drive shaft 806 Catalytic converter 807 Muffler 808 Floor pan 809 Fuel tank 810 Rear suspension 818 Other undercarriage component (specify): 819 Unknown undercarriage component **Cessories** 820 Air scoop, deflector 821 Cellular or CB radio antenna 822 Emergency lights or bar 823 Fog lights 824 Luggage, ski, or bike rack 825 Cargo (specify): 826 Spare tire 827 Spotlight 828 Other accessory (specify): Other Object or Vehicle in Environment 947 Ground 948 Other object (specify): 949 Unknown object in environment

POINTS OF PEDESTRIAN CONTACT PEDESTRIAN CONTACT WORKSHEET								
CONTACT ID LABEL	COMPONENT CONTACTED	LONGITUDINAL Location (X)	LATERAL LOCATION (Y)	CRUSH IN CENTIMETERS	SUSPECTED BODY REGION	SUPPORTING PHYSICAL EVIDENCE	CONFIDENCE LEVEL OF CONTACT POINT (Circle)	SEQUENCE #
A	Bunker	97	44	Ø	Bley	Temptecko	2 3 9	
D	Simp	97	ጉ ን	Ф	O4	Jamospaaka	Q233	2
T	Sporter	122	48	Q	(R) keg	Wine smarks	2 3 9	
E	Spoiler	117	44	0	25	makes	\(\frac{1}{2}\)2 3 9	
H	Goill	78	46	Q '	Prod Ch	(Market)	2 3 9	4
1-	1200 L	70	41	0	5//2/	surano (Corgad)	2 1 9	5
S	Fendel	60	74	<u> </u>	0	Cirder sin	1) 2 3 9	6
<u> </u>	Hook	35	54	0		diameter=1	2000	7
7	Hoad	31	46	051	Elpons.	small dent	2 3 9	8
7	Hool	9	51	20	Face	Smudge.	O^{2} : 1	9
						- Aburela.	1 2 3 9	
							1 2 3 8	
							1 2 3 9	
							1239	
							1 2 3 9	
							1 2 3 9	
							1 2 3 9	
							1 2 3 9	
							1 2 3 9	
							1 2 3 9	
							1 2 3 9	
							1 2 3 9	
							1 2 3 9	
				<u> </u>	<u> </u>		1 2 3 9	


·	POINTS OF PEDESTRIAN CONTACT							
CHRONOLOGICAL ORDER OF CONTACTS								
CONTACT	COMPONENT CONTACTED CODE	LONGITUDINAL Location (X)	LATERAL LOCATION (Y)	CRUSH IN CENTIMETERS	SUSPECTED Body region	SUPPORTING PHYSICAL EVIDENCE	CONFIDENCE LEVEL OF CONTACT POINT (Circle)	
1 A	706	97	44	0	K, knee	(scuts clean)	2 3 9	
2 L	203	70	41	0	chest e	17 5 CW24	O_{2} 1 9	
3 2	703	70	41	V	R. elbow	wind de Street	2 3 9	
.6	770	31	46	0-1	P. Stoulde	scutt	O 2 3 9	
5 N	770	5	51	0-1	nose	skin /ol]	① 2 3 9	
6						ŕ	1 2 3 9	
7							1 2 3 9	
8							1 2 3 8	
9							1 2 3 9	
10							1 2 3 3	
11							1 2 3 9	
12							1 2 3 9	
13							1 2 3 9	
14							1 2 3 9	
15							1 2 3 9	
16							1 2 3 9	
. 17							1 2 3 9	
18							1 2 3 9	
19							1 2 3 9	
20							1 2 3 9	
21							1 2 3 9	
22							1 2 3 9	
23							1 2 3 9	
24							1 2 3 9	
25							1 2 3 9	


VEHICLE DIMENSIONS	14 11 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
	11. Hood Width Rear Opening
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	Code to the
4. Original Wheelbase <u>& U & </u>	nearest centimeter
Code to the	(210) 210 centimeters or more
nearest centimeter	(999) Unknown
(999) Unknown	(000, 0
102 7	inches X 2.54 = centimeters
033 inches $\times 2.54 = 262$ ceptime es	Inches X 2.54 = Centimeters
	40.11 1/5 1 3/ 1/11 1 1 0 1 5/4/2
5. Original Average Track Width	12. Hood/Fender Vertical/Lateral Crush From
	Pedestrian
Code to the	(O) Not damaged
nearest centimeter	(1) Surface scratching only, no residual crush
(185) 185 centimeters or more	(2) Minor crush (1-3 centimeters)
(999) Unknown	(3) Moderate crush (4-7 centimeters)
	(4) Severe crush (>7 centimeters)
. inches X 2.54 = centimeters	
mones x 2.54 = sontimeters	(8) Damage present, unknown if damage is from
\sim	pedestrian impact
2 11 11 2 2 2 2	(9) Unknown
6. Hood Material	(()
(1) Plastic	13. Windshield Contact Damage
(2) Fiberglass	From Pedestrian Contact
(3) Steel	(0) Not contacted by pedestrian
(4) Aluminum	(1) Contacted by pedestrian - not damaged
(5) Stainless Steel	
(8) Other (specify):	(2) Contacted by pedestrian - damaged
(9) Unknown	(3) Unknown if contacted by pedestrian - not
(9) Olikilowii	damaged
7.11. 1011	(4) Unknown if contacted by pedestrian -
7. Hood Original	damaged
Equipment Manufacturer (OEM)	(9) Unknown if contacted by pedestrian -
(1) OEM factory installed hood	unknown if damaged
(2) OEM replacement	
(3) Non-OEM replacement	
(9) Unknown	FRONT CONTACT DAMAGE
a 9 7	
8. Hood Length	Front Vertical Measurements
Code to the	L
nearest centimeter	14. Front Bumper Cover Material
	(0) No front contact
(180) 180 centimeters or more	(1) Plastic
(999) Unknown	(2) Fiberglass Stanles
	(3) Rubber
inches X 2.54 = centimeter	(4) Other (specify):
1 7 2	(9) Unknown
9. Hood Width Forward Opening	2
Code to the	15 Front Bumper Beinforcement Meterial
nearest centimeter	15. Front Bumper Reinforcement Material
(210) 210 centimeters or more	(0) No front contact
(999) Unknown	(1) Steel
(333) Olikilowii	(2) Aluminum
	(3) Stainless Steel
inches X 2.54 = centimeters	(4) Other (specify):
1 2 -	(9) Unknown
10. Hood Width Midway	711
Code to the	16. Front Bumper-Bottom Height $\underbrace{\hspace{1cm} \sum \mathcal{T} \hspace{1cm} }$
nearest centimeter	Code to the
(210) 210 centimeters or more	
(999) Unknown	nearest centimeter
• • • • • • • • • • • • • • • • • • • •	(000) No front contact
inches X 2.54 = centimeters	(150) 150 centimeters or more
	(999) Unknown
	inches X 2.54 = centimeters

Vational Accident Sampling	200	Side Lateral Measureme	nts
29. Centerline of Wheel Code to the	700		200
nearest centime	ter	os o stadios to A Billor	$(\mathcal{N}(\mathcal{N}))$
(000) No side contact		35. Centerline to A-Pillar	
(150) 150 centimeters		at Bottom of Windshield	
(999) Unknown	, 0	(000) No side contact Code to the	
(999) Olikilowii		nearest centimeter	
inches X 2	54 = centimeters	(250) 250 centimeters or more	
		(999) Unknown	
	\mathcal{O}	(999) Olikilowii	
30. Top of Tire	\sim	inches X 2.54 =	centimeters
Code to the			
nearest centime	eter		960
(000) No side contact		36. Centerline to A-Pillar	
(200) 200 centimeter		at Top of Windshield	
(999) Unknown		Code to the	
•		nearest centimeter	
. inches X 2	2.54 <u> </u>	(000) No side contact	
		(250) 250 centimeters or more	
	(JMO)	(999) Unknown	
31. Top of Wheel Well Or	pening $\underline{\underline{\mathcal{Y}}}$	_	•
Code to the		inches X 2.54 =	centimeter
nearest centime			****
(000) No side contac			$\mathcal{O}\mathcal{O}$
(250) 250 centimeter	rs or more	37. Centerline to Maximum Side	7/4/7/
(999) Unknown		View Mirror Protrusion	
		Code to the	
inches X	2.54 = centimeters	nearest centimeter	
	···· (10)@	(000) No side contact	
32. Bottom of A-Pillar at	Windshield	 (300) 300 centimeters or more 	
Code to the	A = =	(999) Unknown	
nearest centim			contimeter
(000) No side contac		inches X 2.54 =	Ceritimeter
(250) 250 centimete	is of more		
(999) Unknown		Side Wrap Distance Measu	rements
inches X	2.54 = centimeters		A -
			(130)
1	$\mathcal{O}(\mathcal{O}(\mathcal{O}))$	38. Ground to Side/Top Transition	
33. Top of A-Pillar at Wi	indshield <u>V</u>	Code to the	
Code to the		nearest centimeter	
nearest centin	neter	(000) No side contact	
(000) No side conta		(400) 400 centimeters or more	
(300) 300 centimete		(999) Unknown	
(999) Unknown			
		inches X 2.54 =	centimeters
inches X	X 2.54 = centimeters		000
	0~~	00 0 11 11-14 54-0	\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
	\ \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	39. Ground to Hood Edge	
34. Top of Side View M	lirror <u> </u>	Code to the	
Code to the		nearest centimeter (000) No side contact	
nearest centing		(500) No side contact (500) 500 centimeters or more	
(000) No side conta	act	(999) Unknown	
(300) 300 centimet	ters or more	(999) Olikilowii	
(999) Unknown		inches X 2.54 =	centimeters
:	X 2.54 = centimeters		
inches	A 2.04		
ĺ			

J

ivatic	onal Accident Sampling System-Crashworthiness Data	1 System. redestrian Extends vehicle Form	Page 10
40.	Ground to Centerline of Hood Code to the nearest centimeter (000) No side contact (700) 700 centimeters or more (999) Unknown inches X 2.54 = centimeters		
41.	Ground to Head Contact Code to the nearest centimeter (000) No side contact (800) 800 centimeters or more (998) No head contact (999) Unknown		
	inches X 2.54 = centimeters		-
		. •	





POINTS OF PEDESTRIAN CONTACT -- PEDESTRIAN # 1

PEDESTRIAN CONTACT WORKSHEET PAGE

		180=In	whoting				CONFIDENCE
CONTACT	COMPONENT CONTACTED	LONGITUDINAL	LATERAL	CRUSH	SUSPECTED		LEVEL OF
LABEL	(CODE or OBJECT)	LOCATION	LOCATION	IN CM	BODY REGION	SUPPORTING PHYSICAL EVIDENCE	CONTACT POINT
A	Bulan	7-78-5	40		(R) Lea	Tour Steady	1 2 3 9
D	Dunger	12-28-5	72		(1) Lee	Jem Josep	1 2 3 9
1	Spála	I-53-5	48		9 1		1 2 3 9
E	2000	1-58-5	74	(R) His/Love	8 Wears	1 2 3 9
A	Gul/Harl Jath	1-97-5	46		Jest V	Usth Fouh	1 2 3 9
1	Hord Eles	70	41		(D) (C) +	(5)men)	1 2 3 9
5	Ferler Conse	60	25±9		Children	27 portes	1 2 3 9
	Hood	. 35	54	15 cm	R Shulder	· cicle snew 15 cm d	
	Hood	`31	46	051	Dbon Arm	small dent	1 2 3 9
4	Hood	5	51	051	small dans w	mye face 3	3 9
						•	1 2 3 9
							1 2 3 9
							1 2 3 9
							1 2 3 9
							1 2 3 9
							1 2 3 9
							1 2 3 9
							1 2 3 9
							1 2 3 9
							1 2 3 9
							1 2 3 9
							1 2 3 9
							1 2 3 9
							1 2 3 9
							1 2 3 9