



U.S. Department of Transportation

National Highway Traffic Safety Administration

#### Dear Crash Data Researchers/Users:

Thank you for choosing crash data from the National Highway Traffic Safety Administration (NHTSA) for your research or other use. The information contained in this motor vehicle crash report is collected, maintained and distributed in accordance with Public Law 89-564. In accordance with this Public Law, NHTSA is required not to release any case information until completion of quality control procedures. These procedures include a review of the case material to extract all names, licenses and registration numbers, non-coded interview material, non-research related researcher comments in the margins, non-factual data, and the production number portion of the vehicle identification number (VIN).

If you requested NHTSA to query its database files in order to identify a specific crash, then that query was made using non-personal descriptors you provided for use in our search. This motor vehicle crash may have been identified from a data search and matches the general, non-personal descriptors you provided, but we cannot confirm that this is the specific crash report you requested.

If you have any questions with regard to the above procedures, please contact the Field Operations Branch, Crash Investigation Division, National Center for Statistics and Analysis at 202-366-4820. Again, please be advised that we cannot confirm that this is the case that you have specifically requested nor can we certify the information to be correct.

\*\*\* \*\*\* \*\*\*



PEDESTRIAN CASE SUMMARY NATIONAL ACCIDENT SAMPLING SYSTEM PEDESTRIAN CRASH DATA STUDY

**PSU** 82

CASE NO. 611P

TYPE OF ACCIDENT Car/Pedestrian Running

### A. DESCRIPTION OF THE ACCIDENT SEQUENCE AND ACCIDENT PECULIARITIES

(Provide a summary of the accident sequence as well as any particular event of the accident that is noteworthy. Pedestrian injury mechanism and vehicle interaction is the focus, not pedestrian or driver culpability. Do not include any personal identifiers.)

Vehicle 1 was southbound in lane one of a 5-lane, 2-way street. A pedestrian ran westbound across the street in mid-block area. As the pedestrian dodged traffic and then entered lane one, vehicle 1 attempted to lock up the brakes, but the front of the vehicle impacted the right side of the pedestrian. The pedestrian wrapped to the hood and was thrown forward and right to the ground.

			B. PED	ESTRIAN PR	OFILE		
Pedestrian			Treatment/		Most (TO BE COMPLE	Severe	Injury ZONE CENTER)
No.	Age	Sex	Mortality	Body Region	Ana. Struc.	AIS	Injury Source
01	65	М	Treated and Released	Brain	+LOC < 1 hr	2	Hood

Body Region	Type of Anatomic Structure	Abbreviated Injury Scale
Head Face Throat Chest Abdomen/Pelvis Spine Upper Extremity Lower Extremity External	Whole Area Vessels Nerves Organs Skeletal Head-LOC Skin-Burn Skin-Other	<ul> <li>(1) Minor injury</li> <li>(2) Moderate injury</li> <li>(3) Serious injury</li> <li>(4) Severe injury</li> <li>(5) Critical injury</li> <li>(6) Maximum (untreatable)</li> <li>(7) Injured, unknown severity</li> </ul>

	C. VEH	ICLE PROFIL	.E	
Class		E	Most Severe Damage Based on Vehicle Inspection	
of Vehicle	Year/Make/Model	Damage Plane	Damage Description	
Subcompact	97/Hyundai/Excel	Front	Dents, smears	
	of Vehicle	Class  of Year/Make/Model  Vehicle	Class  of Year/Make/Model Damage Vehicle Plane	Class  of Year/Make/Model Damage Damage Vehicle Plane Description



U.S. Department of Transportation National Highway Traffic Safety Administration

# PEDESTRIAN ACCIDENT COLLISION MEASUREMENT TABLE

BEST AVAILABLE

NATIONAL ACCIDENT SAMPLING SYSTEM PEDESTRIAN CRASH DATA STUDY

Primary Sampling Unit Number 2	7	С	ase Number-	Stratum 6 P
PEDESTRIAN ACCIDENT COI	LISION DATA CO	LLECTION(A - A	$\mathcal{I}$	SCALED DIAGRAM
document reference point and reference line	Surface Type	Concret	O nort	h arrow placed on diagram
documentation of all accident induced physical evidence including (if applicable):	Surface Condition	Doig_	road	de measurements for all applicable dways
a) vehicle skid marks	Coefficient of Frict	on • 70 - , 8	sca incl	led representations of the physical plant uding:
b) pedestrian contacts with ground or object	Grade (v/h) Measu	<b>a</b> /	a)	all road/roadway delineation (e.g., crosswarks, curb/edge lines, lane markings, medians, pavement markings parked vehicles, poles, signs, etc.)
c) vehicle/pedestrian point of impact (POI)	a) at impac	. 6	• • • • • • • • • • • • • • • • • • • •	all traffic controls (e.g., lights, signs)
d) location of pedestrian separation point from vehicle	b) between final rest	. · · · · ·	pec	destrian at pre-impact, impact, and final t based upon either.
f) final resting points (FRP) for pedestrian and vehicle	Pedestrian Travel	Direction VSD	_ a)	physical evidence, or
documentation of the physical plant including:	Vehicle Travel Dir	5	b)	reconstructed accident dynamics
<ul> <li>a) all road/roadway delineation (e.g., crosswalks, curb/edge lines, lane markings, medians, pavement markings, parked vehicles, poles, signs, etc.)</li> </ul>	Number of Travel	Lanes	-	
b) all traffic controls (e.g., lights, signs)				~
Reference Point: Center of water	Marin B	_ Reference Line:	West (	int kdy
		Distance and Di	iraction	Distance and Direction
Davie met w/ Researcher	onscere	from Reference		from Reference Line
≈ P.O.T.		.7.5	S	
Find Red Frent of W	h	3.5	5	
Fral Root Pedestarion	Blood	(39-42)	2	(1.1-1.9) W=
				•

Scale: 1 centimeter = \_\_

meters



U.S. Department of Transportation National Highway Traffic Safety

**ACCIDENT COLLISION DIAGRAM** 

NATIONAL ACCIDENT SAME PEDESTRIAN CRASH

Administration Indicate PSU No. 82 North Case Number – Stratum P Blood R.P. 8 111 Δ Scale: 1 centimeter =  $\frac{\hat{Q} \cdot \hat{S}}{\hat{S}}$  meters



U.S. Department of Transportation

PEDESTRIAN ACCIDENT FORM NATIONAL ACCIDENT SAMPLING SYSTEM

PEDESTRIAN CRASH DATA STUDY

National Highway Traffic Safety Administration

0 1


2. Case Number - Stratum

1. Primary Sampling Unit Number

#### IDENTIFICATION

3. Number of General Vehicle Forms Submitted

4. Date of Accident



5. Time of Accident

(Month, Day, Year)

Code reported military time of accident.

NOTE: Midnight = 2400 Unknown = 9999

#### **SPECIAL STUDIES - INDICATORS**

Check (✓) each special study (SS15-SS19 below) that has been completed; code 1 for the checked special studies and 0 for the special studies not checked.

6. \_\_\_\_SS15 Administrative Use

\_0\_

7. <u>✓ SS16</u> Pedestrian Crash Data Study

SS17 Impact Fires

0

\_1

SS18 \_

\_0\_

10. \_\_\_SS19 \_\_\_\_

\_0\_

### NUMBER OF EVENTS

11. Number of Recorded Events in This Accident

## PEDESTRIAN STUDY CRITERIA

#### Pedestrian Definition:

Any person who is on a trafficway or on a sidewalk or path contiguous with a trafficway, or on private property (e.g., parking lot). Note: Pedestrians include persons who are in contact with the ground, roadway, etc. and are pushing carts, wagons, etc. or holding on to a vehicle.

Persons in or on a nonmotorist conveyance are not pedestrians and are excluded from this study. A nonmotorist conveyance is defined as any human powered device by which a nonmotorist may move, or by which a pedestrian or nonmotorist may move another nonmotorist. A nonmotorist conveyance for purposes of this study includes the following: bicycles, baby carriages, roller skates/blades, push carts, scooters, wheelchairs, animals, etc. For example, persons on a bicycle/scooter, roller skating/blading, in a baby carriage/push cart/wheelchair or on a horse are excluded.

#### Case Selection Criteria:

A forward moving, late model year (VEH04 equals 90 to 95) CDS applicable vehicle (VEH07 equals 01 to 49) must strike a pedestrian.

The striking portion of the vehicle structure must be original equipment manufacturer (OEM) without previous damage and or parts removed in the impact area. For example, vehicles equipped with deer guards, winches, snow plows, etc. or previously damaged in the impact area are excluded.

The pedestrian may not be lying or sitting.

The pedestrian impact(s) are the vehicle's only impact(s). If multiple pedestrians are impacted, each pedestrian shall be a separate case.

The first point of contact between the late model year, CDS applicable vehicle and the pedestrian must be forward of the top of the A pillar.

		PEDESTRIAN	ACCIDEN1	EVENTS		
Accident Event Sequence Number	Vehicle Number	Class Of Vehicle	General Area of Damage	Vehicle Number or Object Contacted	Class Of Vehicle	General Area of Damage
12. <u>0</u> <u>1</u>	13. <u>0</u> <u>1</u>	14.	15.	16. <u>7</u> <u>2</u>	17. <u>0</u> <u>0</u>	18. <u>0</u>

# CODES FOR CLASS OF VEHICLE

- (00) Not a motor vehicle
- (01) Subcompact/mini (wheelbase < 254 cm)
- (02) Compact (wheelbase ≥ 254 but < 265 cm)
- (03) Intermediate (wheelbase ≥ 265 but < 278 cm)
- (04) Full size (wheelbase ≥ 278 but < 291 cm)
- (05) Largest (wheelbase ≥ 291 cm)
- (09) Unknown passenger car size
- (11) Compact utility vehicle
- (12) Large utility vehicle (≤ 4,500 kgs GVWR)
- (13) Passenger van (≤ 4,500 kgs GVWR)
- (14) Other van (≤ 4,500 kgs GVWR)
- (15) Pickup truck (≤ 4,500 kgs GVWR)
- (18) Other truck (≤ 4,500 kgs GVWR)
- (19) Unknown light truck type

# CODES FOR GENERAL AREA OF DAMAGE (GAD)

# CDS APPLICABLE VEHICLES

- (F) Front
- (R) Right side
- (L) Left side
- (U) Undercarriage
- (9) Unknown

# CODES FOR VEHICLE NUMBER OR OBJECT CONTACTED

Collision with Nonfixed Object

(72) Pedestrian

U.S. Department of Transportation

## PEDESTRIAN ASSESSMENT FORM

Form Approved O.M.B. No. 2127-0021

NATIONAL ACCIDENT SAMPLING SYSTEM

National Highway Traffic Safety

dministration	PEDESTRIAN CRASH DATA STUDY
Primary Sampling Unit Number	10. Pedestrian's Weight Code actual weight to the nearest
2. Case Number - Stratum 6 P	kilogram. (999) Unknown
3. Pedestrian Number01	<u> </u>
PEDESTRIAN'S CHARACTERISTICS	PEDESTRIAN'S PRE-AVOIDANCE ACTIONS
4. Pedestrian's Age Code actual age at time of accident. (00) Less than one year old (specify by month):  (97) 97 years and older (99) Unknown	11. Pedestrian Attitude (1) Standing (2) Crouching (3) Kneeling (4) Bending at waist (8) Other (specify):
5. Pedestrian's Sex (1) Male (2) Female - not reported pregnant (3) Female - pregnant-1st trimester (1st-3rd month) (4) Female - pregnant-2nd trimester (4th-6th month) (5) Female - pregnant-3rd trimester (7th-9th month) (6) Female - pregnant-term unknown (9) Unknown	12. Pedestrian Motion  (0) Not moving  (1) Walking slowly  (2) Walking rapidly  (3) Running or jogging  (4) Hopping  (5) Skipping  (6) Jumping
6. Pedestrian's Overall Height Code actual height to the nearest centimeter. (999) Unknowninches X 2.54 =centimeters	(7) Falling/stumbling or rising (8) Other (specify): (9) Unknown  13. Pedestrian's Action Relative to Vehicle (00) Stopped
7. Pedestrian's Height - Ground to Knee  Code to the nearest centimeter.  (999) Unknown  inches X 2.54 = centimeters	<ul> <li>(01) Crossing road, straight</li> <li>(02) Crossing road, diagonally</li> <li>(03) Moving in road, with traffic</li> <li>(04) Moving in road, against traffic</li> <li>(05) Off road, approaching road</li> <li>(06) Off road, going away from road</li> <li>(07) Off road, moving parallel</li> </ul>
8. Pedestrian's Height - Ground to Hip Code to the nearest centimeter. (999) Unknowninches X 2.54 =centimeters	(08) Off road, crossing driveway (09) Off road, moving along driveway (98) Other (specify): (99) Unknown  14. Pedestrian's Body (Chest) Orientation
9. Pedestrian's Height - Ground to Shoulder Code to the nearest centimeter. (999) Unknowninches X 2.54 = centimeters	Relative to Striking Vehicle Prior to Avoidance Actions (1) Facing vehicle (2) Facing away (3) Left side to vehicle (4) Right side to vehicle (8) Other (specify): (9) Unknown

#### National Accident Sampling System-Crashworthiness Data System: Pedestrian Assessment Form PEDESTRIAN'S AVOIDANCE ACTIONS 18. Pedestrian's Arm Orientation at Initial Impact (01) At sides (02) Folded across chest 15. Pedestrian's First Avoidance Actions (03) Hands clasped behind back (00) No avoidance actions (04) Hands on hips (01) Stopped (02) Accelerated pace (05) Hands in pockets (03) Ran away (along vehicle path) (04) Jumped One or both arms: (05) Turned toward vehicle (06) Extended upward (06) Turned away from vehicle (07) Extended to side (08) Extended forward bracing (07) Dove or fell away (09) Extended, holding object (briefcase, suitcase, etc.) Used hand(s) to: (11) Vault corner of vehicle (10) Holding object (young child, (12) Vault onto vehicle grocery bag, etc.) in arm(s) (11) Holding object (young child, grocery (13) Brace against vehicle bag, etc.) on shoulder(s) or head (14) Crouched and braced hands against vehicle (98) Other (specify): \_\_\_\_\_ (98) Other (specify):\_\_\_\_\_ (99) Unknown (99) Unknown 19. Pedestrian's Leg Orientation at Initial Impact (01) Together PEDESTRIAN'S ORIENTATION AT IMPACT (02) Apart-laterally (03) Apart-right leg forward (04) Apart-left leg forward (05) Apart- forward leg unknown 16. Pedestrian's Head Orientation (06) Left foot off the ground at Initial Impact (07) Right foot off the ground (1) To front (08) Both feet off the ground (2) To left (98) Other (specify):\_\_\_\_\_ (3) To right (99) Unknown (4) Up (5) Down 20. Vehicle/Pedestrian's Interaction (8) Other (specify):\_\_\_\_\_ (01) Carried by vehicle, wrapped position (9) Unknown (02) Carried by vehicle, slid to windshield (03) Carried by vehicle, position unknown (04) Passed over vehicle top 17. Pedestrian's Body (Chest) Orientation (05) Thrown straight forward at Initial Impact (06) Thrown forward and left of vehicle (1) Facing vehicle (07) Thrown forward and right of vehicle (2) Facing away (08) Knocked to pavement, forward (3) Left side to vehicle (09) Knocked to pavement, left of vehicle (4) Right side to vehicle (10) Knocked to pavement, right of vehicle (8) Other (specify): (11) Knocked to pavement, run over or (9) Unknown dragged by vehicle (12) Shunted to left (corner impacts only)

(13) Shunted to right (corner impacts only)

(98) Other (specify):

(14) Bumped or pushed aside

(16) Snagged, dragged by vehicle

(15) Snagged, rotated

(99) Unknown

(17) Foot or legs run over

OFFICIAL RECORDS	INJURY CONSEQUENCES
21. Police Reported Alcohol Presence For Pedestrian (0) No alcohol present (1) Yes alcohol present (7) Not reported (9) Unknown	25. Injury Severity (Police Rating) (0) O - No injury (1) C - Possible injury (2) B - Nonincapacitating injury (3) A - Incapacitating injury (4) K - Killed (5) U - Injury, severity unknown
22. Alcohol Test Result For Pedestrian Code actual value (decimal implied before first digit—0.xx) (95) Test refused (96) None given (97) AC (Alcohol Content) test performed, results unknown (99) Unknown if test given	(6) Died prior to accident (9) Unknown  26. Treatment - Mortality (0) No treatment (1) Fatal (2) Fatal - ruled disease (specify):  Nonfatal (3) Hospitalization (4) Transported and released
23. Police Reported Other Drug Presence For Pedestrian (0) No other drug(s) present (1) Yes other drug(s) present (7) Not reported (9) Unknown	(5) Treatment at scene - non-transported (6) Treatment later (8) Treatment - other (specify):  (9) Unknown
24. Other Drug Specimen Test Result For Pedestrian (0) No specimen test given (1) Drug not found in specimen (2) Drug found in specimen, (specify): (3) Specimen test given, results unknown or not obtained (9) Unknown	27. Type Of Medical Facility (for Initial Treatment) (0) Not treated at a medical facility (1) Trauma center (2) Hospital (3) Medical clinic (4) Physician's office (5) Treatment later at medical facility (8) Other (specify): (9) Unknown
	28. Hospital Stay  (00) Not Hospitalized  Code the number of days (up through 60) that the pedestrian stayed in a hospital.  (61) 61 days or more  (99) Unknown
	29. Working Days Lost  Code the number of days (up through 60) that the pedestrian lost from work due to the accident (00) No working days lost (61) 61 days or more (62) Fatally injured (97) Not working prior to accident (99) Unknown

STOP - VARIABLES 30 THROUGH 37 AF	RE COMPLETED BY THE ZONE CENTER
30. Glasgow Coma Scale (GCS) Score (at Medical Facility) (00) Not injured (01) Injured - not treated at medical facility (02) No GCS Score at medical facility (03-15) Code the actual value of the initial GCS Score recorded at medical facility. (97) Injured, details unknown (99) Unknown if injured  31. Was the Pedestrian Given Blood? (1) No - blood not given (2) Yes - blood given (specify units): (9) Unknown if blood given  32. Arterial Blood Gases (ABG) – HCO3 (00) Not injured (01) Injured, ABGs not measured or reported (02-50) Code the actual value of the HCO3 (96) ABGs reported, HCO3 unknown (97) Injured, details unknown (99) Unknown if injured  33. Time to Death  Code number of hours from time of accident to time of death up through 24 hours. If time of death is greater than 24 hours, code number of days. (Note: 1 day =31, 2 days = 32, n days = 30 +n up through 30 days = 60) (00) Not fatal (96) Fatal - ruled disease (99) Unknown	34. 1st Medically Reported Cause of Death  35. 2nd Medically Reported Cause of Death  Code the Pedestrian Injury from line number(s) for the medically reported injury(s) which reportedly contributed to this pedestrian's death (00) Not fatal or no additional causes (96) Mode of death given but specific injuries are not linked to cause of death. (specify):  (97) Other result (includes fatal ruled disease) (specify): (99) Unknown  37. Number of Recorded Injuries for This Pedestrian  Code the actual number of injuries recorded for this pedestrian. (00) No recorded injuries (97) Injured, details unknown (99) Unknown if injured
ARE ALL APPLICABLE MEDICAL RECORD NO [ ] UPDATE CANDIDATE?	YEST ]

Administration

U.S. Department of Transportation National Highway Traffic Safety

### PEDESTRIAN INJURY FORM

Form Approved O.M.B. No. 2127-0021

NATIONAL ACCIDENT SAMPLING SYSTEM PEDESTRIAN CRASH DATA STUDY

1. Primary Sampling Unit Number

3. Pedestrian Number

2. Case Number - Stratum

4. Blank

<u>X</u> <u>X</u>

### **INJURY DATA**


Record below the actual injuries sustained by this pedestrian in CHRONOLOGICAL order that were identified from the official and unofficial data sources. Remember not to double count an injury just because it was identified from two different sources. If greater than twenty-five injuries have been documented, encode the balance on the Pedestrian Injury Supplement.

	Source of Injury Data	Body Region	Type of Anatomic Structure	AIS-90 Specific Anatomic Structure	Level of Injury	A.I.S. Severity	Aspect	Injury Source	Injury Source Confidence Level	Direct/ Indirect Injury	Striking Profile	Type Of Damage	Damage Depth
1st	5.7	e. <u>8</u>	7. <u>9</u>	8. <u>0 4</u>	<u><b>40</b></u> .e	10	11.2	12.700	13	14	15	- <sub>16.</sub>	17 <u>.</u> _
2nd	18. 3	19[	20.7	<u>ما ٥</u> ٠	22. <u>0</u> <u>2</u>	- <sub>23.</sub>	24. 2	<sub>25.</sub> 77 D	26	27. 1	28. 2	- <sub>29.</sub> <u>7</u>	30.
3rd	31. <u>3</u>	32	ط.	34: <u>4</u>	35. <u>/                                   </u>	36.2	37. <u>O</u>	38. <u>7 7 0</u>	39. <u>(</u>	40. <u>L</u>	41	L <sub>42.</sub> 3	3 43
4th	44.7	45. <u>7</u>	46.	47. <u>0</u> 2	- <sub>48.</sub> <u>0</u> 2	49	50. 1	51. <u>947</u>	52	53.	54. <u></u>	<sub>55.</sub> <u>D</u>	56.
5th	57. <u>7</u>	58	59. <u>9</u>	60. <u>0 ?</u>	61. <u>0                                    </u>	62.	63. 🏒	64. <u>947</u>	65. 👤	66	67. <u>C</u>	) <sub>68.</sub>	<u></u>
6th	70	71	72	73	74	75	76	n	78	79	80	81	82
7th	83	84:	85	86	87	88	89	90	91	92	93	94	95
8th	96	97	98	99	100	_ 101	102	103	104	105	106	107	108
9th	109	110	111	112	_113	114	115,	116	117	118	119	120	121
10th	122	123	124	125	_126	127	128	129	130	131	132	133	134,

PEDESTRIAN INJURY DATA Injury Specific Source Type of Source Direct/ Type of Injury Body Anatomic Anatomic Level of A.I.S. Injury Confidence Indirect Striking Of Damage Data Region Structure Structure Injury Severity Aspect Source Profile Level Injury Damage Depth 11th 12th 13th 14th 15th 16th 17th 18th 19th 20th 21st 22nd 23rd 24th 25th

# OFFICIAL INJURY DATA — SOFT TISSUE INJURIES

Indicate the Location, Specific Anatomic Structure, Detail (size, depth, fracture type, head injury clinical signs and neurological deficits), and Source of all injuries indicated by official sources (or from PAR or other unofficial sources if medical records and interviewee data are unavailable.)



#### Possible Scratch (Scuff, Cloth Transfer, Smear) medical records (9) Unknown (3) Dent (2) Hospital/medical records other than Large deformation (4) emergency room (e.g., discharge **DIRECT/INDIRECT INJURY** Cracked, fractured, shattered Separated from vehicle (5)summary) Direct contact injury (6) Emergency room records only (including (2) Indirect contact injury Noncontact injury associated X-rays or other lab reports) Noncontact injury Other specify: Injured, unknown source (4) Private physician, walk-in or emergency (9) Unknown clinic **STRIKING PROFILE DAMAGE DEPTH** Injury not from vehicle contact UNOFFICIAL Flat-Narrow (<15 centimeters) Flat-Wide (≥ 15 centimeters) Rounded (contoured) Injury not from vehicle contact (0)(5) Lay coroner report No residual damage Surface only damage (6) E.M.S. personnel Crush depth > 0 to 2 centimeters Crush depth > 2 to 5 centimeters Rounded edge Interviewee Sharp edge Other (specify): Other source (specify): Crush depth >5 to 10 centimeters (8) Other specify: (9) Police (9) Unknown Unknown PEDESTRIAN INJURY CLASSIFICATION **Body Region Specific Anatomic Structure** Abbreviated Injury Scale (02) Cervical (04) Thoracic Head Whole Area (02) Skin - Abrasion (04) Skin - Contusion Minor injury Moderate injury Face (06) Lumbar Neck Serious injury (06) Skin - Laceration (08) Skin - Avulsion Thorax Vessels, Nerves, Organs, Bones, Joints are assigned consecutive two digit Severe injury Critical injury (4) (5) Abdomen (5) (6) Spine (10)Amputation numbers beginning with 02 Maximum (untreatable) Upper Extremity (20) Burn Injured, unknown severity Lower Extremity Unspecified (8) (30) Crush Level of Injury (9) (40) Degloving (50) Injury - NFS (90) Trauma, other than mechanical **Aspect** injuries are /e two-digit Specific assigned Type of Anatomic Structure consecutive numbers Right beginning with 02. (2) Left Whole Area Head - LOC (02) Length of LOC (04, 06, 08) Level of Consciousness (3) Biláteral To the extent possible, within the organizational framework of the AIS, 00 (4)Central (3) Nerves (5) Anterior Organs (includes muscles/ is assigned to an injury NFS as to severity or where only one injury is given in the dictionary for that anatomic (10) Concussion (6) Posterior ligaments) (7) Superior Skeletal (includes joints) Head - LOC (8) Inferior structure. 99 is assigned to any injury NFS as to lesion or severity. Unknown Whole region **INJURY SOURCE FRONT** Wheels / tires 700 Front bumper 744 B pillar 790 Left front wheel / tire 701 Front lower valance/spoiler 745 C pillar 791 Right front wheel / tire 702 Front grille 746 D pillar 792 Left rear wheel / tire 703 Hood edge and/or trim 748 Other pillar (specify):\_ 793 Right rear wheel /tire 704 Hood ornament (fixed) 749 Right side roof rail 798 Other wheel / tire (specify): 705 Hood ornament (spring loaded) 750 Right side door surface 799 Unknown wheel / tire 706 Headlight 751 Right side door handle 707 Retractable headlight door (Open/Closed) 752 Right side mirror fixed housing Undercarriage components 708 Turn signal/parking lights 753 Right side folding mirror 800 Front crossmember 801 Steering assembly/Front suspension 718 Other front or add on object 754 Right side glazing forward of B pillar 755 Right side glazing rearward of B pillar (specify): 802 Oil pan 719 Unknown front object 756 Rear antenna 803 Exhaust system pipe 757 Rear fender or quarter panel 804 Transmission Left Side Components 758 Other right side object 805 Drive shaft 720 Front fender side surface (specify): 806 Catalytic converter 721 Front antenna 759 Unknown right side component 807 Muffler 722 A1 pillar 808 Floor pan 723 A2 pillar **Back Components** 809 Fuel tank 724 B pillar 760 Rear (back) bumper 810 Rear suspension 725 C pillar 761 Tailgate 818 Other undercarriage component 726 D pillar 762 Hatchback, vertical surface (specify): 728 Other pillar 768 Other back component 819 Unknown undercarriage component (specify): (specify): 729 Left side roof rail 769 Unknown back component **Accessories** 730 Left side door surface 820 Air scoop, deflector 731 Left side door handle 821 Cellular or CB radio antenna Top Components 732 Left side mirror fixed housing 770 Hood surface 822 Emergency lights or bar 733 Left side folding mirror 771 Hood surface reinforced by under hood 823 Fog lights 734 Left side glazing forward of B pillar 735 Left side glazing rearward of B pillar 736 Left side back fender or quarter panel component 824 Luggage, ski, or bike rack 772 Front fender top surface 825 Cargo (specify):\_ 773 Cowl area 826 Spare tire 737 Rear antenna 774 Wiper blade & mountings 827 Spotlight 738 Other left side object 775 Windshield glazing 828 Other accessory (specify):\_ (specify): 776 Front header 739 Unknown left side component 777 Roof surface Other Object or Vehicle in Environment 778 Backlight glazing 947 Ground Right Side Components 779 Rear header 948 Other object (specify):

780 Hatchback

781 Rear trunk lid

788 Other top component (specify):

789 Unknown top component

**INJURY SOURCE CONFIDENCE LEVEL** 

Certain Probable

(2)

TYPE OF DAMAGE

No damage/contact

(0) Injury not from vehicle contact

949 Unknown object in environment

997 Noncontact injury source

999 Unknown injury source

959 Unknown object on contacting vehicle

**SOURCE OF INJURY DATA** 

740 Front fender side surface

741 Front antenna

742 A1 pillar

743 A2 pillar

(1) Autopsy records with or without hospital/

**OFFICIAL** 

# OFFICIAL INJURY DATA — SKELETAL INJURIES

#### Restrained?

\_\_\_ No

Indicate the Location, Specific Anatomic Structure, Detail (size, depth, fracture type, head injury clinical signs and neurological deficits), and Source of all injuries indicated by official sources (or from PAR or other unofficial sources if medical records and interviewee data are unavailable.)

Blood Alcohol Level (mg/dl)

Glasgow Coma Scale Score

$$GCSS = 1$$

Units of Blood Given


Units = \_\_\_\_


**Arterial Blood Gases** 

PO<sub>2</sub>= \_\_\_\_

PCO<sub>2</sub> \_\_\_\_


HCO<sub>3</sub> \_\_\_\_





# OFFICIAL INJURY DATA —INTERNAL INJURIES

Indicate the Location, Specific Anatomic Structure, Detail (size, depth, fracture type, head injury clinical signs and neurological deficits), and Source of all injuries indicated by official sources (or from PAR or other unofficial sources if medical records and interviewee data are unavailable.)



U.S. Department of Transportation National Highway Traffic Safety

EM DY

Administration PEDES I RIAN GEN	ERAL VEHICLE FORM NATIONAL ACCIDENT SAMPLING SYSTI
1. Primary Sampling Unit Number	OFFICIAL RECORDS
2. Case Number - Stratum 6 P	9. Police Reported Travel Speed $9$
3. Vehicle Number01	Code to the nearest kmph (NOTE: 000 means less than 0.5 kmph) (160) 159.5 kmph and above
VEHICLE IDENTIFICATION	(999) Unknown
4. Vehicle Model Year Code the last two digits of the model year (99) Unknown	mph X 1.6093 = kmph  10. Speed Limit (000) No statutory limit
5. Vehicle Make (specify):  Applicable codes are found in your NASS PCDS Data Collection, Coding and Editing Manual.  (99) Unknown	Code posted or statutory speed limit in kmph (999) Unknown  35 mph X 1.6093 = kmph  11. Police Reported Alcohol Presence For Driver (0) No alcohol present (1) Yes alcohol present
6. Vehicle Model (specify):  Applicable codes are found in your NASS PCDS Data Collection, Coding and Editing Manual. (999) Unknown  7. Body Type Note: Applicable codes may be found on the back of this page.	(7) Not reported (8) No driver present (9) Unknown  12. Alcohol Test Result For Driver Code actual value (decimal implied before first digit—0.xx) (95) Test refused (96) None given (97) AC (Alcohol Content) test performed, results unknown (98) No driver present
8. Vehicle Identification Number  Numb	(99) Unknown Source:  13. Police Reported Other Drug Presence For Driver (0) No other drug(s) present (1) Yes other drug(s) present (7) Not reported (8) No driver present (9) Unknown
	14. Other Drug Specimen Test Result For Driver (0) No specimen test given (1) Drug not found in specimen (2) Drug found in specimen (specify): (3) Specimen test given, results unknown or not obtained (8) No driver present (9) Unknown

### **CODES FOR BODY TYPE**

#### CDS APPLICABLE VEHICLES

#### Automobiles

- (01) Convertible (excludes sun-roof, t-bar)
- (02) 2-door sedan, hardtop, coupe
- (03) 3-door/2-door hatchback
- (04) 4-door sedan, hardtop
- (05) 5-door/4-door hatchback
- (06) Station wagon (excluding van and truck based)
- (07) Hatchback, number of doors unknown
- (08) Other automobile type (specify):
- (09) Unknown automobile type

#### Automobile Derivatives

- (10) Auto based pickup (includes El Camino, Caballero, Ranchero, Brat, and Rabbit pickup)
- (11) Auto based panel (cargo station wagon, auto based ambulance/hearse)
- (12) Large limousine more than four side doors or stretched chassis
- (13) Three-wheel automobile or automobile derivative

#### Utility Vehicles (≤ 4,500 kgs GVWR)

- (14) Compact utility (Jeep CJ-2 CJ-7, Scrambler, Golden Eagle, Renegade, Laredo, Wrangler, Cherokee [84 and after], Dispatcher, Raider, Bronco II, Bronco [76 and before], Explorer, S-10 Blazer, Geo Tracker, Bravada, S-15 Jimmy, Thing, Pathfinder, Trooper, Trooper II, Rodeo, Amigo, Navajo, 4-Runner, Montero, Samurai, Sidekick, Rocky)
- (15) Large utility (includes Jeep Cherokee [83 and before], Ramcharger, Trailduster, Bronco-fullsize [78 and after], fullsize Blazer, fullsize Jimmy, Landcruiser, Rover, Scout)
- (16) Utility station wagon (Chevy Suburban, GMC Suburban, Travelall, Grand Wagoneer, includes suburban limousine)
- (19) Utility, unknown body type

#### Van Based Light Trucks (≤ 4,500 kgs GVWR)

- (20) Minivan (Chrysler Town and Country, Caravan, Grand Caravan, Voyager, Grand Voyager, Mini-Ram, Dodge/Plymouth Vista, Aerostar, Villager, Lumina APV, Trans Sport, Silhouette, Astro, Safari, Toyota Van, Toyota Minivan, Previa, Nissan Minivan, Quest, Mitsubishi Minivan, Vanagon/Camper.)
- (21) Large van (B150-B350, Sportsman, Royal, Maxiwagon, Ram, Tradesman, Voyager [83 and before], E150-E350, Econoline, Clubwagon, Chateau, G10-G30, Chevy Van, Beauville, Sport Van, G15-G35, Rally Van, Vandura.)
- (22) Step van or walk-in van (≤ 4,500 kgs GVWR)
- (23) Van based motorhome (≤ 4,500 kgs GVWR)
- (24) Van based school bus (≤ 4,500 kgs GVWR)
- (25) Van based other bus (≤ 4,500 kgs GVWR)
- (28) Other van type (Hi-Cube Van, Kary) (specify):
- (29) Unknown van type

# Light Conventional Trucks (Pickup style cab, ≤ 4,500 kgs GVWR)

- (30) Compact pickup (D50, Colt P/U, Ram 50, Dakota, Arrow Pickup [foreign], Ranger, Courier, S-10, T-10, LUV, S-15, T-15, Sonoma, Datsun/Nissan Pickup, P'up, Mazda Pickup, Toyota Pickup, Mitsubishi Pickup)
- (31) Large Pickup (Jeep Pickup, Comanche, Ram Pickup, D100-D350, W100-W350, F100-F350, C10-C35, K10-K35, R10-R35, V10-V35, Silverado, Sierra, R100-R500,)

- (32) Pickup with slide-in camper
- (33) Convertible pickup
- (39) Unknown pickup style light conventional truck type

#### Other Light Trucks (≤ 4,500 kgs GVWR)

- (40) Cab chassis based (includes rescue vehicles, light stake, dump, and tow truck)
- (41) Truck based panel
- (42) Light truck based motorhome (chassis mounted)
- (45) Other light conventional truck type
- (48) Unknown light truck type
- (49) Unknown light vehicle type (automobile, utility, van, or light truck)

#### **OTHER VEHICLES**

#### Buses (Excludes Van Based)

- (50) School bus (designed to carry students, not cross country or transit)
- (58) Other bus type (e.g., transit, intercity, bus based motorhome) (specify):
- (59) Unknown bus type

#### Medium/Heavy Trucks (> 4,500 kgs GVWR)

- (60) Step van (> 4,500 kgs GVWR)
- (61) Single unit straight truck (4,500 kgs < GVWR ≤ 8,850 kgs)
- (62) Single unit straight truck (8,850 kgs < GVWR ≤ 12,000 kgs)
- (63) Single unit straight truck (> 12,000 kgs GVWR)
- (64) Single unit straight truck, GVWR unknown
- (65) Medium/heavy truck based motorhome
- (67) Truck-tractor with no cargo trailer
- (68) Truck-tractor pulling one trailer
- (69) Truck-tractor pulling two or more trailers
- (70) Truck-tractor (unknown if pulling trailer)
- (78) Unknown medium/heavy truck type
- (79) Unknown truck type (light/medium/heavy)

# Motored Cycles (Does Not Include All-Terrain Vehicles/Cycles)

- (80) Motorcycle
- (81) Moped (motorized bicycle)
- (82) Three-wheel motorcycle or moped
- (88) Other motored cycle (minibike, motorscooter) (specify):
- (89) Unknown motored cycle type

#### Other Vehicles

- (90) ATV (All-Terrain Vehicle) and ATC (All-Terrain Cycle)
- (91) Snowmobile
- (92) Farm equipment other than trucks
- (93) Construction equipment other than trucks
- (97) Other vehicle type
- (99) Unknown body type

VEHICLE WEIGHT ITEMS	RECONSTRUCTION DATA
15. Vehicle Curb Weight  Code weight to nearest 10 kilograms.  (045) Less than 450 kilograms  (610) 6,100 kilograms or more  (999) Unknown  lbs X .4536   15. Yehicle Curb Weight  0,95 0  10 0,95 0	18. Impact Speed  Page 18. Impact Speed  Nearest kmph  (NOTE: 000 means greater than .5 kmph) (160) 159.5 kmph and above (999) Unknown
Source:  16. Vehicle Cargo Weight  Code weight to nearest	19. Accuracy Range of Impact Speed Estimate  (0) No reconstruction  (1) Less than 2 kmph  (2) ≥ 2 kmph and ≤ 8 kmph  (3) ≥ 9 kmph and ≤ 16 kmph  (4) ≥ 17 kmph and ≤ 26 kmph  (9) Unknown  20. Data Source of Impact Speed  (0) No impact speed calculated  (1) Zone center calculation  (2) Police calculation  (3) Driver/witness/police estimates
	PRECRASH DATA
OTHER DATA  17. Vehicle Special Use (This Trip) (0) No special use (1) Taxi (2) Vehicle used as school bus (3) Vehicle used as other bus (4) Military (5) Police (6) Ambulance (7) Fire truck or car (8) Other (specify): (9) Unknown  STOP - VARIABLES 18 THROUGH 20 ARE COMPLETED BY THE ZONE CENTER	21. Driver's Attention to Driving (Prior to Recognition of Critical Event) (1) Full attention to driving (2) Distracted by other occupant (3) Distracted by moving object in vehicle (4) Distracted by outside person, object, or event (5) Talking on cellular phone or CB radio Specify: (6) Sleeping or dozing while driving (8) Other (specify): (9) Unknown  22. Pre-Event Vehicle Movement (Prior to Recognition of Critical Event) (01) Going straight (02) Slowing or stopping in traffic lane (03) Starting in traffic lane (04) Stopped in traffic lane (05) Passing or overtaking another vehicle (06) Disabled or parked in travel lane (07) Leaving a parking position (08) Entering a parking position (09) Turning right (10) Turning left (11) Making a U-turn (12) Backing up (other than for parking position) (13) Negotiating a curve (14) Changing lanes
	<ul> <li>(15) Merging</li> <li>(16) Successful avoidance maneuver to a previous critical event</li> <li>(97) Other (specify):</li> <li>(98) No driver present</li> <li>(99) Unknown</li> </ul>

(6) Avoidance maneuver initiated off roadway

(9) Directional consequences unknown

23. Critical Precrash Event	(83) Pedalcyclist or other nonmotorist in roadway
This Vehicle Loss of Control Due To:	(specify):
(01) Blow out or flat tire	(84) Pedalcyclist or other nonmotorist approaching
(02) Stalled engine	roadway (specify):
(03) Disabling vehicle failure (e.g., wheel fell off)	(85) Pedalcyclist or other nonmotorist—unknown
(specify):	location (specify):
(04) Non-disabling vehicle problem (e.g., hood flew	Object or Animal
up) (specify):	(87) Animal in roadway
(05) Poor road conditions (puddle, pot hole, ice, etc.)	(88) Animal approaching roadway
(specify):	(89) Animal—unknown location
(06) Traveling too fast for conditions	(90) Object in roadway
(08) Other cause of control loss (specify):	(91) Object approaching roadway
	(92) Object—unknown location
(09) Unknown cause of control loss	(98) Other critical precrash event (specify):
This Vehicle Traveling	02
(10) Over the lane line on left side of travel lane	(99) Unknown
(11) Over the lane line on right side of travel lane	The state of the s
(12) Off the edge of the road on the left side	24. Attempted Avoidance Maneuver (00) No driver present (01) No avoidance actions (02) Braking (no lockup) (03) Braking (lockup) (04) Braking (lockup unknown)
(13) Off the edge of the road on the right side	(00) No driver present
(14) End departure	(01) No avoidance actions
(15) Turning left at intersection	(02) Braking (no lockup)
(16) Turning right at intersection	(03) Braking (lockup)
(17) Crossing over (passing through) intersection	(04) Braking (lockup unknown)
(19) Unknown travel direction	(05) Releasing brakes
Other Motor Vehicle In Lane	(06) Steering left
(50) Stopped	(07) Steering right
(51) Traveling in same direction with lower speed	(08) Braking and steering left
(i.e., lower steady speed or decelerating)	(09) Braking and steering right
(52) Traveling in same direction with higher speed	(10) Accelerating
(53) Traveling in opposite direction	(11) Accelerating and steering left
(54) In crossover	(12) Accelerating and steering right
(55) Backing	(98) Other action (specify):
(59) Unknown travel direction of other motor vehicle	(99) Unknown 2 \(\)
in lane	25. Precrash Stability After Avoidance Maneuver
Other Motor Vehicle Encroaching Into Lane (60) From adjacent lane (same direction)—over left	(0) No driver present
lane line	(1) No avoidance maneuver
(61) From adjacent lane (same direction)—over right	(2) Tracking
lane line	(3) Skidding longitudinally—rotation less than 30
(62) From opposite direction—over left lane line	degrees
(63) From opposite direction—over right lane line	(4) Skidding laterally—clockwise rotation
(64) From parking lane	(5) Skidding laterally—counterclockwise rotation
(65) From crossing street, turning into same direction	(8) Other vehicle loss-of-control (specify):
(66) From crossing street, across path	
(67) From crossing street, turning into opposite	(9) Precrash stability unknown
direction	26. Precrash Directional Consequences of
(68) From crossing street, intended path not known	Avoidance Maneuver (Corrective Action)
(70) From driveway, turning into same direction	(0) No driver present
(71) From driveway, across path	(1) No avoidance maneuver
(72) From driveway, turning into opposite direction	(2) Vehicle stayed in travel lane where avoidance
(73) From driveway, intended path not known	maneuver was initiated
(74) From entrance to limited access highway	(3) Vehicle stayed on roadway but left travel lane
(78) Encroachment by other vehicle—details	where avoidance maneuver was initiated
unknown	(4) Vehicle stayed on roadway, not known if left
Pedestrian or Pedalcyclist, or Other Nonmotorist	travel lane where avoidance maneuver was
(80) Pedestrian in roadway	initiated (5) Vehicle departed readway
(81) Pedestrian approaching roadway	(5) Vehicle departed roadway

(82) Pedestrian-unknown location

	ENVIRONME	ENTAL DATA
28.	Relation to Junction (0) Non-junction (1) Interchange area  Non-Interchange (2) Intersection (3) Intersection-related (4) Drive, alley access related (5) Other non-interchange (specify): (6) Unknown type of non-interchange (9) Unknown if interchange  Trafficway Flow (1) Not physically divided (two way traffic) (2) Divided trafficway - median strip without positive barrier (3) Divided trafficway - median strip with positive barrier (4) One way trafficway (9) Unknown  Number of Travel Lanes (1) One (2) Two (3) Three (4) Four (5) Five (6) Six (7) Seven or more (9) Unknown	33. Roadway Surface Condition  (1) Dry (2) Wet (3) Snow and slush (4) Ice (5) Sand, dirt or oil (8) Other (specify): (9) Unknown  34. Traffic Control Device (0) No traffic control(s) (1) Trafficway traffic control signal (not RR crossing)  Regulatory or School Zone Sign (Not RR Crossing) (2) Stop sign (3) Yield sign (4) School zone sign (5) Other sign (specify):  (6) Unknown sign (7) Warning sign (not RR crossing) (8) Miscellaneous/other controls including RR controls (specify):  (9) Unknown  35. Traffic Control Device Functioning (0) No traffic control (1) Not Functioning (2) Functioning
30.	Roadway Alignment  (1) Straight  (2) Curve right  (3) Curve left  (9) Unknown	(9) Unknown  36. Light Conditions (1) Daylight (2) Dark (3) Dark, but lighted (4) Dawn (5) Daylight
31.	Roadway Profile (1) Level (2) Uphill Grade (>2%) (3) Downhill Grade (>2%) (4) Hillcrest (5) Sag (9) Unknown	(5) Dusk (9) Unknown  37. Atmospheric Conditions (1) No adverse atmospheric related driving conditions (2) Rain (3) Sleet
32.	Roadway Surface Type (1) Concrete (2) Bituminous (asphalt) (3) Brick or Block (4) Slag, gravel or stone (5) Dirt (8) Other (specify):  (9) Unknown	<ul> <li>(4) Snow</li> <li>(5) Fog</li> <li>(6) Rain and fog</li> <li>(7) Sleet and fog</li> <li>(8) Other (e.g., smog, smoke, blowing sand or dust, etc.) (specify):</li> <li>(9) Unknown</li> </ul>

82-611 1670m 97 Excel

65 Yom 60" 106#

20-36 15 Jup. t f = 0,8 POI to FRP 3,6 m = 12 ft

 $V = \sqrt{(2)(2)(0.8)(32.2)}$ = 24.8 +PS = 17mph = 27.2KPh

27 KPh

U.S. Department of Transportation **National Highway Traffic Safety** Administration

PEDESTRIAN EXTERIOR VEHICLE FORM NATIONAL ACCIDENT SAMPLING SYSTEM PEDESTRIAN CRASH DATA STUDY

- 1. Primary Sampling Unit Number
- 3. Vehicle Number

0 1

2. Case Number - Stratum

#### VEHICLE IDENTIFICATION

Vehicle Make (specify):

Vehicle Model (specify): HUG

## PEDESTRIAN FRONT CONTACT WORK SHEET

PEV06 Hood Material

PEV08 Hood Length

PEV09 Hood Width-Forward Opening

PEV10 Hood Width-Midway

PEV11 Hood Width-Rear Opening

PEV14 Front Bumper Cover Material

PEV15 Front Bumper Reinforcement Material

- 0	. (	
09	1	cn

cm

cm

# **VERTICAL MEASUREMENTS**

PEV16	Front	<b>Bumper-Bottom</b>	Height
-------	-------	----------------------	--------

PEV17 Front Bumper-Top Height

PEV18 Forward Hood Opening

PEV19 Front Bumper Lead

3	36	
	11.0	

cm

cm cm

cm

#### WRAP DISTANCES

PEV20 Ground to Forward Hood Opening

PEV21 Ground to Front/Top Transition Point

PEV22 Ground to Rear Hood Opening

PEV23 Ground to Base of Windshield

PEV24 Ground to Top of Windshield

PEV25 Ground to Head Contact

cm


cm

cm

cm cm

cm

# **VEHICLE DAMAGE SKETCH**



NOTES: Sketch all pedestrian contacts, include the size and depth in centimeters. Locate the pedestrian contacts from the intercept point of the centerline (lateral) and the front axles (longitudinal) in centimeters. Annotate observations which might be useful in reconstructing the accident (e.g., grass in tire bead, direction of striations, scuff on sidewalls, etc.).


Location of the origin (intercept point of the centerline and the front axles) from the ground:

143

\_ cm

i	PEDESTRIAN SIDE CONTACT WORK SHE	<u> </u>	
PEV06	Hood Material		
PEV08	Hood Length		cm
PEV09	Hood Width-Forward Opening		cm
PEV10	Hood Width-Midway		cm
PEV11	Hood Width-Rear Opening		cm
	VEDTICAL ALEACURENTS		
25, 100	VERTICAL MEASUREMENTS		
	Ground Clearance		cm
	Side Bumper-Bottom Height		cm
	Side Bumper-Top Height		cm
	Centerline of Wheel		cm
PEV30	Top of Tire	<u></u>	cm
PEV31	Top of Wheel Well Opening		cm
PEV32	Bottom of A-Pillar at Windshield		cm
PEV33	Top of A-Pillar at Windshield		cm
PEV34	Top of Side View Mirror	<del></del>	cm
	LATERAL MEASUREMENTS		
PEV35	C <sub>L</sub> to A-Pillar at Bottom of Windshield		cm
PEV36	C <sub>L</sub> to A-Pillar at Top of Windshield		cm
PEV37	C <sub>L</sub> to Maximum Side View Mirror Protrusion	\	cm
	WRAP DISTANCES		
PEV38	Ground to Side/Top Transition		cm
PEV39	Ground to Hood Edge		cm
PEV40	Ground to Centerline of Hood (ORIGIN)		cm
DEV/44 /	Ground to Head Contact		cm

# **VEHICLE DAMAGE SKETCH**



NOTES: Sketch all pedestrian contacts, include the size and depth in centimeters. Locate the pedestrian contacts from the intercept point of the centerline (lateral) and the front axles (longitudinal) in centimeters. Annotate observations which might be useful in reconstructing the accident (e.g., grass in tire bead, direction of striations, scuff on sidewalls, etc.).

Location of the origin (intercept point of the centerline and the front axles) from the ground: \_\_\_\_ cm

#### **ORIGINAL SPECIFICATIONS** inches x = 2.54Wheelbase inches $\times 2.54$ Overall Length inches x = 2.54Maximum Width pounds x . 4536 =Curb Weight inches x 2.54Average Track inches x = 2.54Front Overhang CM Rear Overhang inches $\times 2.54$ CM Undeformed End Width inches $\times 2.54$ x .001 Engine Size: cyl./displ. CID $x . 0\dot{1}64 =$ **INJURY SOURCE** Wheels / tires **FRONT** 744 B pillar 790 Left front wheel / tire 700 Front bumper 791 Right front wheel / tire 745 C pillar 701 Front lower valance/spoiler 746 D pillar 792 Left rear wheel / tire 702 Front grille 793 Right rear wheel /tire 703 Hood edge and/or trim 748 Other pillar (specify):\_\_ 798 Other wheel / tire (specify): \_ 749 Right side roof rail 704 Hood ornament (fixed) 799 Unknown wheel / tire 705 Hood ornament (spring loaded) 750 Right side door surface 706 Headlight 751 Right side door handle 707 Retractable headlight door (Open/Closed) 752 Right side mirror fixed housing Undercarriage components 708 Turn signal/parking lights 753 Right side folding mirror 800 Front cross member 754 Right side glazing forward of B pillar 801 Steering assembly/Front suspension 718 Other front or add on object 802 Oil pan (specify):\_ 755 Right side glazing rearward of B pillar 803 Exhaust system pipe 719 Unknown front object 756 Rear antenna 757 Rear fender or quarter panel 804 Transmission 805 Drive shaft 758 Other right side object Left Side Components 806 Catalytic converter (specify): 720 Front fender side surface 807 Muffler 759 Unknown right side component 721 Front antenna 722 A1 pillar 808 Floor pan 809 Fuel tank 723 A2 pillar **Back Components** 724 B pillar 760 Rear (back) bumper 810 Rear suspension 818 Other undercarriage component 725 C pillar 761 Tailgate 762 Hatchback, vertical surface 726 D pillar 819 Unknown undercarriage component 728 Other pillar 768 Other back component (specify): (specify): 769 Unknown back component 729 Left side roof rail **Accessories** 820 Air scoop, deflector 730 Left side door surface 821 Cellular or CB radio antenna 731 Left side door handle Top Components 732 Left side mirror fixed housing 770 Hood surface 822 Emergency lights or bar 771 Hood surface reinforced by under hood 823 Fog lights 733 Left side folding mirror 824 Luggage, ski, or bike rack 734 Left side glazing forward of B pillar component 825 Cargo (specify):\_ 735 Left side glazing rearward of B pillar 772 Front fender top surface 736 Left side back fender or quarter panel 773 Cowl area 826 Spare tire 827 Spotlight 774 Wiper blade & mountings 737 Rear antenna 828 Other accessory (specify):\_\_\_\_ 738 Other left side object 775 Windshield glazing 776 Front header (specify): Other Object or Vehicle in Environment 739 Unknown left side component 777 Roof surface 947 Ground 778 Backlight glazing 948 Other object (specify): 779 Rear header Right Side Components 949 Unknown object in environment 780 Hatchback 740 Front fender side surface 959 Unknown object on contacting vehicle 741 Front antenna 781 Rear trunk lid

788 Other top component (specify): \_

789 Unknown top component

997 Noncontact injury source

999 Unknown injury source

742 A1 pillar

743 A2 pillar

					RIAN CONTA			
CONTACT ID LABEL	COMPONENT Contacted	E2143 LONGITUDINAL LOCATION (X)	LATERAL LOCATION (Y)	CRUSH IN CENTIMETERS	· SUSPECTED BODY REGION	SUPPORTING PHYSICAL EVIDENCE	CONFIDENCE LEVEL OF CONTACT POINT (Circle)	SEQUENCE #
P	Bunker	100	-16	1 (	2 Kreek	y Denter	2 3 9	1
LU.	Book	76	-1a	o <u>⊆                                    </u>	<b>With</b>	Dento	(j)2 3 9	9
K	Hord Edge	71	-3	05	@ Hop	Dent	2 3 9	3
L	MARY	61	-10	0	O her	Stream to left	(P)2 3 9	φ
L	Hood	40	15	$\mathcal{O}$	arm	pont	1 2 3 9	5
8	Just	35	29	04	den	Denty (s)	<b>7</b> 2 3 9	ها
A	Hord	1	45-360	051	Hend	Month Church	2 3 9 مع	1
					•		1 2 3 9	
							1 2 3 9	
							1 2 3 9	
							1 2 3 9	
							1 2 3 9	
							1 2 3 9	
							1 2 3 9	
							1 2 3 9	
							1 2 3 9	
							1 2 3 9	
							1 2 3 9	
							1 2 3 9	
							1 2 3 9	
							1 2 3 9	
							1 2 3 9	
							1 2 3 9	
							1 2 3 9	

			ļ	ĺ		Į	١	ļ	l	J		١	į		I	ļ	Į				1		į	ļ	ĺ		į	١	١		l	1	ĺ		١	Į			١					ĺ	ļ		ľ	ļ	į	l	ĺ	l	Ì	Į		Ì	l			
		į							١																																																			

CONTACT #	COMPONENT CONTACTED CODE	LONGITUDINAL LOCATION (X)	LATERAL LOCATION (Y)	CRUSH IN Centimeters	SUSPECTED  BODY REGION	SUPPORTING PHYSICAL EVIDENCE	CONFIDENCE LEVEL OF CONTACT POINT ( <i>Circle</i> )
18	100	100	-16	ð	Kiley	Scath	2 3 9
2 A	771	1	45-60	トレ	Here	Durt	(1)2 1 9
3 A	U	ų	لړ	C C	LOC	- e	1 2 3 9
4							1 2 3 9
5							1 2 3 9
6							1 2 3 9
7							1 2 3 9
8							1 2 3 9
9							1 2 3 9
10							1 2 3 9
11							1 2 3 9
12							1 2 3 9
13							1 2 3 9
14							1 2 3 9
15							1 2 3 9
16 17							1 2 3 9
18							1 2 3 9
19							1 2 3 9
20							1 2 3 9
21							1 2 3 9
22							1 2 3 9
23							1 2 3 9
24							1 2 3 9
25							1 2 3 9

	VEHICLE DIMENSIONS	11. Hood Width Rear Opening 136
4.	Original Wheelbase	Code to the
	Code to the	nearest centimeter
	nearest centimeter	(210) 210 centimeters or more (999) Unknown
	(999) Unknown	(999) OTIKIOWII
	91 . s inches X 2.54 = centimeters	inches X 2.54 = centimeters
	inches X 2.54 = centimeters	
5.	Original Average Track Width	12. Hood/Fender Vertical/Lateral Crush From
	Code to the	Pedestrian 2
	nearest centimeter	(0) Not damaged (1) Surface scratching only, no residual crush
	(185) 185 centimeters or more	(2) Minor crush (1-3 centimeters)
	(999) Unknown	(3) Moderate crush (4-7 centimeters)
	557 	(4) Severe crush (>7 centimeters)
	Centimeters	(8) Damage present, unknown if damage is from
	3	pedestrian impact (9) Unknown
6.	Hood Material	(a) olikilowii
	(1) Plastic	13. Windshield Contact Damage
	(2) Fiberglass (3) Steel	From Pedestrian Contact
	(4) Aluminum	(0) Not contacted by pedestrian
	(5) Stainless Steel	(1) Contacted by pedestrian - not damaged
	(8) Other (specify):	<ul><li>(2) Contacted by pedestrian - damaged</li><li>(3) Unknown if contacted by pedestrian - not</li></ul>
	(9) Unknown	damaged
7	Hood Original	(4) Unknown if contacted by pedestrian -
٠.	Equipment Manufacturer (OEM)	damaged
	(1) OEM factory installed hood	(9) Unknown if contacted by pedestrian -
	(2) OEM replacement	unknown if damaged
	(3) Non-OEM replacement	FRONT CONTACT PARK OF
	(9) Unknown	FRONT CONTACT DAMAGE
8.	Hood Length O9 9	Front Vertical Measurements
	Code to the	14 Front Burnous Court Material
	nearest centimeter	14. Front Bumper Cover Material (0) No front contact
	(180) 180 centimeters or more (999) Unknown	(1) Plastic
	(333) OTINTOWT	(2) Fiberglass
	inches X 2.54 = centimeter	(3) Rubber
	$1 \sim 5$	(4) Other (specify):(9) Unknown
9.	Hood Width Forward Opening	(3) STIKIBWII
	Code to the nearest centimeter	15. Front Bumper Reinforcement Material
	(210) 210 centimeters or more	(0) No front contact
	(999) Unknown	(1) Steel
		(2) Aluminum (3) Stainless Steel
	inches X 2.54 = centimeters	(4) Other (specify):
10	Hood Width Midway	(9) Unknown
٠٠.	Code to the	0, 25
	nearest centimeter	16. Front Bumper-Bottom Height
	(210) 210 centimeters or more	Code to the nearest centimeter
	(999) Unknown	(000) No front contact
	inches X 2.54 = centimeters	(150) 150 centimeters or more
	Contineters	(999) Unknown
		inches X 2.54 = centimeters

17. Front Bumper-Top Height  Code to the nearest centimeter (000) No front contact (150) 150 centimeters or more (999) Unknown  inches X 2.54 =	23. Ground to Base of Windshield  Code to the nearest centimeter (000) No front contact (400) 400 centimeters or more (999) Unknown  inches X 2.54 = centimeters  24. Ground to Top of Windshield  Code to the nearest centimeter (000) No front contact (500) 500 centimeters or more
(200) 200 centimeters or more (999) Unknown inches X 2.54 = centimeters  19. Front Bumper Lead (00) No front contact	(999) Unknown  inches X 2.54 = centimeters  25. Ground To Head Contact Code to the nearest centimeter
Code to the nearest centimeter (30) 30 centimeters or more (99) Unknown inches X 2.54 = centimeters	(000) No front contact (400) 400 centimeters or more (998) No head contact (999) Unknown inches X 2.54 = centimeters
Front Wrap Distance Measurements	SIDE CONTACT DAMAGE
Front Wrap Distance Measurements  20. Ground to Forward Hood Opening  Code to the nearest centimeter (000) No front contact (200) 200 centimeters or more (999) Unknown  inches X 2.54 = centimeters	SIDE CONTACT DAMAGE  Side Vertical Measurements  26. Ground Clearance  Code to the nearest centimeter (000) No side contact (150) 150 centimeters or more (999) Unknown
20. Ground to Forward Hood Opening  Code to the nearest centimeter (000) No front contact (200) 200 centimeters or more (999) Unknown	Side Vertical Measurements  26. Ground Clearance Code to the nearest centimeter (000) No side contact (150) 150 centimeters or more

29. Centerline of Wheel	Side Lateral Measurements
Code to the nearest centimeter (000) No side contact (150) 150 centimeters or more (999) Unknown inches X 2.54 = centimeters	35. Centerline to A-Pillar at Bottom of Windshield (000) No side contact Code to the nearest centimeter (250) 250 centimeters or more (999) Unknown
30. Top of Tire  Code to the nearest centimeter (000) No side contact (200) 200 centimeters or more (999) Unknown  inches X 2.54 = centimeters	36. Centerline to A-Pillar at Top of Windshield  Code to the nearest centimeter  (000) No side contact (250) 250 centimeters or more
31. Top of Wheel Well Opening  Code to the nearest centimeter (000) No side contact (250) 250 centimeters or more (999) Unknown  inches X 2.54 = centimeters  32. Bottom of A-Pillar at Windshield Code to the nearest centimeter	(999) Unknown inches X 2.54 =centimeter  37. Centerline to Maximum Side View Mirror ProtrusionCode to thenearest centimeter (000) No side contact (300) 300 centimeters or more (999) Unknown
(000) No side contact (250) 250 centimeters or more (999) Unknowninches X 2.54 =centimeters	Side Wrap Distance Measurements
33. Top of A-Pillar at Windshield  Code to the nearest centimeter (000) No side contact (300) 300 centimeters or more (999) Unknown	38. Ground to Side/Top Transition  Code to the nearest centimeter (000) No side contact (400) 400 centimeters or more (999) Unknown
34. Top of Side View Mirror  Code to the nearest centimeter  (000) No side contact (300) 300 centimeters or more (999) Unknown	39. Ground to Hood Edge  Code to the nearest centimeter  (000) No side contact (500) 500 centimeters or more (999) Unknown  inches X 2.54 = centimeters
inches X 2.54 = centimeters	


vatio	nai Accident Sampling System-Cras	snwortniness Data	a System: Pedestrian Exterior Venicle Form	Page 10
	Ground to Centerline of Hood  Code to the nearest centimeter (000) No side contact (700) 700 centimeters or more (999) Unknown	000		
	Ground to Head Contact Code to the nearest centimeter (000) No side contact (800) 800 centimeters or more (998) No head contact (999) Unknown	<u>Centimeters</u> Q		
	inches X 2.54 =	centimeters		

## VEHICLE DAMAGE SKETCH

VIN KWA JEZTDOLUI **Hood Material** Year <u>97</u> Make Jymlin **Bumper Cover Type** Model Locat & 1 **Bumper Reinforcement** Material **Hood Widths** Rear Opening 136 Midway 35 14 Hood Length Front Opening 125  $^{b}$  Bumper lead **Wraps** Top Windshield 140+109 Vertical Heights Bottom Windshield 140+ 30 Forward Hood Opening Rear Hood (40+2)**Bumper Top** Transition 7-5 **Bumper Bottom** Front Hood 69

Location of Origin (Intercept) 143

Head Wrap Measurement 193 angle



# POINTS OF PEDESTRIAN CONTACT -- PEDESTRIAN # 1

# REDESTRIAN CONTACT WORKSHEET PAGE

CONTACT I D LABEL	COMPONENT CONTACTED (CODE or OBJECT)	LONGITUDINAL LOCATION	LATERAL LOCATION	CRUSH IN CM	SUSPECTED BODY REGION	SUPPORTING PHYSICAL EVIDENCE	CONFIDENCE LEVEL OF CONTACT POINT
F	Bringen	5-43	-16	1	P Knee Ca	Dondo Neman	1 2 3 9
<u>u</u>	Hood	I-67	-12	٥<	BTheh	Date	1 2 3 9
K	Hord Eter	7-72	- 3	1 30	@ tub,	Pers	1 2 3 9
R	How	64	~10	0	Bank Hub	Green to(c)	1 2 3 9
1	4000	40	12	0	Apm	Amb	1 2 3 9
R	House	25	29	0<1	Am	Bub	1 2 3 9
	Holopa			0<1			1 2 3 9
A	book	\	45-60	051	Head	but anglesome	2 3 9
<u> </u>			Ann and a second			1 /	4 2 3 9
<u> </u>							1 2 3 9
							1 2 3 9
							1 2 3 9
			<del></del>				1 2 3 9
							1 2 3 9
							1 2 3 9
			***				1 2 3 9
							1 2 3 9
							1 2 3 9
							1 2 3 9
							1 2 3 9
							1 2 3 9
							1 2 3 9
							1 2 3 9
							1 2 3 9
							1 2 3 9